



GET THE JOB DONE

Packed with 1000s
of exclusive products

PLUS



BizLine

GIGAMEDIA

SMART BUILDING SOLUTIONS



Denmans
REXEL GROUP



All your electrical essentials & more

We know when it comes to getting the job done you need products you can count on.

That's why we have put together this catalogue filled with exclusive quality brands you can trust.

You can find all the essentials you need from Newlec, including wiring to lighting and everything in between. The Bizline range includes all the tools and commodities you need and the Gigamedia data comms range is built for speed, reliability and ease of installation.

Whether you are stocking up, starting a new project or just looking for reliable alternatives, we've got you covered.



Contents



Lighting

15 – 22



Wiring Accessories

23 – 42



Data Networking

43 – 52



Cable Management

53 – 88



Circuit Protection

89 – 98



HVAC

99 – 108



Fire & Security

109 – 112



Tools

113 – 170



Fasteners & Fixings

171 – 176



Clearance

177 – 187

Follow us on:



Visit our website





Everything electrical made simple



Over 230 branches nationwide



Order before 5pm for next day delivery



15,000 products online and 1000's in branch



Request a quote in 3 simple steps



Local experts to help support you



Industry leading quality brands



To find your nearest branch scan here>>





N Newlec

**GET
THE JOB
DONE**

It's so easy to order online



Order your way!

15,000+ products in a few clicks!

Check stock in **real time**

Personalised pricing

Favourites/bought before

Easy Basket Builder - order in 1 click

Convert quotes to orders in 1 click

FREE UK deliveries (stock items)

Order by 5pm for next day

Click and collect in 1 hour

Save time with easy admin!

Easy access to **account details**

View **invoice status** / download / print


Pay invoices online

View **account summary** / statements

View **order history**

Create jobs lists, share and add to
cart / save for later

Track orders / email & text notifications



Download the
Rexel and Denmans
App today





Welcome to Rexel & Denmans Cable Solutions



Our Cable Solutions is here to provide you with all your cable needs via our 230+ branches across the UK, from standard to specialist, large and small volumes.

We can help with your everyday cable needs: quality products that are quickly accessible where and when you need them, allowing you to get the job done efficiently.

We also give you the added peace of mind that our cable is sourced only from reputable suppliers, and complies with current legislation (BASEC/CPR where applicable).



National Cable Centre

Wide range of cables for all your needs with over 300 to choose from

£14m stock value

135,000 sq ft internal warehouse space/
205,000 sq ft secure external space

Our cable offer includes:

Booklet SWA (PVC)

1.5mm² Core to 16.0mm 4 Core

Booklet SWA (PVC)

Multicore from 5 Core to 12 Core

Booklet SWA (LSOH)

1.5mm² Core to 16.0mm 4 Core

Booklet SWA (LSOH)

Multicore from 5 Core to 12 Core

Power SWA (PVC)

25mm² Core to 240mm 4 Core

Power SWA (LSOH)

25mm 3 Core to 95mm 4 Core

Power AWA 90mm to 500mm Single Core

Control Flexes (CY,SY,YY) PVC

Number Core & Colour Core

6181Y Double Insulated

1.0mm to 95.0mm

6491X Singles PVC 1.0mm to 35.0mm

6491B Singles LSF 1.5mm to 95mm

6242Y Twin & Earth PVC 1.0mm to 16.0mm

6243Y Triple & Earth PVC 1.0mm to 2.5mm

6242B Twin & Earth LSOH 1.0mm to 16.0mm

6243B Triple & Earth LSOH 1.0mm to 2.5mm

Tri-Rated 0.5mm to 35.0mm

H07-RNF Rubber 1.5mm to 16.0mm

NY Y (Hi Tuf) 1.5mm to 6mm

Data Cables

Communications Cables

Solar Cables 4mm to 6.0mm

Street Lighting 1.5mm to 16.0mm

Gland Kits & Accessories

Order by 3pm for next day delivery
to branch or to your site

**GET
THE JOB
DONE**

 Newlec

Quality

At great value.

Reliable

And ready for the job.

Professional

From start to finish.

Trusted

For over 40 years.

The logo for Newlec, featuring a stylized white 'N' followed by the word 'Newlec' in a white sans-serif font.




BizLine, always by your side

With a presence in 13 countries internationally, and a range of thousands of products, BizLine has been working with professionals for over twenty years.

By evolving alongside you, we are able to provide you with products and services tailored to your professions. This is what we mean by BizLine's proximity!

Reliability and quality are our top priorities, each product undergoes rigorous testing in our accredited COFRAC laboratory.

In each country, a dedicated team is available to provide you with personalised and attentive support for your needs.



Our commitments: Quality, Reliability, and Responsibility

The Fabrik is our headquarters where the minds of our teams come together to design, innovate, and develop sustainable and standardized solutions. In our accredited COFRAC laboratory, we ensure 100% reliability by testing our products before they are launched on the market.

A real obstacle course for your future product!

Our products: Everyday commodities and equipment for professionals

Electrical installation
fixings and accessories



Fixing & support



Hand tools



Site, workshop
and vehicle equipment



Power tools accessories



HVAC accessories



Our challenge: A more responsible world

Since 2018, with "BizCare", we have set course towards a more environmentally friendly future. This eco-responsible approach represents a bold challenge that we are taking on with you to successfully navigate the transition. At BizLine, what drives us is you. We are your ally at every stage of your projects.

Our CSR approach across the entire value chain combines professional excellence with environmental responsibility. After Gold in 2021 and Platinum in 2022 (77/100), we retained Platinum in 2023 with an improved score of 84/100 - placing us in the top 1% of Ecovadis-rated companies. In 2025 we were again awarded Ecovadis Platinum, confirming our ongoing CSR commitment.



GIGAMEDIA

SMART BUILDING SOLUTIONS



GIGAMEDIA PROVIDES A FULL RANGE OF INNOVATIVE SOLUTIONS for installers, integrators and engineering departments, dedicated to the distribution of structured cabling systems, IT and telecommunication networks.

FOR OVER 25 YEARS, WE HAVE BEEN SUPPORTING EXPERTS AND PROFESSIONALS in the Commercial, Industrial and Residential sectors through hardware solutions, expertise and additional services.

THE SOLUTIONS OFFERED BY GIGAMEDIA ARE KEY ELEMENTS OF SMART BUILDING INFRASTRUCTURES, with comprehensive product ranges providing customers with a full solution for their **DATACOM** projects.

Speak to our Datacoms experts in branch, who can help you get it right first time

www.rexel.co.uk



01 | Lighting

Lighting Design	16 - 17
Downlights	18
LED Lamps	19
Bulkheads	19
Emergency Lighting	19 - 21
Occupancy Detectors	21
Exterior PIRs	22
Photocells	22





REXEL

Denmans
REXEL GROUP

Lighting Design & Solutions

End to end
support
and
expertise
for all your
lighting
projects

When it comes to lighting projects and independent advice, Rexel and Denmans can help! We offer a free of charge bespoke lighting design and consultancy service that will help you deliver a creative, energy efficient and cost-effective solution, whether your project is commercial, residential or industrial.

Our design team will ensure that your project adheres to all the required standards and regulations, offering peace of mind when it matters with our bespoke emergency lighting designs and solutions.


Rexel and Denmans offer quality and reliable products from leading brands including own brand, fit for any budget, providing the most competitive and cost-effective solutions.

We can also incorporate lighting controls, both wired and wireless in any design, to help you live and work in a better light.

Here's how...

Stage 1: Survey, advice and calculations

A nationwide team of engineers professionally qualified to industry standards offering impartial advice.



Stage 2: Design service

Technical design calculations and layouts are created using the latest RELUX software package, designed to conform to CIBSE/SLL guides and British Standards.

Stage 3: Quality products

We recommend only trusted products from the world's leading lighting manufacturers that meet our rigorous standards of performance, safety and quality.



Stage 4: Installation

Based on information that we have gathered from our survey and lighting designs, we can facilitate an installation service linking you with installers to give you a 'one-stop' solution which is fully project-managed. We can of course, also work on a supply only basis.

Contact us for more info:

Email the Lighting Design and Solutions Team:

lighting.solutions@rexel.co.uk

LED INTEGRATED FIRE RATED DOWNLIGHTS



- 4 colour switchable between 2700K, 3000K, 4000K and 6000K
- Supplied with white bezel as standard
- 2-part fixing connector for quick and easy install
- 72mm cutout
- IP65



Order No.	Model No.	Description
LED INTEGRATED FIRE RATED DOWNLIGHTS		
2503034646	NLFRDLED-01	LED Fire Rated Downlight 5W IP65 White
2503034647	NLFRDLED/10-01	LED Fire Rated Downlight 5W IP65 White 10 Pack
BEZELS		
2503034648	NLFRDBEZWH-01	White
2503034649	NLFRDBEZCH-01	Chrome
2503034650	NLFRDBEZSC-01	Satin Chrome
2503034651	NLFRDBEZMB-01	Matt Black

FIRE RATED GU10 CAN IP20

- Bezels sold separately



Order No.	Model No.	Description
DOWNLIGHT FIRE RATED GU10 CAN		
2501097861	NLFRDGUI0	IP20 Fire Rated GU10 Can

IP20 & IP65 TRIMS

- Compatible with Newlec NLFRDGUI0 Fire Rated GU10 can



Order No.	Model No.	Description
IP20 TRIMS		
2501097862	NLFRDWHI20	White
2501097863	NLFRDCHR20	Chrome
2501097864	NLFRDS/CHR20	Satin Chrome
IP65 TRIMS		
2501097865	NLFRDWHI65	White
2501097866	NLFRDCHR65	Chrome
2501097867	NLFRDS/CHR65	Satin Chrome



LED GLS LAMPS

- A range of LED GLS lamps for residential and commercial use, equivalent to 60W incandescent lamps



Order No.	Model No.	Description
NON-DIMMABLE		
2503031639	NLGLSBC6027ND-01	8W GLS 2700K B22 806lm Non-Dimmable Frosted
2503031640	NLGLSES6027ND-01	8W GLS 2700K E27 806lm Non-Dimmable Frosted
DIMMABLE		
2503031641	NLGLSBC6027D-01	8W GLS 2700K B22 806lm Dimmable Frosted
2503031642	NLGLSES6027D-01	8W GLS 2700K E27 806lm Dimmable Frosted

LED GU10 LAMPS

- A range of LED GU10 lamps in warm and cool white for residential and commercial use, equivalent to 35W & 50W halogen lamps



Order No.	Model No.	Description
NON-DIMMABLE		
2503031654	NLGUI03527ND-01	4.7W GU10 2700K 380lm Non-Dimmable
2503031655	NLGUI03540ND-01	4.7W GU10 4000K 380lm Non-Dimmable
DIMMABLE		
2503031656	NLGUI03527D-01	3.7W GU10 2700K 350lm Dimmable
2503031657	NLGUI03540D-01	3.7W GU10 4000K 350lm Dimmable

LED SECURITY BULKHEAD IP55 5W 310LM 4000K

- Life expectancy: 30,000 hours



Order No.	Model No.	Description
LED 5W 310LM 4000K IP55 DECORATIVE SECURITY BULKHEAD		
2501009932	NLLRB3	LED Security Bulkhead
2501009933	NLLRB3PIR	LED Security Bulkhead with PIR

LED IP65 EMERGENCY TWINSPO

- A range of emergency twinspots with twin heads that can rotate and tilt. The fitting can also be mounted in any orientation for flexibility during installation. Suitable for general emergency lighting applications in commercial and industrial use
- Polycarbonate body, polycarbonate heads, including lens
- Push fit terminal block for quick and simple installation
- 3 hour non-maintained



Order No.	Model No.	Description
LED IP65 EMERGENCY TWINSPO		
2503005397	NLE3TWINSPLI	2 x 1.5W LED Non-Maintained Twinspot

LED EMERGENCY WALL EXIT BOX

- No re-lamping or maintenance required for lifetime of the fitting
- Can be installed in maintained switchable, maintained non-switchable and non-maintained mode
- Supplied with euro down legend fitted
- Maximum viewing distance of 30m
- Supplied with Euro legend as standard
- 5 Year Warranty
- IP20



LED EMERGENCY SUSPENDED EXIT SIGN

- A suspended LED exit sign with a drop blade and range of legends allowing complete flexibility in any installation
- No re-lamping or maintenance required for lifetime of the fitting
- Maintained operation with charge indicator lamp
- Maximum viewing distance of 30m
- Supplied with Euro legend as standard
- 5 Year Warranty
- IP20



Order No.	Model No.	Description
LED EMERGENCY WALL EXIT BOX		

2503005398	NLE3WALLES-LI	2W LED M/NM E3 Wall Exit Box c/w Euro Legend
-------------------	---------------	--

Order No.	Model No.	Description
LEGENDS		

2501421833	NLE3WALLILU	ISO 7010 Legend Arrow Up
2501421834	NLE3WALLILD	ISO 7010 Legend Arrow Down
2501421835	NLE3WALLILL	ISO 7010 Legend Arrow Left
2501421836	NLE3WALLILR	ISO 7010 Legend Arrow Right
2501421829	NLE3WALLESELU	Euro Legend Arrow Up
2501421831	NLE3WALLESELL	Euro Legend Arrow Left
2501421832	NLE3WALLESELR	Euro Legend Arrow Right

Order No.	Model No.	Description
LED EMERGENCY SUSPENDED EXIT SIGN		

2503005396	NLE3SUSES-LI	White Suspended Exit Sign c/w Euro Legend Arrow Down
-------------------	--------------	--

Order No.	Model No.	Description
ACCESSORIES		

2501497265	NLE3SUSESELU	Euro Legend Arrow UP for NLE3SUSES
2501497266	NLE3SUSESELLR	Euro Legend Arrow L/R for NLE3SUSES
2501497267	NLE3SUSESILU	ISO 7010 Legend Arrow Up for NLE3SUSES
2501497268	NLE3SUSESILLR	ISO 7010 Legend Arrow L/R for NLE3SUSES
2501497269	NLE3SUSESILD	ISO 7010 Legend Arrow Down for NLE3SUSES



LED EMERGENCY BULKHEAD

- The new Newlec bulkhead uses up-to-date Lithium LiFePO4 battery technology for long battery life. It is a slim multi-purpose IP65 rated LED emergency bulkhead suitable for use on corridors, exits and escape routes. A range of attachments and legends enable the bulkhead to also be used as an exit sign or double sided exit sign.
- Supplied complete with Euro legend kit (man running towards door) to enable use as an exit sign
- Lithium Iron Phosphate Battery (LiFePO4)
- 20m maximum viewing distance with standard legends
- Drop down attachment (DDA) supplied with Euro legend kit to enable use as a double sided exit sign
- 30m maximum viewing distance with drop down attachment (DDA).
- Can be installed in maintained or non-maintained mode (based on wiring) for flexibility
- ISO 7010 / BS 5266 legends (man running through door) are available separately.
- 3 hour operation on battery power after mains failure
- Supplied with Euro legend as standard
- 5 Year warranty
- IP65



Order No.	Model No.	Description
LED EMERGENCY BULKHEAD		
2501673128	NLE3B-LI	Emergency Bulkhead
ACCESSORIES		
1051088377	NLE3BISOL	ISO 7010 Legend Kit
1051088378	NLE3BRMK	Recessed Mounting Kit
1051088379	NLE3BDDA	Drop Down Attachment

WALL & CEILING MOUNTED OCCUPANCY DETECTORS

- Presence detectors (occupancy detectors) are designed to reduce the amount of time lighting is left on unnecessarily
- A presence detector monitors the detection zone for occupancy; if a person is sensed then the detector will automatically turn the lighting on
- Controlling lighting with a presence detector can save up to 60% of lighting energy costs dependent on occupancy behaviour and the amount of natural light available
- Class 1 Surface, Class 2 Recess and Wall



Order No.	Model No.	Description
WALL & CEILING MOUNTED OCCUPANCY DETECTORS		
2501673867	NLPIR-RECESS	Occupancy Detector Ceiling PIR Recess Mount
2501673868	NLPIR-SURFACE	Occupancy Detector Ceiling PIR 3 Surface Mount
2501673870	NLPIR-WALL2W	Occupancy Detector Wall PIR 2 Wire
2501673869	NLPIR-WALL3W	Occupancy Detector Wall PIR 3 Wire
2501673871	NLMWS	Microwave Motion Sensor

EXTERIOR PIR'S

- Lens can be masked to reduce nuisance detection
- Adjustable time from 5 seconds to 5 minutes
- Adjustable lens angle to optimise detection zone
- Manual override function available
- PIRs can be 'daisy chained' to a single load
- 140° detection angle
- 1000W resistive switching capacity
- 12m range
- Day and night or night only operation



Order No.	Model No.	Colour	Wattage	IP Rating
PIR'S				
1050378531	NLPIRB1A	Black	1000W	IP44
1050378532	NLPIRW1A	White	1000W	IP44
1050378533	NLPIRB2A	Black	2300W	IP55
1050378534	NLPIRW2A	White	2300W	IP55

PHOTOCELLS

- Photocells provide dusk-down operation of external lights
- All UV stabilised polycarbonate construction
- Operating voltage 198V to 264V 50Hz
- Offers excellent energy/cost saving
- Consumes less than 0.5W (Day and Night)
- 1000W (4A) max resistive load
- 500W (2A) max inductive load
- 70/105 lux level (positive switching ratio to suit commercial applications)
- Photodiode sensor
- UK manufactured and product tested



NL5600



NL5601

Order No.	Model No.	Description
PHOTOCELLS		
1000005886	NL5600	Commercial Photocell
1000015760	NL5601	Commercial Photocell Kit with NEMA Fitting
1050150455	NL5605	Surge Suppressed Photocell Kit
1050334793	NL5608	Miniature Commercial Photocell - 1 Part
1051059427	NLSS14R	Miniature Photocell 2 Part Remote Sensor



NL5608

02 | Wiring Accessories

Slimline White Moulded	24 - 27
Square Edged White Moulded	28 - 29
Decorative Wiring Accessories	30
Dimmer Switches	31
Converter Sockets	31
Surface Pattress Boxes	32
Ceiling Accessories	32
Metalclad	33
Weatherproof	34
Junction Boxes	35, 37
Connectors	35
RCD Sockets	35
Metal Boxes	36
Pre-Galvanised Boxes	36
Dry Lining Boxes	37
Extension Leads	38
Industrial Plugs & Sockets	39 - 41



13A SOCKETS



NLWS8300/1



NLWS8300/S2USBC



PLATE SWITCHES



NLWS8310/12



NLWS8310/32



Order No.	Model No.	Description
13A SOCKETS		
2503037576	NLWS8300/1	13A 1G SP Switched Socket
2503037577	NLWS8300/2	13A 2G SP Switched Socket
2503037578	NLWS8300/1DP	13A 1G DP Switched Socket
2503037579	NLWS8300/2DP	13A 2G DP Switched Socket
2503037580	NLWS8300/S2USBC	13A 2G Switched Socket With 1xUSB A 1xUSB C 3.1A
2503037581	NLWS8300/1US	13A 1G Unswitched Socket
2503037582	NLWS8300/2US	13A 2G Unswitched Socket

Order No.	Model No.	Description
PLATE SWITCHES		
2503037583	NLWS8310/12	10A 1G 2W Switch
2503037584	NLWS8310/22	10A 2G 2W Switch
2503037585	NLWS8310/32	10A 3G 2W Switch
2503037586	NLWS8310/INT	10A 1G Intermediate Switch

INTERMEDIATE SWITCH MODULE

- To be used with plate switches range NLW8310



Order No.	Model No.	Description
INTERMEDIATE SWITCH		
2503037587	NLWS8310/INTMOD	Intermediate Switch Module

10A FAN ISOLATOR



Order No.	Model No.	Description
10A FAN ISOLATOR		
2503037588	NLWS8360	10A Fan Isolator

Need more Slimline Wiring Accessories?



Newlec

See Pages 178 - 181

CONNECTION UNITS



NLWS8313



NLWS8313/SNF



NLWS8320/SN

45A DP COOKER SWITCHES



NLWS8345/2N



NLWS8345/1N

Order No.	Model No.	Description
CONNECTION UNITS		
2503037589	NLWS8313	13A Fused Spur
2503037590	NLWS8313/F	13A Fused Spur/Flex Outlet
2503037591	NLWS8313/S	13A DP Switched Fused Spur
2503037592	NLWS8313/SF	13A DP Switched Fused Spur/Flex Outlet
2503037593	NLWS8313/SN	13A DP Switched Fused Spur/Neon
2503037594	NLWS8313/SNF	13A DP Switched Fused Spur/Neon/Flex Outlet
2503037595	NLWS8320/S	20A DP Switch
2503037596	NLWS8320/SN	20A DP Switch/Neon
2503037597	NLWS8320/WH	20A DP Switch Water Heater/Neon

Order No.	Model No.	Description
45A DP COOKER SWITCHES		
2503037598	NLWS8345/1N	45A DP Switch/Neon
2503037599	NLWS8345/2N	45A DP D/Length Switch/Neon

45A DP COOKER CONTROL UNITS



NLWS8345/2NS



Order No.	Model No.	Description
45A DP COOKER CONTROL UNITS		
2503037600	NLWS8345/2S	45A DP Cooker Control
2503037601	NLWS8345/2NS	45A DP Cooker Control/Neon

FLEX CONNECTION OUTLET



Order No.	Model No.	Description
FLEX CONNECTION OUTLET		
2503037602	NLWS8320/F	20A Connection Unit



45A COOKER OUTLET



Order No.	Model No.	Description
2503037603	NLWS8345/F	45A Cooker Connection

SHAVER SOCKET




Order No.	Model No.	Description
2503037604	NLWS8365	115/230V Shaver Socket

BLANK PLATES



NLWS8380/1



NLWS8380/2

Order No.	Model No.	Description
2503037606	NLWS8380/1	1 Gang Blanking Plate
2503037607	NLWS8380/2	2 Gang Blanking Plate

TV SOCKET



Order No.	Model No.	Description
2503037605	NLWS8370/1	1G TV Outlet

N Newlec

Our products are right for you and fit for the job.

SURFACE PATTRESS BOXES



NLWS8385/147



NLWS8385/247

NEW
Available from
April 2026

Order No.	Model No.	Description
SURFACE PATTRESS BOXES		
2503037608	NLWS8385/116	1G 16mm Surface Pattress Box
2503037609	NLWS8385/125	1G 25mm Surface Pattress Box
2503037610	NLWS8385/225	2G 25mm Surface Pattress Box
2503037611	NLWS8385/147	1G 47mm Surface Pattress Box
2503037612	NLWS8385/247	2G 47mm Surface Pattress Box

DUAL SURFACE PATTRESS BOX



NEW
Available from
April 2026

Order No.	Model No.	Description
DUAL SURFACE PATTRESS BOX		
2503037613	NLWS8385/DUAL	2 x 1G 25mm Surface Pattress Box

EURO MODULES



NLWMOD/TV



NLWMOD/SAT



NLWMOD/RJ45



NLWMOD/IBLANK



NLWMOD/QUAD



NLWMOD/USBC

NEW
Available from
April 2026


DATA & COMMUNICATIONS PLATES



NLWMOD/P11



NLWMOD/P12



NLWMOD/P24


NEW
Available from
April 2026

Order No.	Model No.	Description
DATA & COMMUNICATIONS PLATES		
2503037616	NLWMOD/P11	1 Gang 1 Module Media Plate
2503037617	NLWMOD/P12	1 Gang 2 Module Media Plate
2503037618	NLWMOD/P24	2 Gang 4 Module Media Plate

Order No.	Model No.	Description
EURO MODULES		
2503037619	NLWMOD/TV	25x50mm TV Outlet
2503037620	NLWMOD/SAT	25x50mm Satellite Outlet F Connector
2503037621	NLWMOD/RJ45	25x50mm RJ45 Cat5E Data Module
2503037622	NLWMOD/IBLANK	25x50mm Blank Plate
2503037623	NLWMOD/QUAD	50x50mm Satellite Outlet Sat 1/2/Radio Quadplex
2503037624	NLWMOD/USBC	25x50mm Type A+C USB Charger

WIRING ACCESSORIES SLIMLINE WHITE MOULDED ACCESSORIES

13A SOCKETS



Order No.	Model No.	Description
13A SOCKETS		
2503037625	NLWSQ8300/1	13A 1G SP Switched Socket
2503037626	NLWSQ8300/2	13A 2G SP Switched Socket
2503037627	NLWSQ8300/1DP	13A 1G DP Switched Socket
2503037628	NLWSQ8300/2DP	13A 2G DP Switched Socket

PLATE SWITCHES




Order No.	Model No.	Description
PLATE SWITCHES		
2503037636	NLWSQ8310/12	10A 1G 2 Way SP Switch
2503037637	NLWSQ8310/22	10A 2G 2 Way SP Switch
2503037638	NLWSQ8310/32	10A 3G 2 Way SP Switch
2503037639	NLWSQ8310/INT	10A 1G Intermediate Switch

13A USB SOCKET



Order No.	Model No.	Description
USB SOCKET		
2503037629	NLWSQ8300/S2USBC	13A 2G SP 3.1A Switched Socket USB A+C

45A DP COOKER CONTROL UNITS



Order No.	Model No.	Description
45A DP COOKER CONTROL UNITS		
2503037640	NLWSQ8350	45A DP with 13A Switched Socket
2503037641	NLWSQ8350/N	45A DP Switched Socket & Neon

20A/45A PLATE SWITCHES



NLWSQ8320/S

NLWSQ8320/SNWH

Order No.	Model No.	Description
20A/45A PLATE SWITCHES		
2503037631	NLWSQ8320/S	20A DP Switch
2503037632	NLWSQ8320/SN	20A DP Switch with Neon
2503037633	NLWSQ8320/SNWH	20A DP Switch Water Heater
2503037634	NLWSQ8345/1N	45A DP Switch with Neon
2503037635	NLWSQ8345/2N	45A DP Switch with Neon 2G

13A FUSED CONNECTION UNITS



NLWSQ8313

NLWSQ8313/SN

Order No.	Model No.	Description
13A FUSED CONNECTION UNITS		
2503037642	NLWSQ8313	13A Fused Connection Flex Outlet Fused Spur
2503037643	NLWSQ8313/S	13A DP Switched Fused Flex Outlet Spur
2503037644	NLWSQ8313/SN	13A DP Switched Fused Flex Outlet Spur Neon

COMING
SOON



Stylish switches,
sockets & plates
built to last

 Newlec

DIMMER SWITCHES

- BS EN 60669



Order No.	Model No.	Description
DIMMER SWITCHES		
2501087053	NLSL8306/12	1G 2 Way - 150W
2501087054	NLSL8306/22	2G 2 Way - 150W

LED DIMMER SWITCHES

- BS EN55014, BS EN50082 & BS EN60669



NL8815W

Order No.	Model No.	Description
LED DIMMER SWITCHES		
2501087052	NL8815W	1G 2 Way - 150W
2500933096	NL8806BA	1G 2 Way - 250W (Black)
2500933095	NL8806WA	1G 2 Way - 250W
2501087055	NLSL8307	2 Way - 150W - Module

13A CONVERTER SOCKET

- Quick and easy to fit
- BS 1363



NL8300/23SCA

Order No.	Model No.	Description
13A CONVERTER SOCKETS		
1050391757	NL8300/12SCA	1G - 2G Switched - Outboard Rockers
1050391758	NL8300/23SCA	2G - 3G Switched

CONNECTOR BOX

- BS EN60598-1
- Connector strip not included



Order No.	Model No.	Description
CONNECTOR BOX		
1051042708	NLCHOC30A	30A Screwed Terminal

3 PIN PLUG TOP



Order No.	Model No.	Description
13A 3 PIN PLUG TOP		
2503037687	NLW3PT	Plug Top 3A 3 Pin White Fitted with 3 Amp Fuse
2503037688	NLW13PT	Plug Top 13A 3 Pin White Fitted with 13 Amp Fuse

SLIMLINE DIMMER PLATES

NEW
Available from
April 2026



Order No.	Model No.	Description
SLIMLINE CURVED DIMMER PLATES		
2503037614	NLWS8310/DIMP1	Slimline 1 Gang Dimmer Plate
2503037615	NLWS8310/DIMP2	Slimline 2 Gang Dimmer Plate

SURFACE PATRESS BOXES

- BS 5733
- Multiple knockouts provide flexible cable entry to suit the installation
- Solid brass earth terminal



Order No.	Model No.	Description	Depth
SURFACE PATRESS BOXES			
2503037651	NLWSQ8385/116	1G	16mm
2503037652	NLWSQ8385/125	1G	25mm
2503037653	NLWSQ8385/225	2G	25mm
2503037654	NLWSQ8385/147	1G	47mm
2503037655	NLWSQ8385/247	2G	47mm
2503037656	NLWSQ8385/DUAL	2x1G	25mm

CEILING ROSE

NEW
Available from
April 2026



Order No.	Model No.	Description
CEILING ROSE		
2503037685	NLW8715N	6A Clear Base Ceiling Rose

CEILING SWITCHES

NEW
Available from
April 2026



Order No.	Model No.	Description
CEILING SWITCHES		
2503037679	NLW8701N	10A 1 Way Ceiling Switch
2503037680	NLW8702N	10A 2 Way Ceiling Switch
2503037681	NLW8703	45A DP 1 Way/Neon Ceiling Switch

LAMP HOLDERS

NEW
Available from
April 2026



Order No.	Model No.	Description
LAMP HOLDERS		
2503037682	NLW8710N	Enclosed Pre-Wired Straight T2 Batten Lampholder
2503037683	NLW8712N	Enclosed Pre-Wired Angled T2 Batten Lampholder
2503037684	NLW8716N	Short Skirt T2 Lampholder

CEILING PENDANT

NEW
Available from
April 2026




Order No.	Model No.	Description
CEILING PENDANT		
2503037686	NLW8706	6 Inch Pre-Wired T2/Clear Base Pendant

RCD SOCKETS

NEW
Available from
April 2026



NLWMC8400/1RCD



NLWMC8400/2RCD

Order No.	Model No.	Description
RCD SOCKETS		
2503037657	NLWMC8400/1RCD	13A 1G 30mA Type A RCD Fused Spur
2503037658	NLWMC8400/2RCD	13A 2G 30mA Type A RCD Switched Socket

13A SOCKETS

NEW
Available from
April 2026



NLWMC8400/1



NLWMC8400/2

Order No.	Model No.	Description
13A SOCKETS		
2503037663	NLWMC8400/1	1G Switched Socket
2503037664	NLWMC8400/2	2G Switched Socket

USB SOCKET

NEW
Available from
April 2026



Order No.	Model No.	Description
USB SOCKET		
2503037665	NLWMC8400/2/USB	13A 2G SP Switched Socket USB A+C

PLATE SWITCHES

NEW
Available from
April 2026



NLWMC8410/12



NLWMC8410/22

Order No.	Model No.	Description
PLATE SWITCHES		
2503037659	NLWMC8410/12	1G 2 Way SP Switch
2503037660	NLWMC8410/22	2G 2 Way SP Switch

DOUBLE POLE SWITCHES

NEW
Available from
April 2026



NLWMC8420/S



NLWMC8420/SN

Order No.	Model No.	Description
DOUBLE POLE SWITCHES		
2503037661	NLWMC8420/S	20A DP Switch
2503037662	NLWMC8420/SN	20A DP Switch/Neon

FUSED CONNECTION UNITS

NEW
Available from
April 2026



NLWMC8413



NLWMC8413/SNFO

Order No.	Model No.	Description
FUSED CONNECTION UNITS		
2503037666	NLWMC8413/S	13A DP Switched Fused Spur
2503037667	NLWMC8413	13A Fused Spur
2503037668	NLWMC8413/SN	13A DP Switched Fused Spur/Neon
2503037669	NLWMC8413/SFO	13A DP Switched Fused Spur/Flex Outlet
2503037670	NLWMC8413/SNFO	13A DP Switched Fused Spur/Flex Outlet/Neon

Need more Metalclad? See Pages 184

IP55 SWITCHES



NLWWP8610/12



NLWWP8610/22

Order No.	Model No.	Description
IP55 SWITCHES		
2503037671	NLWWP8610/12	20AX Switch 1G 2 Way IP55 Grey
2503037672	NLWWP8610/22	20AX Switch 2G 2 Way IP55 Grey

IP66 SWITCHES



NLWWP8610/12



NLWWP8610/22

Order No.	Model No.	Description
IP66 SWITCHES		
2503037674	NLWWP8600/12	20AX Switch 1G 2 Way IP66 Grey
2503037675	NLWWP8600/22	20AX Switch 2G 2 Way IP66 Grey

IP66 FUSED SPUR



Order No.	Model No.	Description
IP66 FUSED SPUR		
2503037673	NLWWP8600/FCU	DP Switched Fused Spur/Neon IP66 Grey

IP66 RCD SOCKET



Order No.	Model No.	Description
RCD SOCKET		
2503037676	NLWWP8600/2RCD	13A 30mA 2G Switched Type A RCD (Latching)

IP66 SOCKETS



Order No.	Model No.	Description
IP66 SOCKETS		
2503037677	NLWWP8600/1SW	1G DP Switched Socket IP66 Grey
2503037678	NLWWP8600/2SW	2G DP Switched Socket IP66 Grey

Need more Weatherproof Wiring Accessories?

Newlec
See Pages 185

MOULDED JUNCTION BOXES

Terminals which can be removed/repositioned
 Ideal for arduous environments
 Self Sealing neoprene glands
 Suitable for hollow wall mounting
 Including caps for mounting holes to maintain IP rating



NL9025



NL9025B

Order No.	Model No.	Max Conductor Size (mm ²)	Knock-outs (mm)	External Dimensions (mm) HxWxD
-----------	-----------	---------------------------------------	-----------------	--------------------------------

5 POLE IP65 GREY JUNCTION BOXES

1000009020	NL9325	2.5	20	88x88x47
1000016008	NL9025	2.5	20	88x88x53
1051011557	NL9355	35/50	Plain	260x210x 116
1050151876	NL9145	4	20	98x98x58
1000016009	NL9045	4	25	98x98x61
1000016010	NL9065	6	25/32	138x119x70
1000009021	NL9105	10	Plain	167x125x82
1000009022	NL9255	16/25	Plain	200x160x98

10 POLE IP65 GREY JUNCTION BOXES

1050151877	NL9041	2.5	25	98x98x61
------------	--------	-----	----	----------

5 POLE IP66 BLACK JUNCTION BOXES

1051086726	NL9025B	2.5	20	88x88x53
1051086727	NL9045B	4	20/25	98x98x61
1051086728	NL9065B	6	25/32	138x119x70
1051086729	NL9105B	10	Plain	167x125x82

METAL SAFEPLATE

- Galvanised protective steel plate 50 x 76mm, with fixings
- Helps to prevent penetration of cables & pipes by nails/screws when laying floorboards, installing wall panels or ceilings and during other fixing activities
- Easy and quick to fit - no screws or nails
- Meets NHBC requirements
- NICEIC approved



Order No.	Model No.	Pack Qty
METAL SAFEPLATE		
1051043278	NLSPI	100

WATERPROOF PLUG & SOCKET CONNECTORS

- 3 pole 16A, 250V AC/DC connector
- IP68 - 2 bar (20M depth) 30 minutes
- Wide cable capacity up to 4mm²
- Quick-release latch collar mechanism to open
- Current rating: 16A (max) rated on 2.5mm² cable, 10A rated on 1.5mm² cable
- Temperature range -25°C to +80°C
- IEC 61984 approved



NLWPC1

Order No.	Model No.	Description
-----------	-----------	-------------

WATERPROOF PLUG & SOCKET CONNECTORS

1051042706	NLWPC1	5 - 9mm
------------	--------	---------

IN-LINE CONNECTOR

- 3 pin in-line heavy duty connector in black



Order No.	Model No.	Description
-----------	-----------	-------------

IN-LINE CONNECTOR

1000009160	NC103B	Black Lead Connector 10A 3Pin
------------	--------	-------------------------------

RCDS - PLUG IN

- Rated at 230-250V AC
- Maximum current: 13A
- Maximum load: 3.120W
- Trip current rated at 30mA
- Typical rated speed: 40ms
- Manufactured to BS 7071



NLRA1330A

NLRP1330A

Order No.	Model No.	Description
-----------	-----------	-------------

RCDS - PLUG IN

1050360189	NLRA1330A	Adaptor
1050360190	NLRP1330A	Plug

JUNCTION BOXES

NEW
Available from
April 2026



NLWJB204/KOS



NLWJB204/SEL



NLWJB206/SEL



NLWJB303/SEL

Order No.	Model No.	Description	Ø Dia.
ROUND JUNCTION BOXES			
2503037689	NLWJB204/KOS	20A Non-Selective Entry 4 Terminal Junction Box	58mm
2503037690	NLWJB204/SEL	20A Selective Entry 4 Terminal Junction Box	80mm
2503037691	NLWJB206/SEL	20A Selective Entry 6 Terminal Junction Box	86mm
2503037692	NLWJB303/SEL	30A Selective Entry 3 Terminal Junction Box	90mm

METAL BOXES

- BS 4662
- Adjustable lug
- Two steel earth terminals
- With knockouts

NEW
Available from
April 2026



NLW621A



NLW622A



NLW802A

Order No.	Model No.	Depth	Type
BOXES - METAL			
2503037705	NLW635A	16mm	1 Gang
2503037706	NLW621A	25mm	1 Gang
2503037707	NLW622A	25mm	2 Gang
2503037708	NLW802B	25mm	1 + 1 Gang
2503037709	NLW685A	35mm	1 Gang
2503037710	NLW683A	35mm	2 Gang
2503037711	NLW802A	35mm	1 + 1 Gang
2503037712	NLW7040A	48mm	1 Gang
2503037713	NLW7080A	48mm	2 Gang

PRE-GALVANISED BOXES

- Multiple knockouts provide flexible cable entry
- Impact resistant
- Long-lasting

NEW
Available from
April 2026



NLW551PPG



NLW551KPG



NLW557KB



NLW567KPG

Order No.	Model No.	Description	Size (mm)
PRE-GALVANISED BOXES			
2503037694	NLW551KPG	Knockout	75x75x50
2503037695	NLW551PPG	Plain	75x75x50
2503037696	NLW550KPG	Knockout	75x75x50
2503037697	NLW556KPG	Knockout	100x100x37
2503037698	NLW557KPG	Knockout	100x100x50
2503037699	NLW557PPG	Plain	100x100x50
2503037700	NLW557KB	Black Enamel Knockout	100x100x50
2503037701	NLW556KPG	Knockout	150x150x50
2503037702	NLW556PPG	Plain	150x150x50
2503037703	NLW567KPG	Knockout	150x150x75
2503037704	NLW567PPG	Plain	150x150x75

PVC DRY LINING BOXES

- BS4662 + relevant parts of BS5733
- Flush fitting box in flame retardant thermoplastic (ABS)
- 2 x 25mm diameter base knockouts
- Board thicknesses (65mm - 15mm)
- Warranty 10 Years Domestic



NL811A

NL812A

Order No.	Model No.	Description
PVC DRY LINING BOXES		
1051057879	NL811A	1G 35mm
1051057880	NL812A	2G 35mm
1051057882	NL814A	1G 47mm
1051057883	NL815A	2G 47mm

METAL DRY LINING BOXES

- As simple and quick to install as standard (thermoplastic) dry lining boxes
- Fire tested up to 90 minutes with the capability of boxes being mounted back to back
- Board thicknesses (65mm- 15mm)
- Spring loaded lugs and brass earth terminal fitted



NLFG135

NLFG235

Order No.	Model No.	Type	Mounting Depth
METAL DRY LINING BOXES			
1051057885	NLFG135	1G	35mm
1051057886	NLFG235	2G	35mm
1051057887	NLFG147	1G	47mm
1051057888	NLFG247	2G	47mm

JUNCTION BOX - SWA

- General purpose joint box suitable for surface industrial applications.
- 1, 2, 3 or 4 way, 20mm entries
- Dust and waterproof to IP66/68 when used with approved glands
- Mounting studs provided for DIN rail terminals
- Internal earth continuity ring to earth gland entries
- 4 blanking plugs provided
- Screw on lid providing ease of installation
- Made from impact, corrosion and UV resistant GRP
- Operating temperature -30°C to + 130°C



Order No.	Model No.	Description
JUNCTION BOX		
2503037693	NLWJB68	Junction Box SWA 80mm

PVC DRY LINING BOXES

- BS4662 & relevant parts of BS5733
- Flush fitting box in flame retardant thermoplastic (ABS)
- 2 x 20mm diameter base knockouts
- Board thicknesses (65mm - 15mm)



Order No.	Model No.	Type	Mounting Depth
PVC DRY LINING BOXES			
1051057881	NL810A	1G Circular 34mm	34mm

DRY LINING BOX CONNECTOR

- Can be used to connect any combination of NL811A, NL812A, NL814A and NL815A
- Thermoplastic



Order No.	Model No.	Description
DRY LINING BOX CONNECTOR		
1051057884	NL817A	Dry Lining Box Connector

EXTENSION LEAD - 4 WAY + NEON

- BS 1363/A
- 2m power cord
- With plug and neon



Order No. Model No. Description

EXTENSION LEAD - 4 WAY + NEON

1000009158 NLEL2W White Extension Lead & Neon
4 Way c/w 2mtr Flex

EXTENSION LEAD - 4 WAY HEAVY DUTY + NEON

- BS 1363/A
- Incorporates switch and fuse



Order No. Model No. Description

EXTENSION LEAD - 4 WAY HEAVY DUTY + NEON

1000009410 NLEL4WHD White 13A Extension Lead 4
Way & 4mtr Flex+Neon

TRAILING SOCKET - 1 WAY

- BS1363/4



Order No. Model No. Description

TRAILING SOCKET - 1 WAY

1000009155 NLTS1W White 13A Trailing Socket
1 Way

TRAILING SOCKET - 2 WAY + NEON

- BS1363/4
- With neon tailing



Order No. Model No. Description

TRAILING SOCKET - 2 WAY + NEON

1000009156 NLTS2W White 13A Trailing Socket c/w
Neon 2 Way

TRAILING SOCKET - 4 WAY + NEON

- BS1363/4
- With neon tailing



Order No. Model No. Description

TRAILING SOCKET - 4 WAY + NEON

1000009157 NLTS4W White 13A Trailing Socket c/w
Neon 4 Way

Newlec
Great value products.
Made for installers.

IP44 PLUGS - SCREWLESS TERMINALS

- IP44
- Maintenance free screwless terminals
- Two piece body with multigrip gland



Order No.	Model No.	Pins	Rating	Voltage
IP44 PLUGS - SCREWLESS TERMINALS				
1051013023	NLP1116P	2 P+E	16A	110V
1051013024	NLP1132P	2 P+E	32A	110V
1051013025	NLP2316P	2 P+E	16A	230V
1051013026	NLP2332P	2 P+E	32A	230V
1051013027	NLP2363P	2 P+E	63A	230V
1051013028	NLP4016P	3 P+E	16A	400V
1051013029	NLP4032P	3 P+E	32A	400V
1051013030	NLP4063P	3 P+E	63A	400V
1051013031	NLP4016NP	3 P+N+E	16A	400V
1051013032	NLP4032NP	3 P+N+E	32A	400V
1051013033	NLP4063NP	3 P+N+E	63A	400V

IP44 CONNECTOR - SCREWLESS TERMINALS

- IP44
- Maintenance free screwless terminals
- Two piece body with multigrip gland



Order No.	Model No.	Pins	Rating	Voltage
IP44 CONNECTOR - SCREWLESS TERMINALS				
1051013034	NLP1116C	2 P+E	16A	110V
1051013035	NLP1132C	2 P+E	32A	110V
1051013036	NLP2316C	2 P+E	16A	230V
1051013037	NLP2332C	2 P+E	32A	230V
1051013038	NLP2363C	2 P+E	63A	230V
1051013039	NLP4016C	3 P+E	16A	400V
1051013040	NLP4032C	3 P+E	32A	400V
1051013041	NLP4063C	3 P+E	63A	400V
1051013042	NLP4016NC	3 P+N+E	16A	400V
1051013043	NLP4032NC	3 P+N+E	32A	400V
1051013044	NLP4063NC	3 P+N+E	63A	400V

IP44 PLUGS - SCREW TERMINALS

- IP44
- One piece body with multigrip gland
- Screw terminals



Order No.	Model No.	Pins	Rating	Voltage
PLUGS - SCREW TERMINALS				
1051013011	NLS1116P	2 P+E	16A	110V
1051013012	NLS1132P	2 P+E	32A	110V
1051013013	NLS2316P	2 P+E	16A	230V
1051013014	NLS2332P	2 P+E	32A	230V
1051013015	NLS4016P	3 P+N+E	16A	400V
1051013016	NLS4032P	3 P+N+E	32A	400V

IP44 CONNECTOR - SCREW TERMINALS

- IP44
- One piece body with multigrip gland
- Screw terminals



Order No.	Model No.	Pins	Rating	Voltage
CONNECTOR - SCREW TERMINALS				
1051013017	NLS1116C	2 P+E	16A	110V
1051013018	NLS1132C	2 P+E	32A	110V
1051013019	NLS2316C	2 P+E	16A	230V
1051013020	NLS2332C	2 P+E	32A	230V
1051013021	NLS4016C	3 P+N+E	16A	400V
1051013022	NLS4032C	3 P+N+E	32A	400V

PANEL SOCKETS - SCREWLESS TERMINALS

- Maintenance free screwless terminals
- IP44



Order No.	Model No.	Pins	Rating	Voltage
-----------	-----------	------	--------	---------

PANEL SOCKETS

1051013082	NL1116PS	2 P+E	16A	110V
1051013083	NL1132PS	2 P+E	32A	110V

IP44 SURFACE MOUNT SOCKET

- Two gang surface mount socket



Order No.	Model No.	Pins	Rating	Voltage
-----------	-----------	------	--------	---------

IP44 SURFACE MOUNT SOCKET

1051013084	NL1116DS	2 P+E	16A	110V
1051013085	NL2316DS	2 P+E	16A	230V

IP44 INTERLOCK SWITCHED SOCKETS

- IP44
- Plug interlocking mechanism prevents removal of plug in the 'on' position
- Top and bottom cable entry
- Switch padlockable



Order No.	Model No.	Pins	Rating	Voltage
-----------	-----------	------	--------	---------

INTERLOCK SWITCHED SOCKETS

1051013056	NLP1116SS	2 P+E	16A	110V
1051013057	NLP1132SS	2 P+E	32A	110V
1051013058	NLP2316SS	2 P+E	16A	230V
1051013059	NLP2332SS	2 P+E	32A	230V
1051013060	NLP2363SS	2 P+E	63A	230V
1051013061	NLP2316SS	2 P+E	16A	230V
1051013062	NLP4032SS	3 P+E	32A	400V
1051013063	NLP4063SS	3 P+E	63A	400V
1051013064	NLP4016NSS	3 P+N+E	16A	400V
1051013065	NLP4032NSS	3 P+N+E	32A	400V
1051013066	NLP4063NSS	3 P+N+E	63A	400V

IP44 INTERLOCK SWITCHED TYPE A RCD SOCKETS

- IP44
- Plug interlocking mechanism prevents removal of plug in the 'on' position
- Top and bottom cable entry
- Switch padlockable
- RCD 30mA
- Type A



Order No.	Model No.	Pins	Rating	Voltage
-----------	-----------	------	--------	---------

INTERLOCK SWITCHED RCD SOCKETS

2501571768	NL1116RSS-A	2 P+E	16A	110V
2501571767	NL1132RSS-A	2 P+E	32A	110V
2501571766	NL2316RSS-A	2 P+E	16A	230V
2501571765	NL2332RSS-A	2 P+E	32A	230V
2501571764	NL4016RSS-A	3 P+E	16A	400V
2501571763	NL4032RSS-A	3 P+E	32A	400V
2501571762	NL4016NRSS-A	3 P+N+E	16A	400V
2501571761	NL4032NRSS-A	3 P+N+E	32A	400V

IP44 WALL SOCKETS - SCREWLESS TERMINALS

- IP44
- Maintenance free screwless terminals
- Heat resistant contact carrier
- Problem free wiring even in the case of connection from below



Order No.	Model No.	Pins	Rating	Voltage
-----------	-----------	------	--------	---------

WALL SOCKETS - SCREWLESS TERMINALS

1051013045	NLP1116WS	2 P+E	16A	110V
1051013046	NLP1132WS	2 P+E	32A	110V
1051013047	NLP2316WS	2 P+E	16A	230V
1051013048	NLP2332WS	2 P+E	32A	230V
1051013049	NLP2363WS	2 P+E	63A	230V
1051013050	NLP4016WS	3 P+E	16A	400V
1051013051	NLP4032WS	3 P+E	32A	400V
1051013052	NLP4063WS	3 P+E	63A	400V
1051013053	NLP4016NWS	3 P+N+E	16A	400V
1051013054	NLP4032NWS	3 P+N+E	32A	400V
1051013055	NLP4063NWS	3 P+N+E	63A	400V

IP44 TYPE A RCD SOCKETS

- IP44
- Top and bottom cable entry
- RCD 30mA
- Type A



NL4032RS-A

Order No.	Model No.	Pins	Rating	Voltage
IP44 RCD SOCKETS				
250157160	NL2316RS-A	2 P+E	16A	230V
250157159	NL2332RS-A	2 P+E	32A	230V
250157158	NL2363RS-A	2 P+E	63A	230V
250157157	NL4016RS-A	3 P+E	16A	400V
250157156	NL4032RS-A	3 P+E	32A	400V
250157155	NL4016NRS-A	3 P+N+E	16A	400V
250157154	NL4032NRS-A	3 P+N+E	32A	400V

IP67 PLUGS - SCREW TERMINALS

- Manufactured in accordance with EN 60309-2
- IP67
- High dust and water ingress protection
- Multi grip gland system



NLS2316P67

Order No.	Model No.	Pins	Rating	Voltage
IP67 PLUGS - SCREW TERMINALS				
105103419	NLS2316P67	2P+E	16A	230V
1051034151	NLS2332P67	2P+E	32A	230V
1051034153	NLS4016P67	3 P+N+E	16A	400V
1051034155	NLS4032P67	3 P+N+E	32A	400V
1051034157	NLS4063P67	3 P+N+E	63A	400V
1051034159	NLS40125P67	3 P+N+E	125A	400V

IP67 INTERLOCK SWITCHED SOCKETS

- Manufactured in accordance with EN 60309-2
- IP67
- High dust and water ingress protection
- Plug interlocking mechanism prevents removal of plug in the 'on' position
- Top and bottom cable entry



NLP2316SS67

Order No.	Model No.	Pins	Rating	Voltage
IP67 INTERLOCK SWITCHED SOCKETS				
1051034161	NLP2316SS67	2P+E	16A	230V
1051034162	NLP2332SS67	2P+E	32A	230V
1051034163	NLP4016SS67	3 P+N+E	16A	400V
1051034164	NLP4032SS67	3 P+N+E	32A	400V
1051034165	NLP4063SS67	3 P+N+E	63A	400V
1051034166	NLP40125SS67	3 P+N+E	125A	400V

IP67 CONNECTORS - SCREW TERMINALS

- Manufactured in accordance with EN 60309-2
- IP67
- High dust and water ingress protection
- Multi grip gland system



NLS2316C6

Order No.	Model No.	Pins	Rating	Voltage
IP67 CONNECTORS - SCREW TERMINALS				
1051034150	NLS2316C6	2P+E	16A	230V
1051034152	NLS2332C67	2P+E	32A	230V
1051034154	NLS4016C67	3 P+N+E	16A	400V
1051034156	NLS4032C67	3 P+N+E	32A	400V
1051034158	NLS4063C67	3 P+N+E	63A	400V
1051034160	NLS40125C67	3 P+N+E	125A	400V



NOTHING BUT WINNERS!

HEAD TO BRANCH TO
SEE OUR LATEST OFFERS
AND WIN GREAT PRIZES

Scan here to enter



In branch only T&C's apply

03 | Data Networking

Data Cable	44
Data Tools	45
Data Solutions	46 - 48
Data Accessories	49
Wall Mount Cabinets & Accessories	50 - 51
Floor Standing Cabinets & Accessories	52



CAT 6 PATCHCORDS

- INTIO Category 6 U/UTP patchcords is an economical alternative offered for Network, efficient for high speed data transmission, phone application and work area. High performances that are complying with the effective cabling standards (ISO-IEC / EIA-TIA) They are suitable for transmission frequencies up to 100 MHz.
- All patchcords are supplied with moulded boots.



Order No. Model No. Length

CAT 6 PATCHCORDS

2503000121	INIC6U20MGY	20m
2503000120	INIC6U15MGY	15m
2503000119	INIC6U10MGY	10m
2503000118	INIC6U5MGY	5m
2503000117	INIC6U3MGY	3m
2503000116	INIC6U2MGY	2m
2503000115	INIC6U1MGY	1m
2503000114	INIC6U05MGY	0.5m
2503000122	INIC6U03MGY	0.3m

CAT 5 PATCHCORDS

- INTIO Category 5E U/UTP patchcords is an economical alternative offered for Network, efficient for high speed data transmission, phone application and work area. High performances that are complying with the effective cabling standards (ISO-IEC / EIA-TIA) They are suitable for transmission frequencies up to 100 MHz.
- All patchcords are supplied with moulded boots.



Order No. Model No. Length

CAT 5 PATCHCORDS

2503000113	INIC5EU20MGY	20m
2503000112	INIC5EU15MGY	15m
2503000111	INIC5EU10MGY	10m
2503000110	INIC5EU5MGY	5m
2503000109	INIC5EU3MGY	3m
2503000108	INIC5EU2MGY	2m
2503000107	INIC5EU1MGY	1m
2503000106	INIC5EU05MGY	0.5m

BLACK EXTERNAL GRADE CABLE

- 305m drums



Order No. Model No. Length

BLACK EXTERNAL GRADE CABLE

2501674391	C5EU4PPET3	CAT 5e
2501674384	C6U4PPET3	CAT 6
2501674397	C6AUF4PPET3	CAT 6A

DATA CABLE

- 305m drums



Order No. Model No. Length Colour

DATA CABLE

2501674396	C6AUF4PHFU3	CAT6A	White
2501674390	C5EU4PPVCU3	CAT5e	Grey
2501674382	C6U4PDCARU3	CAT6	Purple
2501674381	C6U4PECARU3	CAT6	Grey
2501674380	C6U4PDCARU3	CAT6	White



CONTINUITY RJ45/RJ12 TESTER

- Tests main functions: continuity, short circuit, inverted pairs, LED tester, automatic or step by step cabling tester in local or remote mode
- Delivered with 9V battery and carrying case
- Battery level indicator
- Type of connector: RJ12 and RJ45



Order No.	Model No.	Description
CONTINUITY RJ45/RJ12 TESTER		
2501674420	DIAGLC90 GM	Continuity RJ45/RJ12 Tester With Holster

PUNCH DOWN TOOL

- Unscreened version
- Type of connection: block 110
- Requires an impact tool: GGM 907H110



Order No.	Model No.	Description
PUNCH DOWN TOOL		
2501674418	907H110 GM	Punch Down Tool 110/LSA

PRECISION CUTTING PLIERS

- Carbon wire cutters providing precision cutting for conductors up to 20AWG
- Especially suited for RJ45 termination



Order No.	Model No.	Description
PRECISION CUTTING PLIERS		
2501674419	907CUT15S GM	Precision Cutting Pliers 15mm AWG16/26

PROFESSIONAL CRIMPING TOOL

- Professional RJ modular crimping tool
- High Quality dies and Zinc alloy head ensures high quality, accurate and aligned termination



Order No.	Model No.	Description
PROFESSIONAL CRIMPING TOOL		
2501674416	907H468B GM	Professional Crimping Tool for 4/6/8 Contacts Plugs

ADJUSTABLE STRIPPING TOOL


- Allows multi-pair or ribbon cables to be cut or stripped



Order No.	Model No.	Description
ADJUSTABLE STRIPPING TOOL		
2501674417	907X501 GM	Adjustable Stripping Tool

■ DISTRIBUTION CABLES


- Standards: ISO/IEC 11801 ; EN 50173 and ANSI/TIA-568.2-D
- For applications up to 10 Gigabit Ethernet
- 4PPoE compliant
- Aluminium/polyester foil tape shield on each pair
- 23AWG
- GGM C6AUF4PHFU3: LSZH, flame retardant
Fire behaviour: Dca-s2, d2, a1
- GGM C6AUF4PPET3: PE



Order No.	Model No.	Description
DISTRIBUTION CABLES		
2501674396	GGM C6AUF4PHFU3	4 Pairs Cat6a U/Ftp LSZH DCA, White 305m Reelex Box
2501674397	GGM C6AUF4PPET3	4 Pairs Cat6a U/FTP External Grade PE, Black 305m Drum

■ PATCH PANEL

- Format: 19", 1U
- Keystone format
- Individually numbered and labelled ports
- Removable rear management bar



Order No.	Model No.	Description
PATCH PANELS		
2501674412	GGM PAN24VK	24-Port Unloaded Patch Panel, Keystone Format, Black

■ RJ45 JACK

- Standards: ISO 11801; EN 50173 and ANSI/TIA-568.2-D
- For applications up to 10 Gigabit Ethernet
- 4PPoE compliant
- For 22 to 24AWG solid cables
- Keystone format
- Toolless termination



Order No.	Model No.	Description
RJ45 JACK		
2501674398	GGM PRJC6A10G	Slim Profile Cat6a Shielded Toolless Keystone Jack

■ INLINE COUPLER


- RJ45 female/female
- Keystone format
- Compatible with GIGAMEDIA patch panels and faceplates



Order No.	Model No.	Description
INLINE COUPLER		
2501674399	GGM 6210210GS00	CAT6A Shielded Coupler, Keystone Format

■ DISTRIBUTION CABLES

- CAT5e U/UTP solid cables
- 24 or 25AWG
- Outer jacket: GGM C5EU4PPVCU3: PVC, Eca
GGM C5EU4PZHBU3: LSZH, Eca
GGM C5EU4PPET3: PE



Order No.	Model No.	Description
DISTRIBUTION CABLES		
2501674390	GGM C5EU4PPVCU3	4 Pairs CAT5e U/UTP PVC Eca, Grey 305m Box
2503000558	GGM C5EU4PZHBU3	4 Pairs CAT5e U/UTP LSZH Eca, White 305m Box
2501674391	GGM C5EU4PPET3	4 Pairs CAT5e U/UTP 24AWG PE External Grade, Black 305m Box

■ RJ45 JACK

- For 22 to 24AWG solid cables
- Keystone format
- Toolless termination



Order No.	Model No.	Description
RJ45 JACK		
2501674392	GGM PRJC5UTL	CAT5e Jack SLIM Profile UTP Keystone Toolless

■ CONSOLIDATION POINT

- For 22 to 24AWG solid cables
- To be used with IDC punchdown tools



Order No.	Model No.	Description
CONSOLIDATION POINT		
2501674395	GGM 6210240U00	CAT5e UTP IDC Consolidation Point

■ PATCH PANEL

- For 22 to 24AWG solid cables
- To be used with IDC punchdown tools



Order No.	Model No.	Description
PATCH PANELS		
2501674394	GGM INIC5EU24P	24-port CAT5e UTP Patch Panel, IDC 90°, 1U, Black

■ EURO MODULE



Order No.	Model No.	Description
EURO MODULES		
2501674393	GGM PLUKC5EU	CAT5e UTP IDC Euro Module, White 25mm x 50mm

CAT5E/CAT6 U/UTP MODULAR PLUGS

- For solid/flex cables (pack of 10 pcs)



Order No.	Model No.	Description
MODULAR PLUGS		
2501674414	GGM MJ8EP8CR	CAT5e/CAT6 U/UTP Modular Plugs For Solid/Flex Cables (Pack Of 10 Pcs)

RJ45 BOOTS

- RJ45 boots, grey (pack of 10 pcs)



Order No.	Model No.	Description
RJ45 BOOTS		
2501674415	GGM 2105XM45G	RJ45 Boots, Grey (Pack Of 10 Pcs)

FACE PLATES AND SURFACE MOUNT BOXES



Order No.	Model No.	Description
FACE PLATES AND SURFACE MOUNT BOXES		
2501674407	GGM PLIELJ6	25mm x 38.5mm LJ6 Keystone Adapter for GIGAMEDIA Keystone
2501674408	GGM PLIELJ6A	25mm x 38.5mm LJ6 Angled Keystone Adapter for GIGAMEDIA Keystone
2501674410	GGM PLUK86SG	86mm x 86mm Single Gang Faceplate
2501674409	GGM PLUK86DG	86mm x 146mm Double Gang Faceplate
2501674406	GGM PLIEIS	25mm x 50mm Module Empty for GIGAMEDIA Keystone
2501674411	GGM BOX002KV	2-Port Surface Mount Box with Shutter, White
2501674404	GGM PLIEB01	12.5 x 50mm Blanker for PLUK86 Faceplate
2501674405	GGM PLIEB02	25 x 50mm Blanker for PLUK86 Faceplate

■ FLATBOX - 19" WALL-MOUNT CABINETS

- Flatpack delivery to save space during transport and storage
- Vertical packaging to make it easy to pick up parts during assembly
- Handling handles and protective cardboards for enhanced protection without crushing
- Removable front door and side panels for an easy access when setting up your cabling
- Assembly under five minutes (hex key supplied)
- Fully recyclable carton packaging



■ INIBOX - 19" WALL-MOUNT CABINETS

- Cost optimised solution
- Removable front door and side panels for an easy access when setting up your cabling



Order No. Model No. Height

WALL-MOUNT CABINETS - 500MM DEPTH

2501674426	GGM COF6U5FPN	6U
2501674427	GGM COF9U5FPN	9U
2501674428	GGM COF12U5FPN	12U
2501674429	GGM COF15U5FPN	15U
2501674430	GGM COF18U5FPN	18U
2501674431	GGM COF21U5FPN	21U

WALL-MOUNT CABINETS - 600MM DEPTH

2501674432	GGM COF9U6FPN	9U
2501674433	GGM COF12U6FPN	12U
2501674434	GGM COF15U6FPN	15U
2501674435	GGM COF18U6FPN	18U
2501674436	GGM COF21U6FPN	21U

Order No. Model No. Height

WALL-MOUNT CABINETS - 400MM DEPTH

2501674437	GGM COF6U400IBN	6U
2501674438	GGM COF9U400IBN	9U
2501674439	GGM COF12U400IBN	12U

WALL-MOUNT CABINETS - 560MM DEPTH

2501674440	GGM COF6U560IBN	6U
2501674441	2GGM COF9U560IBN	9U
2501674442	GGM COF12U560IBN	12U
2501674443	GGM COF15U560IBN	15U
2501674444	GGM COF21U560IBN	21U

■ WALL RACKS

- 19" horizontal wall bracket
- Convenient and cost-saving solution
- Width: 500mm
- Adjustable depth from 235 to 350mm



Order No.	Model No.	Description
WALL RACKS		
2501674423	GGM WR2U	Wall Bracket 2U - Black
2501674424	GGM WR4U	Wall Bracket 4U - Black
2501674425	GGM WR8U	Wall Bracket 8U - Black

■ CABLE MANAGEMENT



Order No.	Model No.	Description
CABLE MANAGEMENT		
2501674471	GGM 628020100	19" Duct Cables Management Panel 1U - Black
2501674472	GGM 628020200	19" Duct Cables Management Panel 2U - Black
2501674468	GGM ARPPCA1N	19" Rings Cables Management Panel 1U - Black
2501674469	GGM ARPPCA2N	19" Rings Cables Management Panel 2U - Black

■ 19" ACCESSORIES



Order No.	Model No.	Description
19" ACCESSORIES		
2501674470	GGM ARPBPCIN	19" Brush Cables Management Panel 1U - Black
2501674473	GGM ARPLM2501N	19" Fixed Shelf 1U, 2 Fixing Points, Depth 250mm - Black
2501674474	GGM ARPLM250N	19" Fixed shelf 2U, 2 Fixing Points, Depth 250mm - Black
2501674475	GGM ARPLM375N	19" Fixed shelf 2U, 2 Fixing Points, Depth 375mm - Black
2501674476	GGM ARPO1N	19" Blanking Panel 1U - Black
2501674477	GGM ARPO2N	19" Blanking Panel 2U - Black
2501674478	GGM ARPO3N	19" Blanking Panel 3U - Black
2501674479	GGM ARPO5N	19" Blanking Panel 5U - Black
2501674480	GGM VER3095	Set of 30 M6 Screws + Cup Washers + Cage Nuts - Black
2501674481	GGM VER10095	Set of 100 M6 Screws + Cup Washers + Cage Nuts - Black




■ INIRACK - 19" CABLING FLOOR STANDING CABINETS

- Mechanically screwed steel frame
- Reversible securit glass door with side profiles, can be opened up to 190°
- Rear cable entry cable entries on top and bottom
- Removable rear and side panels for a 360° access
- Two depth adjustable 19" mounting profiles
- Load capacity 500kg



Order No.	Model No.	Height	Dimensions
FLOOR STANDING CABINETS			
2501674445	GGM IR2666N	26U	600x600mm
2501674446	GGM IR2688N	26U	800x800mm
2501674447	GGM IR4266N	42U	600x600mm
2501674448	GGM IR4268N	42U	600x800mm
2501674449	GGM IR4286N	42U	800x600mm
2501674450	GGM IR4288N	42U	800x800mm

■ CABINET ACCESSORIES



Order No.	Model No.	Description
CABINET ACCESSORIES		
2501674451	GGM ELMON26U	Set of 2 Rear 19" Mounting Profiles for 26U Cabinet
2501674452	GGM ELMON42U	Set of 2 Rear 19" Mounting Profiles for 42U Cabinet
2501674458	GGM ELEF400N	19" Fixed Shelf 1U, 4 Fixing Points, Depth 400mm - Black
2501674459	GGM ELEF600N	19" Fixed Shelf 1U, 4 Fixing Points, Depth 600mm - Black
2501674460	GGM ELEG400N	19" Sliding Shelf 1U, 4 Fixing Points, Depth 400mm - Black
2501674461	GGM ELEG600N	19" Sliding Shelf 1U, 4 Fixing Points, Depth 600mm - Black
2501674454	GGM ELVCMHD42UN	Set of 2 Vertical Duct Cables Management 42U - Black
2501674453	GGM ELVCMR42UN	Set of 2 Vertical Rings Cables Management 42U - Black
2501674455	GGM ELVCO26U	Vertical Cables Tray 260mm for 26U High Cabinet
2501674456	GGM ELVCO42U	Vertical Cables Tray 260mm for 42U High Cabinet
2501674457	GGM ALB	Cables Entry Brush Strip 350mm - Black
2501674462	GGM EL2VENN	Top Fan Unit Equipped with 2 Fans, Thermostat and Power Cord
2501674463	GGM EL4VENN	Top Fan Unit Equipped with 4 Fans, Thermostat and Power Cord
2501674464	GGM ELSOC66N	Plinth 100mm for 600x600mm Cabinet
2501674465	GGM ELSOC68N	Plinth 100mm for 600x800mm Cabinet
2501674466	GGM ELSOC86N	Plinth 100mm for 800x600mm Cabinet
2501674467	GGM ELSOC88N	Plinth 100mm for 800x800mm Cabinet
2503000123	GGM ELMASSE	Earthing Kit

04 | Cable Management

PVC Conduit & Accessories	54 - 55
PVC Mini Trunking & Accessories	56
PVC Dado Trunking & Accessories	57
Steel Conduit & Accessories	58 - 59
Channel & Accessories	60 - 62
Cable Accessories	63 - 64
Flexible Conduit	65 - 66
Floorboxes & Accessories	67
Cable Glands	68 - 70
Cable Ties & Mounts	71
Lugs & Connectors	72 - 74
Connector Strips & Blocks	75
Gels	76, 86
Sleeving	76
Cable Covers	77
Tapes, Chain & Band	78, 86
Terminal Packs & Rail	79
Cable	80
Boxes	81
Catenary Wire & Accessories	82
Girder Fixings	83 - 84
Connectors	85, 87



CONDUIT - PVC ROUND

- BS/EN 61386-1
- Available in light and heavy gauge
- 3m length

Order No.	Model No.	Size	Gauge	Colour
CONDUIT - PVC ROUND				
1000017751	NLPRC1	20mm	Light	White
1000017752	NLPRC2	25mm	Light	White
1000017753	NLPRC3	20mm	Heavy	White
1000017754	NLPRC4	25mm	Heavy	White
1000017755	NLPRC5	20mm	Heavy	Black
1000017756	NLPRC6	25mm	Heavy	Black



CONDUIT - PVC ROUND ACCESSORIES



Order No.	Model No.	Description	Colour	Size
PVC CONDUIT ACCESSORIES				
1000017757	NLRCA10	Spacer Bar Saddle	White	20mm
1000017758	NLRCA11	Spacer Bar Saddle	Black	20mm
1000017759	NLRCA12	Snap-Lock Spacer Saddle	White	20mm
1000017760	NLRCA13	Snap-Lock Spacer Saddle	Black	20mm
1000017761	NLRCA14	Male Adaptor	White	20mm
1000017762	NLRCA15	Male Adaptor	Black	20mm
1000017763	NLRCA16	Female Adaptor	White	20mm
1000017764	NLRCA17	Female Adaptor	Black	20mm
1000017765	NLRCA18	Straight Coupler	White	20mm
1000017766	NLRCA19	Straight Coupler	Black	20mm
1000017767	NLRCA20	Terminal Box	White	20mm
1000017768	NLRCA21	Terminal Box	Black	20mm
1000017769	NLRCA22	Through Box	White	20mm
1000017770	NLRCA23	Through Box	Black	20mm
1000017771	NLRCA24	Angle Box	White	20mm
1000017772	NLRCA25	Angle Box	Black	20mm
1000017773	NLRCA26	Tee Box	White	20mm
1000017774	NLRCA27	Tee Box	Black	20mm
1000017778	NLRCA30	Bend c/w Coupling	White	20mm
1000017779	NLRCA31	Bend c/w Coupling	Black	20mm
1000017775	NLRCA28	Snap-Lock Inspection Elbow	White	20mm
1000017776	NLRCA29	Snap-Lock Inspection Elbow	Black	20mm

Order No.	Model No.	Description	Colour	Size
PVC CONDUIT ACCESSORIES				
1000017782	NLRCA40	Spacer Bar Saddle	White	25mm
1000017783	NLRCA41	Spacer Bar Saddle	Black	25mm
1000017784	NLRCA42	Snap-Lock Spacer Saddle	White	25mm
1000017785	NLRCA43	Snap-Lock Spacer Saddle	Black	25mm
1000017788	NLRCA46	Male Adaptor	White	25mm
1000017789	NLRCA47	Male Adaptor	Black	25mm
1000017786	NLRCA44	Female Adaptor	White	25mm
1000017787	NLRCA45	Female Adaptor	Black	25mm
1000017790	NLRCA48	Straight Coupler	White	25mm
1000017791	NLRCA49	Straight Coupler	Black	25mm
1000017792	NLRCA50	Terminal Box	White	25mm
1000017793	NLRCA51	Terminal Box	Black	25mm
1000017794	NLRCA52	Through Box	White	25mm
1000017795	NLRCA53	Through Box	Black	25mm
1000017796	NLRCA54	Angle Box	White	25mm
1000017797	NLRCA55	Angle Box	Black	25mm
1000017798	NLRCA56	Tee Box	White	25mm
1000017799	NLRCA57	Tee Box	Black	25mm
1000017800	NLRCA58	Bend c/w Coupling	White	25mm
1000017801	NLRCA59	Bend c/w Coupling	Black	25mm
1000017780	NLRCA32	Circular Lid	White	-
1000017781	NLRCA33	Circular Lid	Black	-

CONDUIT - PVC OVAL

- BS/EN 50085
- Material - White PVC-U
- 3m length



NLOC1

Order No.	Model No.	Size
CONDUIT - PVC OVAL		
1000017802	NLOC1	16mm
1000017803	NLOC2	20mm
1000017804	NLOC3	25mm

CHANNEL CAPPING - PVC

- White UPVC
- 2m length



NLPWC2

Order No.	Model No.	Width
CHANNEL CAPPING		
1050152167	NLPWC1	12mm
1050152168	NLPWC2	25mm
1050152169	NLPWC3	38mm

BENDING SPRINGS

- Heavy gauge 20mm and 25mm bending springs suitable for bending Newlec PVC round conduit




NLRCABS20MM

Order No.	Model No.	Size
BENDING SPRINGS		
1052051448	NLRCABS20MM	20mm
1052051449	NLRCABS25MM	25mm

PVC K/O SURFACE BOXES

- uPVC Conduit & Mini Trunking Back Boxes
- BS/EN 60670 & BS/EN 4662
- Combined Conduit & Mini Trunking Knockouts
- Round & Square Corners
- 32mm deep back boxes
- For 16mmx25mm Mini Trunking adaptor use NLMTA16



NLCTBBR1

NLCTBBR2

NLCTBBS1

NLCTBBS2

Order No.	Model No.	Description	Type	Depth
ROUND CORNER				
2501536595	NLCTBBR1	PVC K/O Box	1 Gang	32mm
2501536596	NLCTBBR2	PVC K/O Box	2 Gang	32mm
SQUARE CORNER				
2501536606	NLCTBBS1	PVC K/O Box	1 Gang	32mm
2501536607	NLCTBBS2	PVC K/O Box	2 Gang	32mm

MINI TRUNKING


- Conforms to BS/EN 50085
- 3m length complete with lid & pre-punched base as standard



Order No.	Model No.	Size
MINI TRUNKING		
1000017805	NLPMT1	16 x 16mm
1000017806	NLPMT2	25 x 16mm
1000017807	NLPMT3	40 x 25mm
1000017808	NLPMT4	40 x 40mm
1000017809	NLPMT5	50 x 50mm

SELF ADHESIVE MINI TRUNKING


- 3m length
- Secure snap-on lid
- 3m length complete with lid and pre-punched base as standard



Order No.	Model No.	Size
SELF ADHESIVE MINI TRUNKING		
1000017810	NLPMTS1	16 x 16mm
1000017811	NLPMTS2	25 x 16mm
2501654911	NLPMTS4	25 x 40mm

MINI TRUNKING - ACCESSORIES

Order No.	Model No.	Size	Description
MINI TRUNKING - ACCESSORIES			
1000017813	NLMTA2	16 x 16mm	End Cap
1000017814	NLMTA3	16 x 16mm	90° Flat Angle
1000017815	NLMTA4	16 x 16mm	90° External Angle
1000017816	NLMTA5	16 x 16mm	90° Internal Angle
1000017817	NLMTA6	16 x 16mm	Flat Tee
1000017812	NLMTA1	16 x 16mm	External Coupler
1000017818	NLMTA10	25 x 16mm	External Coupler
1000017819	NLMTA11	25 x 16mm	End Cap
1000017820	NLMTA12	25 x 16mm	90° Flat Angle
1000017821	NLMTA13	25 x 16mm	90° External Angle
1000017822	NLMTA14	25 x 16mm	90° Internal Angle
1000017823	NLMTA15	25 x 16mm	Flat Tee
1052051447	NLMTA16	25 x 16mm	Adaptor
1000017825	NLMTA21	40 x 25mm	End Cap
1000017826	NLMTA22	40 x 25mm	90° Flat Angle
1000017827	NLMTA23	40 x 25mm	90° External Angle
1000017828	NLMTA24	40 x 25mm	90° Internal Angle
1000017829	NLMTA25	40 x 25mm	Flat Tee
1000017824	NLMTA20	40 x 25mm	Internal Coupler
1000017833	NLMTA33	40 x 40mm	90° External Angle
1000017831	NLMTA31	40 x 40mm	End Cap
1000017832	NLMTA32	40 x 40mm	90° Flat Angle
1000017834	NLMTA34	40 x 40mm	90° Internal Angle
1000017835	NLMTA35	40 x 40mm	Flat Tee
1000017830	NLMTA30	40 x 40mm	Internal Coupler
1000017837	NLMTA41	50 x 50mm	End Cap
1000017838	NLMTA42	50 x 50mm	90° Flat Angle
1000017839	NLMTA43	50 x 50mm	90° External Angle
1000017840	NLMTA44	50 x 50mm	90° Internal Angle
1000017841	NLMTA45	50 x 50mm	Flat Tee
1000017836	NLMTA40	50 x 50mm	External Coupler



DADO TRUNKING CURVE - 3 COMPARTMENT 170 X 50MM

- Made in accordance with BS/EN50085
- Now fully Cat5e/6/6A/7 and Cat8 compliant, for the latest high-density structured cabling
- New adjustable internal & external corners, with a 50mm bend radius
- New moulded Flat Angle & Flat Tees, with a 50mm bend radius
- Adjustable 1G & 2G back boxes from 30mm-50mm in depth
- Supplied fully assembled in 3M lengths (back boxes sold separately)
- Curved profile for aesthetics & easy cleaning
- Designed to accommodate a range of wiring accessories, including Newlec



Order No.	Model No.	Size
-----------	-----------	------


DADO TRUNKING - 3 COMPARTMENT

2501536597	NLSVTS3COMP	170mm x 50mm
-------------------	-------------	--------------


DADO TRUNKING - 3 COMPARTMENT ACCESSORIES



NLSVTSEBN



NLSVTIBN



NLSVTS3FBN



NLSVTSJC



NLSVTSEC

Order No.	Model No.	Description
-----------	-----------	-------------

3 COMPARTMENT ACCESSORIES

2501536598	NLSVTSEBN	Adjustable external corner Cat6/6A/7/8 compliant
2501536599	NLSVTIBN	Adjustable internal corner Cat6/6A/7/8 compliant
2501536600	NLSVTSJC	Joining Cover
2501536601	NLSVTSEC	End Cap
2501536604	NLSVTS3FBN	Moulded Flat Angle Cat6/6A/7/8 compliant
2501536605	NLSVTSETN	Moulded Flat Tee Cat6/6A/7/8 compliant
2501536602	NLSVTS7001	One Gang Adjustable Box 30mm to 50mm (Four Pillar Lugs)
2501536603	NLSVTS7002	Two Gang Adjustable Box 30mm to 50mm



NLSVTSETN



NLSVTS7001



NLSVTS7002

GALVANISED CONDUIT

- BS EN61386 class 4
- 20/25mm available in 3m & 3.75m lengths
- Each length is threaded at both ends
- Hot dipped galvanised heavy gauge welded steel conduit
- Complete with one solid coupling



Order No.	Model No.	Size	Length
CONDUIT - GALVANISED STEEL			
2503021875	CONGALV20	20mm	3,75m
2503021877	CONGALV20/3	20mm	3m
2503021876	CONGALV25	25mm	3,75m
2503021878	CONGALV25/3	25mm	3m

STEEL CONDUIT BOXES



Order No.	Model No.	Size	Length
GALVANISED CONDUIT BOXES			
2501109335	NLMB1G	20mm Terminal Box	
2501109337	NLMB2G	20mm Through Box	
2501109347	NLMB3G	20mm Angle Box	
2501109348	NLMB4G	20mm Tee Box	
2501109390	NLMB5G	20mm Intersection Box	
2501109340	NLMB6G	20mm U Box	
2501109358	NLMB7G	20mm Y Box	
2501109385	NLIB1G	20mm Inspection Bend	
2501109386	NLIE1G	20mm Inspection Elbow	
2501109400	NLIT1G	20mm Inspection Tee	
2501109388	NLTB1G	Back Outlet Box	
2501109351	NLMB8G	25mm Terminal Box	

Order No.	Model No.	Size	Length
GALVANISED CONDUIT BOXES			
2501109364	NLMB9G	25mm Through Box	
2501109361	NLMB10G	25mm Angle Box	
2501109369	NLMB11G	25mm Tee Box	
2501109401	NLMB12G	25mm Intersection Box	
2501109398	NLMB13G	25mm U Box	
2501109397	NLMB14G	25mm Y Box	
2501109402	NLIB2G	25mm Inspection Bend	
2501109396	NLIE2G	25mm Inspection Elbow	
2501109406	NLIT2G	25mm Inspection Tee	
2501109342	NLSC2G	25mm Solid Coupler	
2501109366	NLLPIG	1 Hole Loop In Box	
2501109405	NLLP4G	4 Hole Loop In Box	

FIRE RESISTANT SPACER BAR SADDLES

- BS7671
- Helps prevent cable collapse in fire situations to satisfy chapter 52 Amendment 3 compliance
- Fire rated to 930 °C for 120 minutes to BS 8434-2
- Available for use with either 20 or 25mm conduit tube
- Fully RoSH compliant



Order No.	Model No.	Conduit Size	Colour
FIRE RESISTANT SPACER BAR SADDLES			
1051088649	NLRCA10FR	20mm	White
1051088650	NLRCA40FR	25mm	White

GALVANISED SPRAY PAINT

- Cold galvanising spray paint
- Used extensively for 'sealing' bare steel, especially where galvanised products have been cut
- WARNING Flammable product - COSHH restrictions apply. Safety sheet available from your local branch



Order No.	Model No.	Size	Length
GALVANISED SPRAY PAINT			
100009596	NLGALVPAINT		

STEEL CONDUIT ACCESSORIES



NLD51G



NLSBS20G



NLCF1G



NLHSP1G



NLNS1



NLDC1G



NLMHM1G



NLFC51G



NLSC1G



NLHR2G




NLHP1G



NLBL1G



NLRCG1



NLMBL1



NLFB1



NLLN1G



NLLR1

Order No.	Model No.	Description
STEEL CONDUIT ACCESSORIES		
2501109395	NLPS1G	20mm Plain Saddle - Galvanised
2501109345	NLD51G	20mm Distance Saddle - Galvanised
2501109346	NLSBS20G	20mm Spacer Bar Saddle - Galvanised
2501109387	NLHOSPIG	20mm Hospital Saddle Galvanised
2501109394	NLHOSP2G	25mm Hospital Saddle Galvanised
2501109383	NLCF1G	20mm Flat Crampet - Galvanised
2501109359	NLHSP1G	20mm Hex Stopping Plug - Galvanised
2501109365	NLNS1	20mm Nipple - BZP
2501109373	NLDC1G	20mm Dome Cover - Galvanised
2501109407	NLMHM1G	20mm Male Hook - Malleable - Galvanised
2501109380	NLFC51G	20mm Flanged Coupler - Galvanised
2501109332	NLSC1G	20mm Solid Coupler - Galvanised
2501109392	NLPS2G	25mm Plain Saddle - Galvanised
2501109355	NLDS2G	25mm Distance Saddle - Galvanised
2501109353	NLSBS25G	25mm Spacer Bar Saddle - Galvanised
2501109384	NLCF2G	25mm Flat Crampet - Galvanised
2501109376	NLHSP2G	25mm Hex Stopping Plug - Galvanised
2501109379	NLNS2	25mm Nipple - BZP
2501109350	NLHR2G	25mm - 20mm Reducer - Galvanised
2501109357	NLHP1G	Hook Plate - Galvanised
2501109393	NLSR20G	20mm Extension Ring - Galvanised
2501109391	NLSR25G	25mm Extension Ring - Galvanised
2501109404	NLSR32G	32mm Extension Ring - Galvanised
2501109399	NLSR50G	50mm Extension Ring - Galvanised
2501109333	NLBL1G	Box Lids Light - Galvanised
2501109336	NLRCG1	Circular Gasket
2501109338	NLMBL1	20mm Male Bush Long - Brass
2501109354	NLMBL2	25mm Male Bush Long - Brass
2501109367	NLMBL3	32mm Male Bush Long - Brass

Order No.	Model No.	Description
STEEL CONDUIT ACCESSORIES		
2501109378	NLMBBL4	1 1/2" Male Bush Long - Brass
2501109360	NLMBBL5	2" Male Bush Long - Brass
2501109331	NLMBBS1	20mm Male Bush Short - Brass
2501109339	NLMBBS2	25mm Male Bush Short - Brass
2501109352	NLMBBS3	32mm Male Bush Short - Brass
2501109363	NLMBBS4	1 1/2" Male Bush Short - Brass
2501109344	NLMBBS5	2" Male Bush Short - Brass
2501109370	NLFB1	20mm Female Bush - Brass
2501109372	NLFB2	25mm Female Bush - Brass
2501109377	NLFB3	32mm Female Bush - Brass
2501109382	NLFB4	1 1/2" Female Bush - Brass
2501109368	NLFB5	2" Female Bush - Brass
2501109356	NLLN1G	20mm Locknut - Galvanised
2501109371	NLLN2G	25mm Locknut - Galvanised
2501109375	NLLN3G	32mm Locknut - Galvanised
2501109381	NLLN4G	1 1/2" Locknut - Galvanised
2501109374	NLLN5G	2" Locknut - Galvanised
2501109334	NLLR1	20mm Lock Ring - BZP
2501109341	NLLR2	25mm Lock Ring - BZP
2501109349	NLLR3	32mm Lock Ring - BZP
2501109362	NLLR4	1 1/2" Lock Ring - BZP
2501109343	NLLR5	2" Lock Ring - BZP
2501109389	NLFC52G	25mm Flanged Coupler - Galvanised
2501109403	NLBES	M4 Earth Stud - Brass
2501109410	NLRFW20	M20 Red Fibre Washer
2501109411	NLRFW25	M25 Red Fibre Washer
2501109408	NLSW20	20mm Shakeproof Washer - BZP
2501109409	NLSW25	25mm Shakeproof Washer - BZP



STEEL CHANNEL

- 3m Lengths
- 2.5mm wall thickness
- Pre galvanised
- Plain & slotted



Order No.	Model No.	Type	Size	Length
CHANNEL				
2503022077	STRUT41X4IS	Slotted	41 x 41mm	3m
2503022078	STRUT41X4IP	Plain	41 x 41mm	3m
2503022079	STRUT41X2IS	Slotted	41 x 21mm	3m
2503022080	STRUT41X2IP	Plain	41 x 21mm	3m

THREADED ROD

- Complies to DIN 975
- 3m length



Order No.	Model No.	Size	Length
THREADED ROD			
2503037561	NLRODM06N	M6	3m
2503037562	NLRODM06N	M8	3m
2503037563	NLRODM06N	M10	3m
2503037564	NLRODM06N	M12	3m

CHANNEL - FLAT BRACKETS

- Hot dipped galvanised finish

NLZ603A



NLZ614A



Order No.	Model No.	Description
FLAT BRACKETS		
1051047740	NLZ612A	Straight 2 Hole
1051047741	NLZ613A	Straight 3 Hole
1051047742	NLZ614A	Straight 4 Hole
1051047743	NLZ615A	Straight 5 Hole
1051047744	NLZ600A	"L" 3 Hole
1051047745	NLZ603A	"L" 4 Hole

CHANNEL ACCESSORIES - 90° BRACKETS

- Hot dipped galvanised finish
- The range covers most 90° assembly requirements

NLZ500A



NLZ504A



Order No.	Model No.	Description
90° BRACKETS		
1051047728	NLZ500A	1 Hole 1 Hole - "L"
1051047729	NLZ502A	1 Hole 2 Hole - "L"
1051047730	NLZ503A	1 Hole 3 Hole - "L"
1051047731	NLZ504A	2 Hole 2 Hole - "L"
1051047736	NLZ551A	1 Hole 3 Hole - "T"
1051047737	NLZ550A	2 Hole 2 Hole - "L"
1051047738	NLZ552A	2 Hole 2 Hole - Gusset
1051047739	NLZ553A	2 Lug Wing (41 x 41)

CHANNEL ACCESSORIES - ANGLE BRACKETS

- Hot dipped galvanised finish
- For acute and obtuse 45° assemblies



NLZ510A

Order No.	Model No.	Description
ANGLE BRACKETS		
1051047751	NLZ510A	Obtuse 2 Hole
1051047752	NLZ511A	Acute 2 Hole

CHANNEL ACCESSORIES - BASE PLATES

- Hot dipped galvanised finish
- Base plates for a variety of single and double channel requirements



Order No.	Model No.	Description
BASE PLATES		
1051047747	NLZ704A	Base Plate Single Channel
1051047748	NLZ705A	Base Plate Double Channel
1051047749	NLZ706A	Base Plate Single Channel Gusset
1051047750	NLZ707A	Base Plate Double Channel Gusset

CHANNEL ACCESSORIES - CANTILEVER ARMS

- Hot dipped galvanised finish



NLZ750A

Order No.	Model No.	Length
-----------	-----------	--------

CANTILEVER ARMS

1051047758	NLZ750A	150mm
1051047759	NLZ752A	300mm
1051047760	NLZ753A	450mm
1051047761	NLZ754A	600mm
1051047762	NLZ755A	750mm
1051047763	NLZ756A	900mm

CHANNEL ACCESSORIES - BEAM CLAMPS

- Hot dipped galv. finish, except purlin clip which is zinc plated
- Hole in brackets are 14mm diameter for M12 hexagon head bolt
- Beam clamps should be used in pairs
- M10 x 40mm HT8.8 cone point supplied where required as standard



Order No.	Model No.	Description
-----------	-----------	-------------

BEAM CLAMPS

1051047765	NLZ850A	"C" - Beam Clamp c/w Cone Point - Small
1051047764	NLZ851A	"C" - Beam Clamp c/w Cone Point - Large
1051047769	NLZ854A	"Z" - Beam Clamp c/w Cone Point
1051047772	NLZ856A	"L" - Beam Clamp Toe
1051047774	NLZ859A	Purlin Clip (M10 Rod)
1051047768	NLZ852/82A	Bracket Window 41 x 82mm c/w Cone Point
1051047770	NLZ855A	Beam Clamp 41 x 41mm U Bolt
1051047771	NLZ857A	Beam Clamp 41 x 82mm U Bolt

CHANNEL ACCESSORIES - PLATES

- Hot dipped galvanised finish



NLZ506/06A

Order No.	Model No.	Type	Hole	Size
-----------	-----------	------	------	------

PLATES

1051047732	NLZ506/06A	Square	M6	40 x 40mm
1051047733	NLZ506/08A	Square	M8	40 x 40mm
1051047734	NLZ506/10A	Square	M10	40 x 40mm
1051047735	NLZ506/12A	Square	M12	40 x 40mm

CHANNEL ACCESSORIES - FIXING BRACKETS

- Range of brackets for versatile installation requirements
- Hot dipped galv. finish



Order No.	Model No.	Description
-----------	-----------	-------------

FIXING BRACKETS

1051047753	NLZ512A	2 Hole 21mm "Z" Bracket
1051047754	NLZ513A	3 Hole 48mm "Z" Bracket
1051047755	NLZ514A	3 Hole 27mm "U" Bracket
1051047756	NLZ515A	3 Hole 48mm "U" Bracket
1051047757	NLZ516A	3 Hole 89mm "U" Bracket

CHANNEL - LIGHTING ADAPTOR

- Zinc plated finish
- Designed for the suspension of light fittings



Order No.	Model No.	Description
-----------	-----------	-------------

LIGHTING ADAPTOR

1051047746	NLZ686A	Lighting Adaptor
-------------------	---------	------------------



CHANNEL ACCESSORIES - BEAM CLAMPS

- Hot dipped galvanised finish, except purlin clip which is zinc plated
- Hole in brackets are 14mm diameter for M12 hexagon head bolt
- Beam clamps should be used in pairs
- M10 x 40mm HT8.8 cone point supplied where required as standard



NLZ858A

Order No.	Model No.	Description
BEAM CLAMPS		
1051047773	NLZ858A	Clamp G (M10 Rod)
1051047766	NLZ852/21A	Bracket Window 41 x 21mm c/w Cone Point
1051047767	NLZ852/41A	Bracket Window 41 x 41mm c/w Cone Point

CHANNEL - COUPLERS

- For 41 x 41mm slotted or plain channel
- Internal version tapped and supplied with 4 No. M6 x 12mm roofing bolts
- External version for more robust requirements & galvanised
- Internal coupler zinc plated finish



NLZCCOUP41EXT

Order No.	Model No.	Type	Size	Length
COUPLERS				
1051047778	NLZCCOUP41EXT	External Coupler	41 x 41mm	168mm
1051047777	NLZCCOUP41INT	Internal Coupler	41 x 41mm	309mm

CABLE TRAY - TOP HAT BRACKET

- Fitted with M6 captive nut for labour saving installation
- Captive nut can be moved to pick up all cable tray slot arrangements
- Zinc plated finish
- Elongated fixing holes for 6mm fixing to assist positioning



NLZTHB150A

Order No.	Model No.	Size
TOP HAT BRACKET		
1051047807	NLZTHB050A	50mm
1051047808	NLZTHB075A	75mm
1051047809	NLZTHB100A	100mm
1051047810	NLZTHB150A	150mm
1051047811	NLZTHB225A	225mm
1051047812	NLZTHB300A	300mm

CABLE TRAY & TRUNKING - HANGER BRACKETS

- Suitable for cable tray and trunking
- Used with M6 & M10 threaded rod
- Slot for threaded rod fixture allows easy cable tray alignment
- Zinc plated finish



Order No.	Model No.	Size
CABLE TRAY & TRUNKING - HANGER BRACKETS		
1051047813	NLZTTH100A	100mm
1051047814	NLZTTH150A	150mm
1051047815	NLZTTH225A	225mm
1051047816	NLZTTH300A	300mm

SPRING NUTS

- Short spring to suit 21 x 41mm channel
- Long spring to suit 41 x 41mm channel
- Zinc plated finish



NLZN100A

NLZN102A

NLZN101A

Order No.	Model No.	Type	Size
SPRING NUTS			
1051047785	NLZN060A	No Spring	M6
1051047786	NLZN061A	Long Spring	M6
1051047787	NLZN062A	Short Spring	M6
1051047788	NLZN080A	No Spring	M8
1051047789	NLZN081A	Long Spring	M8
1051047790	NLZN082A	Short Spring	M8
1051047791	NLZN100A	No Spring	M8
1051047792	NLZN101A	Long Spring	M10
1051047793	NLZN102A	Short Spring	M10
1051048800	NLZN120A	No Spring	M12
1051048801	NLZN121A	Long Spring	M12
1051048802	NLZN122A	Short Spring	M12

CHANNEL - END CAPS



NLZ951WA

Order No.	Model No.	Description
END CAPS		
1051047775	NLZ950WA	White - 41 x 41mm
1051047776	NLZ951WA	White - 41 x 21mm

WEDGE NUTS

- For use in precast concrete sections
- Supplied in packs of 10



Order No.	Model No.	Size
WEDGE NUTS		
1051047804	NLZWN06A	M6
1051047805	NLZWN08A	M8
1051047806	NLZWN10A	M10

FLAT WASHERS - BZP



NLZFW06A

NLZFW10A

NLZFW08A

Order No.	Model No.	Size	Pack Size
FLAT WASHERS - BZP			
1051047779	NLZFW06A	M6	10
1051047780	NLZFW08A	M8	10
1051047781	NLZFW10A	M10	10
1051048798	NLZFW12A	M12	10

PENNY WASHERS - BZP



NLZPW06A

Order No.	Model No.	Size	Pack Size
PENNY WASHERS - BZP			
1051047794	NLZPW06A	M6	10
1051047795	NLZPW08A	M8	10
1051047796	NLZPW10A	M10	10



HEXAGON NUTS



Order No.	Model No.	Description	Pack Size
BRASS			
1050152128	NLS4320AN	M4 Nut	100
1050152133	NLS4320BN	M4 Washer	100
1050152129	NLS4320C	M6 Nut	50
1050152134	NLS4320D	M6 Washer	50
1050152130	NLS4320E	M8 Nut	50
1050152135	NLS4320F	M8 Washer	50
1050152131	NLS4320G	M10 Nut	50
1050152136	NLS4320H	M10 Washer	50

STEEL ZINC PLATED HT8.8			
1051047782	NLZHN06A	M6 Nut	10
1051047783	NLZHN08A	M8 Nut	10
1051047784	NLZHN10A	M10 Nut	10
1051048799	NLZHN12A	M12 Nut	10

ROOF NUT & GUTTER BOLTS



Roofing Bolts

Gutter Bolts

Order No.	Model No.	Size	Pack Size
ROOF NUTS			
1050152137	NLS4333AN	M6 x 12mm	200
1050152138	NLS4333AN1	M6 x 16mm	200
1050152139	NLS4333BN	M6 x 20mm	200
1050152140	NLS4333CN	M6 x 25mm	100
1050152141	NLS4333DN	M6 x 50mm	100

GUTTER BOLTS			
1050152142	NLS4334AN	M6 x 12mm	200
1050152143	NLS4334BN	M6 x 16mm	200
1050152144	NLS4334CN	M6 x 20mm	200
1050152145	NLS4334DN	M6 x 25mm	100

CABLE CLIPS

- Made from impact resistant UV stabilised polypropylene
- Safety nail bends before breaking - hardened & zinc coated
- Can withstand high impact together with extremes of heat, cold and acid - temperature range -40°C
- Flexible design - for use with various sizes of cable
- Features a return 'hook' that holds the cable tightly assisting installation



NLCTE2WH

NLCR2

NLCTVBL

Order No.	Model No.	For Use with	Colour	Qty
FLAT CABLES				
1050151261	NLCBELL	Bell Wire	Clear	100
1050151252	NLCTE1GRY	6242Y-1/1.5mm	Grey	100
1050151254	NLCTE2GRY	6242Y-2.5mm	Grey	100
1050151256	NLCTE3GRY	6242Y-4 & 6mm	Grey	100
1050151258	NLCTE4GRY	6242Y-10mm	Grey	50
1050104977	NLCTE1WH	6242Y-1/1.5mm	White	100
1050151250	NLCDTE2GRY	6242Y - Double 2.5mm	Grey	100
1050151286	NLC3CGRY	6243Y - 1/1.5mm	Grey	100
1050104978	NLCTE2WH	6242Y-2.5mm	White	100
1051091293	NLCTE3WH	6242Y - 4 & 6mm	White	100

Order No.	Model No.	Colour	Suitable for cable dia.	Qty
ROUND CABLES				
1050151263	NLCR2	White	3 - 5mm	100
1050151264	NLCR3	White	6 - 7mm	100
1050151284	NLCRED	Red	7 - 8mm	100
1050151265	NLCR4	White	7 - 8mm	100
1050341486	NLCR4.5	White	9 - 11mm	100
1050341487	NLCR4.5RED	Red	9 - 11mm	100
1050151266	NLCR5	White	12 - 14mm	100
1050151283	NLCR6	White	15 - 18mm	50

Order No.	Model No.	Colour	Pack Qty	Coax/Sat
COAX/SATELLITE CABLE				
1050151244	NLCTVBL	Black	100	Single
1051091294	NLCTE3BLK	Black	100	Double

PREMIUM FLEXIBLE CONDUIT - NYLON KIT

- IP66, 67, 68 & 69k performance
- Self extinguishing, halogen free conduit and fittings
- Oil & UV resistant
- Approval marks
- Kit includes: 10m flexible nylon conduit, 10 straight one piece quick fit fitting and locknuts, quick removal tool for fittings, 10 conduit clips



Order No.	Model No.	Size
PREMIUM FLEXIBLE CONDUIT - NYLON KIT		
1052025478	NLNY20KITP	20mm
1052025479	NLNY25KITP	25mm

FLEXIBLE CONDUIT - GREY PVC KIT

- IP54
- Self extinguishing
- Kit includes: 10m flexible PVC conduit, 10 straight one piece fittings and locknuts



Order No.	Model No.	Size	Description
FLEXIBLE CONDUIT & ACCESSORIES - GREY PVC			
1000008972	NLPVC20KIT	20mm	Conduit Kit
1000008978	NLPVC20SF	20mm	Straight Fitting
1000008979	NLPVC20CCB	20mm	Conduit Clips (10)
1000008973	NLPVC25KIT	25mm	Conduit Kit
1000008980	NLPVC25SF	25mm	Straight Fitting

FLEXIBLE CONDUIT - NYLON

- IP66 fittings
- Self extinguishing, halogen free
- Straight fittings are not one piece quick fit as the premium flexible nylon kit
- Fittings complete with locknuts



Order No.	Model No.	Size	Description
FLEXIBLE CONDUIT - NYLON ACCESSORIES			
1050151031	NLNY20AF	20mm	90° Fitting
1050151032	NLNY25AF	25mm	90° Fitting
1000008982	NLNY20SF	20mm	Straight Fitting
1000008983	NLNY20CCB	20mm	Conduit Clip - Pack 10
1000008984	NLNY25SF	25mm	Straight Fitting
1000008985	NLNY25CCB	25mm	Conduit Clip - Pack 10

FLEXIBLE CONDUIT - WHITE PVC KIT

- IP54
- Self extinguishing
- Kit includes: 10m flexible PVC conduit, 10 straight one piece quick fit fittings and locknuts



Order No.	Model No.	Size
FLEXIBLE CONDUIT - WHITE PVC KIT		
1052025475	NLPVC20KITWH	20
1052025476	NLPVC25KITWH	25

IP68 NYLON ACCESSORIES

- Straight and 90° fittings are one piece quick-fit fittings
- Integral face seal washer
- Self extinguishing, halogen free
- Fittings complete with locknuts
- IP66, 67, 68 and 69K performance
- Approval marks:



Order No.	Model No.	Size	Description
IP68 NYLON ACCESSORIES			
1050390529	NLNY20ATSE	20mm	90° Fitting IP68
1050390530	NLNY25ATSE	25mm	90° Fitting IP68
1050390531	NLNY20ATSS	20mm	Straight Fitting IP68
1050390532	NLNY25ATSS	25mm	Straight Fitting IP68

PREMIUM FLEXIBLE CONDUIT - STEEL/PVC KIT

- IP54
- Versatile fittings for installation into knockouts using a locknut, or into threaded entries
- Excellent crush & tensile strength
- Excellent chemical & UV resistance
- Fittings complete with locknuts
- Kit includes: 10m flexible PVC covered steel conduit, 5 x 'A' fittings (fixed external thread), 5 x 'B' fittings (swivel external thread), 10 P-clips.



Order No.	Model No.	Size	Description	Colour
PREMIUM FLEXIBLE CONDUIT - STEEL/PVC KIT				
1052025480	NLSP20KITP	20	Conduit Kit	Black

FLEXIBLE CONDUIT - STEEL/PVC ACCESSORIES

- IP54 fittings



Order No.	Model No.	Size	Description
FLEXIBLE CONDUIT - STEEL/PVC ACCESSORIES			
1050151034	NLSP20SSF	20mm	Straight Swivel Fitting
1050151033	NLSP20SFF	20mm	Straight Fixed Fitting

CABLE CLEATS - TELECLEATS

- For use with 1kV PVC armoured cable to BS 5467



Order No.	Model No.	Cable Diameter	Pack Qty
CABLE CLEATS - TELECLEATS			
1000015829	NL38501	10.5 - 14.5mm	25
1000015830	NL38502	12.2 - 16.7mm	25
1000015831	NL38503	14.6 - 19.8mm	25
1000015832	NL38504	17.7 - 24.0mm	25
1000015833	NL38505	21.7 - 28.5mm	10
1000015834	NL38506	26.2 - 34.2mm	10
1000015835	NL38507	31.9 - 14.6mm	10
1000015836	NL38508	39.3 - 51.1mm	10

CABLE CLEATS - HEAVY DUTY

- Heavy duty
- Stable at temperatures -35 to +85°C



Order No.	Model No.	Cable Diameter	Pack Qty
CABLE CLEATS - HEAVY DUTY			
1000008150	NLCC5	12.7mm	50
1000008151	NLCC6	15.2mm	50
1000008152	NLCC7	17.8mm	50
1000008153	NLCC8	20.3mm	50
1000008154	NLCC9	22.8mm	50
1000008155	NLCC10	25.4mm	50
1000008409	NLCC11	27.7mm	20
1000008156	NLCC12	30.4mm	20
1000008157	NLCC14	35.6mm	20
1000008158	NLCC16	40.6mm	20

CABLE GLAND KITS - INDOOR AND OUTDOOR

- CW glands conform to BSEN 50262
- Tested to BS 6121 pt.1:1989
- ISO 9001
- For use with all types of SWA cable (outdoor providing environmental seal on the cable outer sheath)
- Provides mechanical cable retention and electrical continuity via armour wire termination
- CE marked for compliance to low voltage directive 72/73/EEC
- Kit includes: Brass gland, steel locknut, brass earth tag, PVC shroud



Order No.	Model No.	Size	Cable Diameter		Kit Qty
			Inner - Max	Outer - Max	
INDOOR - BW - 2 PIECE					
1050152446	NL20SBWN	20S	11.7mm	16.1mm	2
1050152447	NL20BWN	20	14mm	21.1mm	2
1050152448	NL25BWN	25	20mm	27.4mm	2
1050152449	NL32BWN	32	26.3mm	34.4mm	2
1050152450	NL40BWN	40	32.2mm	42.4mm	1
105011559	NL50SBWN	50	38.2mm	50.1mm	1
1050152451	NL50BWN	50	44.1mm	55.7mm	1
1050152452	NL63BWN	63	56mm	68.2mm	1
OUTDOOR - CW - 3 PIECE					
1050152454	NL20SCWN	20S	11.7mm	9.5 - 15.9mm	2
1050152455	NL20SSCWN	20/16	8.7mm	6.1 - 13.2mm	2
1050152456	NL20CWN	20	14mm	12.5 - 20.9mm	2
1050152457	NL25CWN	25	20mm	18.2 - 26.2mm	2
1050152458	NL32CWN	32	26.3mm	23.7 - 33.9mm	1
1050152459	NL40CWN	40	32.2mm	27.9 - 40.4mm	1
105011560	NL50SCWN	50	38.2mm	35.2 - 46.7mm	1
1050152460	NL50CWN	50	44.1mm	40.4 - 53.1mm	1
1050152461	NL63CWN	63	56mm	54.6 - 65.9mm	1



NL20SBWN

CABLE GLAND KITS - INDUSTRIAL CXT

- Tested to BS 6221 pt.1:1989
- Brass indoor and outdoor cable gland for all types of flexible wire braid cable (CY/SY) where it is essential to produce an IP66 environmental seal on the cable outer sheath and internal mechanical retention of wire braid for electrical continuity
- Kit contents: 2 x CXT glands, 4 x Brass washers, 2 x Steel locknuts, 2 x Shroud



NL20CXTN

Order No.	Model No.	Size	Cable Diameter		Kit Qty
			Min	Max	
CABLE GLAND KITS - INDUSTRIAL CXT					
1050152330	NL20SCXTN	20S	6.1mm	11.7mm	2
1050152331	NL20CXTN	20	6.5mm	14mm	2
1050152332	NL25CXTN	25	11.1mm	20mm	2

CABLE GLAND KITS - LSF

The materials utilised in these kits are noted for the absence of smoke generating constituents, particularly halogens (fluorine, bromine and chlorine) thus avoiding the hazards of highly irritant and noxious fumes emitted by standard materials such as PCP and PVC when exposed to flame.

- Tested to EN50267-2-1
- LUL approval to EN 42-A2 1996
- LSF (Zero Halogen) cable gland kits for both dry and wet environments
- Kit includes: LSF gland. LSF shroud. Brass locknut & earth tag



Order No.	Model No.	Size	Cable Diameter		Kit Qty
			Inner - Max	Outer - Max	
INDOOR - BW - 2 PIECE					
1050152469	NL20SBWLSFN	20S	11.7mm	16.1mm	2
1050152470	NL20BWLSFN	20	14mm	21.1mm	2
1050152471	NL25BWLSFN	25	20mm	27.4mm	2
1050152472	NL32BWLSFN	32	26.3mm	34.4mm	2
1050152473	NL40BWLSFN	40	32.2mm	42.4mm	1
1050152474	NL50BWLSFN	50	44.1mm	55.7mm	1
1050152475	NL63BWLSFN	63	56mm	68.2mm	1

Order No.	Model No.	Size	Cable Diameter		Kit Qty
			Inner - Max	Outer - Max	
OUTDOOR - CW - 3 PIECE					
1050152477	NL20SCWLSFN	20S	11.7mm	9.5 - 15.9mm	2
1050152479	NL20CWLSFN	20	14mm	12.5 - 20.9mm	2
1050152480	NL25CWLSFN	25	20mm	18.2 - 26.2mm	2
1050152481	NL32CWLSFN	32	26.3mm	23.7 - 33.9mm	1
1050152482	NL40CWLSFN	40	32.2mm	27.9 - 40.4mm	1
1050152483	NL50CWLSFN	50	44.1mm	40.4 - 53.1mm	1

CABLE GLAND - DOME TOP

- IP68 at 5 bar
- Low Smoke and Zero Halogen (LSOH)
- Three piece construction
- Accepts non-circular cable
- Temperature resistance -30°C to +80°C
- Pack of 10
- Suitable for 20mm knockouts



NLDTG20SGRY



NLDTG20SRED

Order No.	Model No.	Size	Colour	Cable Ø
CABLE GLAND - DOME TOP				
1050151472	NLDTG20SBLK	20mm S	Black	6-12mm
1050151465	NLDTG20SGRY	20mm S	Grey	6-12mm
1050151466	NLDTG20SRED	20mm S	Red	6-12mm
1050151467	NLDTG20SWHI	20mm S	White	6-12mm
1050151468	NLDTG20LBLK	20mm L	Black	10-14mm
1050151469	NLDTG20LWHI	20mm L	White	10-14mm

CABLE GLAND - NYLON

- For use with unarmoured cables
- Nylon 6.6 material with nitrile rubber bushes
- Temperature range -20°C to +100°C
- Complete with locknuts
- Pack of 10
- Suitable for 20mm knockouts



Order No.	Model No.	Size	Colour	Cable Ø
CABLE GLAND - NYLON				
1050153125	NLPG249BLK	20mm XS	Black	4-7mm
1000009331	NLPG251BLK	20mm S	Black	7-10.5mm
1000009332	NLPG251WHI	20mm S	White	7-10.5mm
1000009333	NLPG251RED	20mm S	Red	7-10.5mm
1050151109	NLPG252BLK	20mm L	White	8-13mm
1000009334	NLPG252WHI	20mm L	White	8-13mm



CABLE GLANDS - FAST FIT

- IP68 rated (5 bar 30 mins) & IP66
- Time saving push and twist gland to fit in seconds
- Fits wall thickness 0.5mm - 4mm
- Tool required for removal
- Each removal tool pack contains 2 removal tools
- No locknut required
- Supplied in grey polyamide 6 (PA6) and neoprene seal



NLPGF25

Order No.	Model No.	Gland Size	Cable Ø	Pack Qty
CABLE GLANDS - FAST FIT				
1051091268	NLPGF20	20mm	7 - 13mm	10
1051091269	NLPGF25	25mm	11 - 17mm	5
1051091270	NLPGF32	32mm	15 - 21mm	2

CABLE GLAND EARTHING NUT

- 60% faster installation time
- Eliminates drilling for earth bolts
- Enclosure IP rating not compromised
- No earth bolts required as all parts are supplied
- Designed to resist vibration
- Eliminates the need for surface preparation - paint scraping etc
- Enables GRP or plastic enclosures to be used where this would normally be avoided due to cable earthing requirements
- Pack of 2



NLENS20

Order No.	Model No.	Size
CABLE GLAND EARTHING NUT		
1051014935	NLENS20	20mm
1051014936	NLENS25	25mm
1051014937	NLENS32	32mm


CABLE JOINT KITS - RESIN

- Resin filled 600/1,000V cable joint kits for 2, 3 and 4 core cable complying with EN50393:2006
- Two-part, easy mix, easy flow resin with excellent adhesion to XLPE and PVC cables
- Full installation kit and instructions included



NLISCJ0

Order No.	Model No.	Colour	Quantity
CABLE JOINT KITS - RESIN			
1051015255	NLISCJ0	Straight	1.5mm ² - 6mm ²
1051015256	NLISCJ1	Straight	10mm ² - 16mm ²
1051015257	NLUSCJ2	Straight	25mm ²
1051015258	NLUSCJ3	Straight	35mm ² - 95mm ²
1051015259	NLUSCJ4	Straight	120mm ²
1051015260	NLUSCJ5	Straight	150mm ² - 185mm ²
1051049758	NLUBCJ00	Branch	1.5mm ² - 6mm ²
1051015262	NLUBCJ1	Branch	10mm ² - 16mm ²



NLUBCJ00

■ NYLON CABLE TIES - STANDARD SINGLE PIECE

- Lloyds Register Approved
- Polyamide 6.6 (PA66)
- Quick & easy to install with high locking & tensile strength
- Continuous operating temperature 40°C to 85°C
- Halogen free, LSF (low smoke and fume)
- Pack of 100
- Available in natural or black



Order No.	Model No.	Dims L x W	Max Bundle Dia.	Tensile Strength (N/lb)
-----------	-----------	------------	-----------------	-------------------------

NYLON CABLE TIES - STANDARD SINGLE PIECE

1051014945	NLTSO1NA	100x 2.5mm	22mm	80/18
1051014947	NLTSO2NA	150x 3.6mm	35mm	135/30
1051014949	NLTSO3NA	140x 2.5mm	55mm	80/18
1051014951	NLTSO4NA	200x 4.6mm	35mm	225/50
1051014953	NLTSO5NA	200x 2.5mm	50mm	80/18
1051014955	NLTSO6NA	200x 3.6mm	50mm	135/30
1051014957	NLTSO7NA	250x 4.6mm	65mm	225/50
1051014959	NLTSO8NA	300x 4.6mm	85mm	355/50
1051014961	NLTSO9NA	385x 4.6mm	110mm	355/50
1051014963	NLTS10NA	385x 7.6mm	100mm	535/120
1051014946	NLTSO1BA	100x 2.5mm	22mm	80/18
1051014948	NLTSO2BA	150x 3.6mm	35mm	135/30
1051014950	NLTSO3BA	140x 2.5mm	55mm	80/18
1051014952	NLTSO4BA	200x 4.6mm	35mm	225/50
1051014954	NLTSO5BA	200x 2.5mm	50mm	80/18
1051014956	NLTSO6BA	200x 3.6mm	50mm	135/30
1051014958	NLTSO7BA	250x 4.6mm	65mm	225/50
1051014960	NLTSO8BA	300x 4.6mm	85mm	355/50
1051014962	NLTSO9BA	385x 4.6mm	110mm	355/50
1051014964	NLTS10BA	385x 7.6mm	100mm	535/120

■ NYLON CABLE TIE MOUNTS

- High-strength synthetic rubber adhesive
- Polyamide 6.6 base
- Halogen free, LSF (low smoke & fume)
- Continuous operating temperature 40°C to 85°C
- Screw mount option
- Pack of 100



Order No.	Model No.	Dimensions L x W
-----------	-----------	------------------

NYLON CABLE TIE MOUNTS

1051014967	NLTMP425BA	28 x 28mm
1051014966	NLTMP219NA	19 x 19mm
1051014968	NLTMP425NA	28 x 28mm
1051014965	NLTMP219BA	19 x 19mm

■ GRADE 316 STAINLESS STEEL CABLE TIES

- Self locking and ideal for all applications that require high tensile strength, reliability and fire resistance
- Strong self-locking mechanism (stainless steel ball) with low insertion force
- Non-magnetic marine grade 316 stainless steel, corrosion resistant, UV resistant and outstanding chemical resistance
- Suitable for high temperature environments -80°C - +538°C



Order No.	Model No.	Length	Width	Min Tensile Strength	Pack Qty
-----------	-----------	--------	-------	----------------------	----------

STAINLESS STEEL CABLE TIES

2501108598	NLTSO1SSA	127mm	4.6mm	900N	100
2501108599	NLTSO5SSA	201mm	4.6mm	900N	100
2501108600	NLTSO8SSA	300mm	4.6mm	900N	100
2501108601	NLTS11SSA	362mm	7.9mm	2000N	50
2501108602	NLTS12SSA	521mm	7.9mm	2000N	50
2501108603	NLTS13SSA	685mm	7.9mm	2000N	50

■ STAINLESS STEEL SCREW FIXING MOUNTS

- Suitable for secure fixing of cables, tubing, conduits and pipes within the most arduous of environments. Providing a complete fastening and fixing solution when used in conjunction with stainless steel ties up to 10mm width
- 2-way fixing for stainless steel cable ties
- High performance marine grade 316 stainless steel
- Suitable for high temperature environments -80°C to +538°C
- Heavy duty design, robust and durable solution
- Quick and easy to install
- Supplied in packs of 100



Order No.	Model No.	Length	Width	Height	Hole Ø	Max Strap Width
-----------	-----------	--------	-------	--------	--------	-----------------

STAINLESS STEEL SCREW FIXING MOUNTS

2501108604	NLTMSSC4	23mm	10.2mm	4.5mm	4.2mm	10mm
2501108605	NLTMSSC5	23mm	10.2mm	4.5mm	5.3mm	10mm
2501108606	NLTMSSC6	23mm	10.2mm	4.5mm	6.3mm	10mm



LUGS

- BS EN 61238
- Range from 10mm² - 120mm²
- Made from 99.9% pure electrical copper tube
- Optimum strength against vibration and pull-out for complete reliability
- Annealed after final pressing to guarantee ductility and electrolytically tin plated to avoid oxidation



END SLEEVES

- DIN 46228
- Insulated end sleeves provide a neat end termination to multi-stranded wires, and are suitable for tri-rated cable
- Reduce the possibility of wire strands short circuiting and ensures a positive connection when used with terminal blocks and captive terminals
- Manufactured from bright tinned copper with polypropylene insulated sleeves



Order No.	Model No.	Cable Size	Stud Size Ø	Pack Qty
LUGS				
100008209	NL10C-6	10mm ²	6mm	10
100008210	NL10C-8	10mm ²	8mm	10
100008211	NL10C-10	10mm ²	10mm	10
100008212	NL16C-6	16mm ²	6mm	10
100008213	NL16C-8	16mm ²	8mm	10
100008214	NL16C-10	16mm ²	10mm	10
100008215	NL25C-6	25mm ²	6mm	10
100008216	NL25C-8	25mm ²	8mm	10
100008217	NL25C-10	25mm ²	10mm	10
100008218	NL25C-12	25mm ²	12mm	10
100008219	NL35C-6	35mm ²	6mm	4
100008220	NL35C-8	35mm ²	8mm	4
100008221	NL35C-10	35mm ²	10mm	4
100008222	NL35C-12	35mm ²	12mm	4
100008223	NL50C-8	50mm ²	8mm	4
100008224	NL50C-10	50mm ²	10mm	4
100008225	NL50C-12	50mm ²	12mm	4
100008226	NL70C-8	70mm ²	8mm	4
100008227	NL70C-10	70mm ²	10mm	4
100008228	NL70C-12	70mm ²	12mm	4
100008229	NL95C-10	95mm ²	10mm	4
100008230	NL95C-12	95mm ²	12mm	4
100008231	NL95C-16	95mm ²	16mm	4
100008233	NL120C-12	120mm ²	12mm	4
100008232	NL120C-10	120mm ²	10mm	4
100008234	NL120C-16	120mm ²	16mm	4

Order No.	Model No.	Colour	Cable Size	Pin Length	Pin Ø	Pack Qty
FRENCH RANGE						
1050153206	NLBFW814	White	0.5	8	1.4	500
1050153174	NLBF815	Blue	0.75	8	1.5	500
1050153205	NLBFR818	Red	1	8	1.8	500
1050153204	NLBFB820	Black	1.5	8	2	500
1050153176	NLBFG826	Grey	2.5	8	2.6	500
1050153144	NLBFO932	Orange	4	9	3.2	500
1050153139	NLBFG1239	Green	6	12	3.9	100
1050153138	NLBFB1249	Brown	10	12	4.9	100
GERMAN RANGE						
1050153177	NLBFO814	Orange	0.5	8	1.4	500
1050153179	NLBFW815	White	0.75	8	1.5	500
1050153180	NLBFY818	Yellow	1	8	1.8	500
1050153178	NLBFR820	Red	1.5	8	2	500
1050153175	NLBFB826	Blue	2.5	8	2.6	500
1050153141	NLBFG932	Grey	4	9	3.2	500
1050153209	NLBFB1239	Black	6	12	3.9	100
TWIN ENTRY						
1050153200	NLTBFW814	White	2 x 0.5	8	1.4	500
1050153195	NLTBF815	Blue	2 x 0.75	8	1.5	500
1050153202	NLTBFY818	Yellow	2 x 1.0	8	1.8	500
1050153198	NLTBFR818	Red	2 x 1.5	8	1.8	500
1050153199	NLTBFR820	Red	2 x 1.5	8	2	500
1050153197	NLTBF826	Grey	2 x 2.5	8	2.6	250

PUSH ON

• Pack of 100



NLPRFIT63508

NLBPO6.3

Order No.	Model No.	Size	Insulated Colour	
FEMALE PUSH ON				
1000008433	NLRPO6.3	6.3 x 0.8mm	No	Red
1050153208	NLPRFIT63508	6.35 x 0.8mm	Yes	Red
1000008434	NLBPO6.3	6.3 x 0.8mm	No	Blue
1050153207	NLPBFT63508	6.35 x 0.8mm	Yes	Blue
1050153157	NLPYFT63508	6.35 x 0.8mm	No	Yellow
MALE PUSH ON				
1050153191	NLPRMT63508	6.35 x 0.8mm	No	Red
1050153189	NLPBMT63508	6.35 x 0.8	No	Blue

PIN

• Pack of 100



NLYP14

Order No.	Model No.	Pin Length	Colour	
PIN				
1000008417	NLRPI0	10mm	Red	
1050153193	NLRPI2	12mm	Red	
1000008424	NLBPI0	10mm	Blue	
1050153181	NLBPI2	12mm	Blue	
1050153166	NLYP14	14mm	Yellow	

PIGGYBACK

• Pack of 100

Order No.	Model No.	Size	Colour	
PIGGYBACK				
1050153188	NLPBBT63508	6.35 x 0.8mm	Blue	



NLPBBT63508

BLADE

• Pack of 100



NLBRT10

Order No.	Model No.	Length	Colour	
BLADE				
1050153184	NLBRT10	10mm	Red	
1000008418	NLRBL16	16mm	Red	
1050153185	NLBRT18	18mm	Red	
1050153173	NLBRT9	9mm	Blue	
1050153172	NLBRT18	18mm	Blue	

BULLET

• Pack of 100



NLBRMT

Order No.	Model No.	Type	Colour	
BULLET				
1050153182	NLBRT	Female	Red	
1050153183	NLBRMT	Male	Red	



RING

• Pack of 100



Order No.	Model No.	Stud Size Ø	Colour
RING			
1000008436	NLRR4	4mm	Red
1000008412	NLRR5	5mm	Red
1000008413	NLRR6	6mm	Red
1000008419	NLBR4	4mm	Blue
1000008420	NLBR5	5mm	Blue
1000008421	NLBR6	6mm	Blue
1050153148	NLBR8.5	8mm	Blue
1050153203	NLYR4.3	4mm	Yellow
1000008426	NLYR5	5mm	Yellow
1000008427	NLYR6	6mm	Yellow
1000008428	NLYR8	8mm	Yellow
1050153167	NLYR10.5	10mm	Yellow

FORK

• Pack of 100



Order No.	Model No.	Stud Size Ø	Colour
FORK			
1000008414	NLRS3.5	3.5mm	Red
1000008415	NLRS4	4mm	Red
1000008422	NLBS4	4mm	Blue
1000008423	NLBS5	5mm	Blue

THROUGH CONNECTOR - PVC

• Pack of 100



Order No.	Model No.	Colour
THROUGH CONNECTOR		
1000008431	NLRTC	Red
1000008432	NLBTC	Blue
1000008437	NLYTC	Yellow

THROUGH CONNECTORS - METAL



Order No.	Model No.	Cable Size	Pack Qty
THROUGH CONNECTORS			
1000008594	NLTC10	10mm ²	10
1000008595	NLTC16	16mm ²	10
1050150456	NLTC25	25mm ²	10
1000008596	NLTC35	35mm ²	4
1000008597	NLTC50	50mm ²	4
1000008598	NLTC70	70mm ²	4
1000008599	NLTC95	95mm ²	4
1000008600	NLTC120	120mm ²	4

12 WAY CONNECTOR STRIPS

- Maximum continuous temperature rating 80°C
- Nominal voltage 450V
- BS EN 60998-1
- Supplied in packs of 10



Order No.	Model No.	Rating (Amps)
-----------	-----------	---------------

CONNECTOR STRIPS

1050153353	NLCS2.5	2.5
1050153354	NLCS5	5
1050153355	NLCS15	15
1050153356	NLCS30	30

MAGIC GEL

- Two component gel potting compound
- Re-enterable
- Non toxic and safe
- Dielectric strength: >23 kV/mm
- Fast cross linking



Order No.	Model No.	Description
-----------	-----------	-------------

MAGIC GEL

1050362764	NLMG1000	Magic Gel
-------------------	----------	-----------

CONNECTOR BLOCKS

- Black Phenolic housing complete with knockouts
- Brass terminals, maximum conductor size 35mm²
- Single pole - 5 way
- Double pole - 2 x 5 way
- 230V AC rated 100A



Order No.	Model No.	Type
-----------	-----------	------

CONNECTOR BLOCKS

1000009335	NLCB5SPN	Single Pole
1000009336	NLCB5DPN	Double Pole

GEL CONNECTOR COVERS

- Up to 2 pole 10amp (5 amp recommended) for NLMG2C and 3 pole 15amp for NLMG3C
- Fully submersible to high depths in accordance to EN 50393
- No shelf life and non toxic
- EN 50393 and CEI 20-33 (note with testing under water head and water between the cable cores)
- In class 2 according to standard CEI 64-8

NLMG2C



NLMG3C

Order No.	Model No.	Colour	No. of Poles
-----------	-----------	--------	--------------

GEL CONNECTOR COVERS

1050392918	NLMG2C	Green	2
1050392919	NLMG3C	Green	3



MAGIC POWER GEL

- Two component gel potting compound and putty
- Re-enterable and re-usable
- Strong self amalgamating characteristics
- Single bi-component bottle to make 1 litre of product
- Can also be used as a putty once cured
- Non toxic and safe
- Dielectric strength: >23 kV/mm
- Fast cross linking (approx 15 min at 25°C) with no exothermic reaction
- Working temperature: -60°C to +200°C
- Overload temperature for short periods: up to 250°C

APPROVALS: EN 50393; CEI 20-33, fire retardant according to IEC 332-1. CEI 20-33 (note: with testing under water head and water between the cable cores)

Order No.	Model No.	Colour	Quantity
-----------	-----------	--------	----------

MAGIC POWER GEL

1051040707	NLMGPI000	Blue	1 Litre
-------------------	-----------	------	---------



IN BRANCH



HEAT SHRINK MULTIPACK

- 2:1 shrink ratio
- Longitudinal shrinkage: 5% max
- Shrinks at comparatively low temperature of 100°C
- Operating temperature -55°C to 125°C
- Self extinguishing
- 250mm lengths



Order No.	Model No.	No. of Lengths per colour per pack	Pre Shrink Dia. (mm)
-----------	-----------	------------------------------------	----------------------

HEAT SHRINK MULTIPACK

1052029331	NLSP6EU	3	6.4
1052029332	NLSP12EU	3	12.8
1052029333	NLSP19EU	2	19.1
1052029334	NLSP25EU	2	25.4

SLEEVING - PVC

- For cable identification
- Supplied in 100M lengths
- Manufactured to BS 2848 Type 3 Class 85T



Order No.	Model No.	Size	Inlets
-----------	-----------	------	--------

SLEEVING - PVC

1050331971	NLB4NH	Black	4mm
1050331973	NLBL3NH	Blue	3mm
1050331974	NLBL4NH	Blue	4mm
1050331976	NLBRN3NH	Brown	3mm
1050331977	NLBRN4NH	Brown	4mm
1050335112	NLGR4NH	Grey	4mm
1050331978	NLGY2NH	Green/Yellow	2mm
1050331979	NLGY3NH	Green/Yellow	3mm
1050331980	NLGY4NH	Green/Yellow	4mm
1050331981	NLGY5NH	Green/Yellow	5mm

GROMMETS

- PVC - Chemical resistant



NLGROM2N

NLGROM1N

NLGROM0N

Order No.	Model No.	Size	Type	Pack Qty
-----------	-----------	------	------	----------

GROMMETS

1000009461	NLGROM0N	M20	Through	25
1000009462	NLGROM1N	M20	Blind	25
1000009463	NLGROM2N	M25	Through	25
1000009464	NLGROM3N	M25	Blind	25
1050151291	NLGROM4N	M32	Through	10
1050151292	NLGROM5N	M32	Blind	10

GROMMET STRIP

- Flexible 'U' design to line irregular shaped holes
- For use on panels with thickness ranging from 0.4 - 1.3mm



Order No.	Model No.	Length
-----------	-----------	--------

GROMMET STRIPS

1051043277	NLGMSTRIP3	25m
-------------------	------------	-----

SPIRAL BINDING

- Ideal for tidying and grouping cables
- Re-usable
- Polythene
- -60° to +90°C working temperature
- Packed in 5m lengths



Order No.	Model No.	Diameter Min/Max	Colour
-----------	-----------	------------------	--------

SPIRAL BINDING

1050362969	NLCSB1BL	4.8 - 50mm	Black
1050362971	NLCSB2BL	9.5 - 100mm	Black

EASYLOCK WIRE SUSPENSION SYSTEM

- Conforms to DW144 for ductwork
- Lloyds approval
- Can be installed vertically or at angles
- SWL 45kg with a 5:1 safety factor



NLSWTUB

Order No.	Model No.	Description	Content
-----------	-----------	-------------	---------

EASYLOCK WIRE SUSPENSION SYSTEM

1051091196	NLSW100	Suspension Wire	100m
1051091197	NLSWLOCK	Wire Locking Device + Key	50 Devices
1051091198	NLSWTUB	Suspension Kit	100m of Wire, 50 x Lock & Key

SPLIT CABLE COVER

- Allows easy access to the cable at any point
- Quick, easy installation
- Can be used to wrap and cover wires, cables and hoses
- Flame retarded PA6 material
- Working temperature -40° to +90°C
- UL94VO
- Packed in 2m lengths complete with applicator



Order No.	Model No.	Size	Colour
-----------	-----------	------	--------


SPIRAL BINDING

1050362955	NLSCC1B	20mm	Black
1050362957	NLSCC2B	25mm	Black



PVC INSULATION TAPE

- BS EN 60454-3-1:1998
- 19mm x 33m
- Flame retardant



Order No.	Model No.	Colour
TAPE - PVC INSULATION		
1050151267	NLTAPE2BLKN	Black
1050151269	NLTAPE2BLUN	Blue
1050151271	NLTAPE2YELN	Yellow
1050151272	NLTAPE2WHIN	White
1050151273	NLTAPE2BRNN	Brown
1050268437	NLTAPE2GRYN	Grey
1050151274	NLTAPE2G/YN	Green/Yellow
1050151268	NLTAPE2REDN	Red

UNDERGROUND WARNING TAPE

- 150mm x 365m



Order No.	Model No.	Size
UNDERGROUND WARNING TAPE		
1050153082	NLUGTAPEN	

MIXING NOZZLE FOR CHEMICAL RESIN ANCHOR CARTRIDGE


- Transparent plastic nozzle designed to assist in applying chemical resins and fixings to block work, brick, concrete, etc
- Inner lining provides instant mixing and reduces wastage
- For use with resin cartridge NLCA8



Order No.	Model No.	Description
MIXING NOZZLE FOR CHEMICAL RESIN ANCHOR CARTRIDGE		
1050150739	NLCA4	Mixing Nozzle For Chemical Resin Anchor Cartridge

ALL ROUND BAND

- Galvanised steel
- Available in either uncoated or PVC coated - black
- Supplied in 10m coils



Order No.	Model No.	Coated	Width
ALL ROUND BAND			
105015263	NLARBU12A	No	12mm
105015264	NLARBC12A	Yes	12mm
105015266	NLARBC17A	Yes	17mm

JACK CHAIN

- Single link chain - ideal for suspending luminaires, trunking etc
- Zinc finish
- Supplied in 10m lengths




Order No.	Model No.	Size	Max. Static Load
JACK CHAIN			
1050317591	NL5101N	No. 8	31kg
1050317593	NL5103N	No. 10	15kg



TERMINAL PACKS - 35MM TOP HAT RAIL


- ATEX approved
- Wemid insulating material
- UL 94 V0 flammability rating
- Uniform accessories for 2.5mm and 4mm
- Vibration resistant connection
- Patented clamping yoke system




Order No.	Model No.	Conductor Size	Terminals	Earth Terminals	End Stop	End Plate
TERMINAL PACKS - 35MM TOP HAT RAIL						
1050151150	NLTERM2.5/35	2.5mm ²	10	-	2	1
1050151151	NLTERM4.0/35	4mm ²	10	-	2	1
1050150467	NLTERMPK2.5/35	2.5mm ²	8	2	2	1
1050150469	NLTERMEARTH4/35	4mm ²	-	10	-	-

TERMINAL RAIL

- Manufactured and approved to DIN 46277-3/EN 50022



Order No.	Model No.	Profile	Length (M)	Slotted
TERMINAL RAIL				
1000009370	NLRAIL35	B	0.5	-
1050152844	NLRAIL35S	B	2	Yes
1050152846	NLRAIL351S	C	2	Yes
1050152841	NLRAIL32S	G	2	Yes
1050152847	NLRAILASB	NA	Rail Support Bracket	



CABLE MARKER KITS

- Self extinguishing PVC
- Temperature range -45°C to +70°C
- Chemical resistant
- Mixed Marker Kit - NLCM1KIT Contains 200 of each colour coded markers: 0-9 (Coloured), L, N, R, S, T, +, -, Earth (White) and 1 applicator
- Black and White Marker Kit - NLCM2KIT Contains 200 of each black & white markers: A-Z, 0-9, +, -, Earth, Full Stop, Blank, L1, L2, L3 and 1 applicator
- Black and Yellow Marker Kit K Type - NLCM3KIT Contains 100 of each black & yellow markers: A-Z, 0-9, +, -, /, Earth. Also contains 200 x 12 digit carrier strips and 100 x 7 digit carrier strips
- Marker replenishment packs available



Order No.	Model No.	Description
CABLE MARKER KITS		
1052073578	NLCM1KIT	Mixed Marker 0.75 - 6.0mm
1052073582	NLCM2KIT	B/W Marker 0.75 - 6.0mm
1052073615	NLCM3KIT	Black & Yellow Marker K Type

CABLE - RG6 SATELLITE COAXIAL CABLES

- 75Ω impedance
- 1mm CCS conductor with 17% conductivity
- 64 x 0.12mm CCS braiding
- Aluminium foil
- 4.7mm gas injected foam
- Primary PVC sheathing, in black, white or brown
- 100m drum



Order No.	Model No.	Colour
-----------	-----------	--------

SATELLITE CABLE

1050392657	NLSATBRN	Brown
1051016637	NLSATWHT	White
1000008738	NLSATBLK	Black

CABLE - ALARM

- Meets BS 4737-3.30:2015 Type 2 PVC standards
- Conductors formed with 7 strands of pure copper
- Minimum band radius 6 x diameter
- Maximum voltage 50V
- With strong, usable red nylon rip cord
- Stranded, tinned pure copper, less than 100 Ohms per Km
- Provides long cable runs and increased flexibility
- Fully manufactured in Great Britain
- 100m coil on robust weather/water resistant reels



Order No.	Model No.	No. Cores
-----------	-----------	-----------

ALARM CABLE

1000008723	NL309N	6 core
-------------------	--------	--------

CABLE - TELEPHONE

- Complies with BT specification CW1308
- Copper conductor
- White PVC sheath
- 0.4mm nominal conductor diameter
- 100m drum



Order No.	Model No.	No. Pairs
-----------	-----------	-----------

TELEPHONE CABLE

1000008727	NLTEL2N	2
1000008728	NLTEL3N	3
1000008729	NLTEL4N	4

COAX CABLE

- **Satellite Cable**
 - Fully CAI approved satellite cable
 - 1mm bare copper inner conductor
 - Tinned copper wire braiding
 - Aluminium foil
 - Foam injected
- **RG6 Shotgun Cable**
 - Twin satellite cables enable faster installation
 - Easy to handle and transport
 - 1mm nominal CCS (copper clad steel) conductor
 - 64 x 0.12mm CCS braiding



Order No.	Model No.	Description	Length
-----------	-----------	-------------	--------

COAX CABLE

1050392658	NLSAT100A	Satellite	100m
1051031836	NLSATSHOTGUNBLK	RG6 Shotgun	125m

BELLWIRE CABLE

- Bell Wire with PVC insulation and plain solid copper conductors

Order No.	Model No.	Description
-----------	-----------	-------------

DATA & COMMUNICATION

1000008726	NLBELLWIREN	Bellwire Cable 100m White
-------------------	-------------	---------------------------



Stock items delivered FREE in the UK*

* T&Cs apply

PRE-GALVANISED BOXES

- Multiple knockouts provide flexible cable entry
- Impact resistant
- Long-lasting



NL556KPG

Order No.	Model No.	Description	Size (mm)
PRE-GALVANISED BOXES			
1000009007	NL550KPG	Knockout	75x75x50
1000009009	NL551KPG	Knockout	75x75x50
1000009010	NL551PPG	Plain	75x75x50
1000009011	NL556KPG	Knockout	100x100x37
1000009013	NL557KPG	Knockout	100x100x50
1000008374	NL557KB	Knockout	100x100x50
1000009014	NL557PPG	Plain	100x100x50
1000009015	NL566KPG	Knockout	150x150x50
1000009006	NL566PPG	Plain	150x150x50
1000009016	NL567KPG	Knockout	150x150x75
1000009017	NL567PPG	Plain	150x150x75

BLACK ENAMEL BOXES

- Multiple knockouts provide flexible cable entry
- Impact resistant
- Long-lasting



NL556KB

Order No.	Model No.	Description	Size (mm)
BLACK ENAMEL BOXES			
1000008368	NL550KB	Knockout	75x75x50
1000008370	NL551KB	Knockout	75x75x50
1000008372	NL556KB	Knockout	100x100x37
1000008376	NL566KB	Knockout	150x150x50
1000008378	NL567KB	Knockout	150x150x75

WATERPROOF PLUG & SOCKET CONNECTORS

- 3 pole 16A, 250V AC/DC connector
- IP68 - 2 bar (20M depth) 30 minutes
- Wide cable capacity up to 4mm²
- Quick-release latch collar mechanism to open
- Current rating: 16A (max) rated on 2.5mm² cable, 10A rated on 1.5mm² cable
- Temperature range -25°C to +80°C
- IEC 61984 approved



NLWPC1

Order No.	Model No.	Description
WATERPROOF PLUG & SOCKET CONNECTORS		
1051042707	NLWPC2	8 - 13mm

CABLE CARRIER C/W TIDY BAR

This is a multiple cable reel carrier and dispenser

- Fold flat for easy storage
- Anti-slip rubber feet
- Holds multiple reels
- Light to carry
- Holds upto 50kg
- Tidy bar for hassle free uncoiling
- Additional Chain Support



Order No.	Model No.	Description
CABLE CARRIER		
1051091195	NLCCARRIER	Cable Carrier



CATENARY WIRE KIT

- Catenary wire kit containing a selection of the most popular Newlec fixings plus 30m of 3mm Newlec wire
- Kit includes:
 - NLCWSN wire tensioner x 1
 - NLCWTN thimble x 2
 - Hook plates x 2
 - NLCWGN wire rope grips x 4
 - NLCW30N catenary wire x 30m



Order No.	Model No.	Length
CATENARY WIRE KIT		
1051012445	NLCWKITI	Catenary Wire Kit

CATENARY WIRE

- 3mm diameter
- 7 x 7 construction
- Galvanised mild steel
- Maximum recommended static load: 190kg



NLCW100N

Order No.	Model No.	Length
CATENARY WIRE		
1050317596	NLCW30N	30m
1050317598	NLCW100N	100m

CATENARY WIRE - ROPE GRIP 3MM

- Grips the return end of 3mm wire rope when in a loop
- Galvanised finish
- Supplied in multiples of 10



Order No.	Model No.	Length
CATENARY WIRE - ROPE GRIP 3MM		
1050317599	NLCWGN	Rope Grip 3mm

CATENARY WIRE - TENSIONER

- With screw hook and eye (10mm diameter)
- Expanded length: 245mm maximum
- Minimum length: 155mm
- Electro-galvanised finish



Order No.	Model No.	Length
CATENARY WIRE - TENSIONER		
1050317602	NLCWSN	Tensioner

CATENARY WIRE - 2" PLATE WITH RING

- Plate size: 50 x 50mm
- Creates a firm anchor point, ideal for fastening and securing
- Galvanised finish



Order No.	Model No.	Length
CATENARY WIRE - 2" PLATE WITH RING		
1050317601	NLCWPN	

CATENARY WIRE - THIMBLE


- Wire rope diameter: 3mm
- A rope eyelet creating a metal loop at the rope end to prevent wear and tear
- Supplied in multiples of 10
- Electro-galvanised finish



Order No.	Model No.	Length
CATENARY WIRE - THIMBLE		
1050317600	NLCWTN	

HEAVY DUTY GIRDER CLAMP FOR THREADED ROD


- Girder clamp for threaded rod
- Material finish F1
- Pack of 25



Order No.	Model No.	T	ØA	ØB	ØC	D	Load
HEAVY DUTY GIRDER CLAMP FOR THREADED ROD							
1051010199	NLFC11	Max 20	11	50	42	45	250kg
1051010200	NLFC10T	Max 20	M10	50	42	45	250kg

T-BAR


- NLJHX165 F8+
- Material finish NLJH155W F4 (white)
- For flush fastening of fixtures to T Bar systems
- Scissor action
- Complete with spin nut
- Pack of 25



Order No.	Model No.	Ø	A	B	Load
T-BAR					
1051010222	NLJH155W	M6	15	15	22

ROD FIXINGS


- Vertical flange rod fixing
- Material finish F8+
- Pack of 25



Order No.	Model No.	T	Ø	A	Load
ROD FIXINGS					
1000017885	NLAV155A	1.5-4	M6	70	68kg
1000017894	NLAV155B	1.5-4	M8	70	68kg
1000008713	NLAV155C	1.5-4	M10	70	68kg

SUPPORT


- Supports conduit at right angles to flange or threaded rod
- Material finish F8+
- Pack of 25



Order No.	Model No.	ØC	T	ØD	ØA	Load
SUPPORT						
1051010214	NLFM320T	40 (max)	16-20	M6, M8, M10	20	45kg

MASTER CLAMP


- Flange clamp for use with threaded rod
- Material finish F8+
- Movable fixing facility
- Pack of 25



Order No.	Model No.	T	ØA	ØB	ØC	D	Load
MASTER CLAMP							
1051010191	NLFH107	Max 18	10.7	10.7	6.5	19.5	45kg

EDGE/CABLE RUN

- For running cables along the edge of steelwork
- Material finish F8+
- Pack of 25




Order No.	Model No.	T	Ø
EDGE/CABLE RUN			
1000017880	NLECS89	2-4	8-9
1000017886	NLECS1011	2-4	10-11
1000017891	NLECS1214	2-4	12-14
1000017887	NLECS2024	2-4	19-24
1000017882	NLECM89	4-7	8-9
1000017892	NLECM1011	4-7	10-11
1000008708	NLECM1214	4-7	12-14
1000008709	NLECM1519	4-7	15-18
1000008710	NLECM2024	4-7	19-24
1000008707	NLECL89	8-12	8-9
1000017884	NLECL1011	8-12	10-11
1000017879	NLECL1214	8-12	12-14
1000017878	NLECL1519	8-12	15-18
1000008711	NLECL2024	8-12	19-24




FLANGE AND GIRDER CLIP

- Hammer on girder clip for conduit boxes
- Material finish F8+
- Pack of 25



Order No.	Model No.	T	Ø	A	B	C	Load
FLANGE AND GIRDER CLIP							
1051010193	NLEH814	8-14	7	-	7.5	33	45kg


CHAIN CLIPS



Order No.	Model No.	A	B	Load
CHAIN CLIPS				
1051010223	NLV1	1	50.8	8kg

PURLIN CLIPS


- Clip on purlin clip to hang chain and wire
- Material finish F2
- Pack of 25



Order No.	Model No.	T	Ø	A	B	Load
PURLIN CLIPS						
1051010198	NLSM125	<3	6.5	37	12.5	20kg

GIRDER CLIPS FOR SINGLE CABLES


- Single cable girder clip adaptor
- Material finish F8+
- Pack of 25
- Requires NLECS edge/cable run clips - sold separately



Order No.	Model No.	T	A
GIRDER CLIPS FOR SINGLE CABLES			
1051010221	NLECA1520	15-20	2-4
1051010220	NLECA1215	12-15	2-4

GIRDER CLIP/CABLES


- Hammer on girder clip for use with multiple cable runs
- Material finish F8+
- Pack of 25



Order No.	Model No.	T	A	B	C
GIRDER CLIP/CABLES					
1051010215	NLGH310	3-10	52	16	10
1051010216	NLGH1018	10-18	52	16	10

PURLIN CLAMP FOR THREADED ROD

- Purlin clamp for threaded rod
- Material finish F2
- Pack of 25



Order No.	Model No.	T	Ø	A	B	Load
PURLIN CLAMP FOR THREADED ROD						
1051010201	NLPD	4	12	15	85	40kg

HORIZONTAL FLANGE

- For suspension from horizontal flanges of chain, wire, etc
- Material finish F8+
- Pack of 25




Order No. Model No. T Ø A B Load

HORIZONTAL FLANGE

1000017889	NLAH153	1.5-3	6.5	16	12.5	72
1000017896	NLAH38	3-8	6.5	18	20.3	90kg
1000017895	NLAH814	8-14	6.5	26	20.3	90kg
1000017881	NLAH1420	14-20	6.5	30	26.6	90kg

VERTICAL FLANGE

- For suspension of chain, wire, etc
- Material finish F8+
- Vertical flange
- Pack of 25




Order No. Model No. T Ø A B C D

VERTICAL FLANGE

1000017877	NLAV155	1.5-5	6.5	42	14	6.5	12
-------------------	---------	-------	-----	----	----	-----	----

SELF ALIGNING ROD FIXINGS

- Quick and easy to install
- Unique patented design (PAT No. 0724348.8)
- Vertical alignment of dropper rod
- Material finish F8+
- Pack of 25




Order No. Model No. T Ø Load

SELF ALIGNING ROD FIXINGS

1051039231	NLAV155D	1.5 to 4	M8	70kg
1051039232	NLAV155E	1.5 to 4	M10	70kg

HORIZONTAL CONDUIT

- 20mm and 25mm conduit
- Rotating fixing
- Material finish F8+
- Pack of 25



Order No. Model No. T Ø PG Type Load

HORIZONTAL CONDUIT

1000017890	NLAH38A	3-8	19-26	13.5/16	12kg
1000017883	NLAH814A	8-14	19-26	13.5/16	12kg



WATERPROOFING POTTING GEL

- BIZ'GEL sealing gel
- Electrical connection sealing and isolation
- Bi-component gel to mix evenly (1:1)
- Sets quick (according to temperature)
- Re-accessible
- Non Toxic
- No Shelf-life



Order No.	Model No.	Description
-----------	-----------	-------------

WATERPROOFING POTTING GEL

2501419576	BIZ 710295	1 Litre Sealing Gel
2501419699	BIZ 710395	1 Litre Sealing Gel - Rapid Setting

SEALING GEL POUCHES

- BIZ'GEL sealing gel in a pouch for the sealing of electrical connections
- Dosage preset according to the box to be filled
- Rapid reticulation (depending on the temperature)
- Easily re-accessible
- Non-toxic



Order No.	Model No.	Description
-----------	-----------	-------------

SEALING GEL POUCHES

2501419611	BIZ 710305	170ml Pouch
2501419613	BIZ 710307	420ml Pouch

SEALING GEL EXPRESS - 280ML CARTRIDGE

- Biz'gel Express sealing gel, 280ml cartridge
- For waterproofing and insulating electrical connections
- Single component - ready to use
- Resealable
- Non-toxic
- No expiration date



Order No.	Model No.	Description
-----------	-----------	-------------

SEALING GEL EXPRESS

2501419698	BIZ 710000	280ml Cartridge
-------------------	------------	-----------------

TAPE



Order No.	Model No.	Description
-----------	-----------	-------------

TAPES

2501419349	BIZ 351020	Duct Tape 50mm x 25m
-------------------	------------	----------------------

TERMINAL BLOCKS

- 12-way polypropylene connector strips
- Supplied with screws engaged at 1/3
- Glow wire test: 960 °C



Order No.	Model No.	Description
-----------	-----------	-------------

TERMINAL BLOCKS

2501419603	BIZ 320006	Terminal blocks 2.5 mm ²
2501419604	BIZ 320007	Terminal blocks 6 mm ²
2501419605	BIZ 320008	Terminal blocks 10 mm ²
2501419606	BIZ 320009	Terminal blocks 16 mm ²
2501419607	BIZ 320010	Terminal blocks 25 mm ²

MINI S4 SEALED CONNECTION BOX

- SQUALE mini S4 prefilled for connectors up to 3 x 4mm² (x 8)
- Compatible with several connectors
- One-click installation and rapid sealing of connections



Order No.	Model No.	Description
-----------	-----------	-------------

MINI S4 SEALED CONNECTION BOX

2501419701	BIZ 710293	3 Conductors and for Wire Section up to 4mm ² (x8)
-------------------	------------	---



SEALED CONNECTION BOXES

- Prefilled SQUALE Boxes
- Compatible with several connectors
- Rapid sealing of connections in one click
- 3 possible openings
- Installation for adapted junction box



Order No.	Model No.	Description
-----------	-----------	-------------

SEALED CONNECTION BOXES

2501419930	BIZ 711398	For up to 3 Conductors and for Wire Section up to 4mm ² (x 10)
2501419925	BIZ 711400	For up to 6 Conductors and for Wire Section up to 4mm ² (x10)

CABLE CONNECTION KITS

- Prefilled connection kit for cables with cable separator
- Seals and insulates electrical connections
- Non-toxic, no expiry date and can be resealed
- Interior or exterior installation



Order No.	Model No.	Description
-----------	-----------	-------------

CABLE CONNECTION KITS

2501419614	BIZ 710294	SQUALE 6 Kit for 4 x 6mm ²
2501419577	BIZ 710298	SQUALE 10 Kit for 4 x 16mm ²

D6 SEALED CONNECTION KIT

- SQUALE D6 junction box connection kit for connections up to 5 x 4 mm²
- Prefilled with 5-input connector
- For waterproofing and sealing connections
- Non-toxic, no expiry date and can be resealed
- Interior or exterior application



Order No.	Model No.	Description
-----------	-----------	-------------

D6 SEALED CONNECTION KIT

2501419700	BIZ 710308	1 x 5 Entry Screw Connector Wire up to 5 x 4mm ²
-------------------	------------	---

LEVER CONNECTORS

- Lever connectors, up to 4mm²
- Easy to use as a result of ergonomic shape and soft levers
- Transparent body and test point



BIZ 301613

BIZ 301615

Order No.	Model No.	Colour	No of Ways	Quantity
-----------	-----------	--------	------------	----------

LEVER CONNECTORS

2501420087	BIZ 301612	Clear	2	100
2501420088	BIZ 301613	Clear	3	50
2501420089	BIZ 301615	Clear	5	25

MINI PUSH-IN WIRE CONNECTORS



BIZ 300602

BIZ 300605

BIZ 300610

Order No.	Model No.	Colour	No of Ways	Quantity
-----------	-----------	--------	------------	----------

MINI PUSH WIRE CONNECTORS

2501419774	BIZ 300602	Purple	2	100
2501419775	BIZ 300603	Orange	3	100
2501419776	BIZ 300604	Yellow	4	100
2501419777	BIZ 300605	Blue	5	100
2501419778	BIZ 300606	White	6	100
2501419779	BIZ 300608	Black	8	50
2501419780	BIZ 300610	Green	10	50

LOW CURRENT CONNECTORS FOR SOLID COPPER CONDUCTORS

- Recommended in particular for telephony, alarm and surveillance systems, LED lighting, computer networks or home automation



Order No.	Model No.	Description
-----------	-----------	-------------

LOW CURRENT CONNECTORS

2501420105	BIZ 330022	2 Pole Low Current Connector 0.4 to 0.9 mm - 100 Pack
2501420106	BIZ 330033	3 Pole Low Current Connector 0.4 to 0.9 mm - 100 Pack



EFL

REXEL

Denmans
REXEL GROUP

OFFICIAL ELECTRICAL WHOLESALER


***OFFICIAL
ELECTRICAL
WHOLESALER
OF THE EFL***

**Sustainably Electrifying Football
From Grassroots To Grandstands**

**100's of tickets up for grabs –
ask in branch for details**

05 | Circuit Protection

Enclosures	90
Switch Disconnects	91
Enclosed Switches	92
Steel Enclosed & Changeover Switches	92 - 93
Auxiliaries	93
Panel Mounted 3 Pole	93
Contactors	94
Fuses	94 - 95
Earthing	96 - 98



DIN RAIL ENCLOSURES

- Complete with DIN mounting rail
- NLRCDSEAA is a steel version complete with earth stud
- NLRCDWEAA has a sealable cover and hinged protective visor



NLRCDPE2A



NLRCDPE4A



NLRCDSEAA



NLRCDWEAA

Order No.	Model No.	Description	Dimensions
DINRAIL ENCLOSURES			
1051050158	NLRCDPE2A	Insulated 2 Module IP20	130 x 85 x 65mm
1050391759	NLRCDPE4A	Insulated 4 Module IP20	130 x 185 x 65mm
1051050159	NLRCDSEAA	Metal 4 Module IP20	225 x 90 x 66mm
1051050160	NLRCDWEAA	Insulated 3 Module IP65	200 x 155 x 110mm

4 POLE SWITCH DISCONNECTS

- Manufactured to EN 60947-3
- CE Certified 3 Pole + early make / late break neutral switch
- IP20 protection on incoming terminals
- Switch handle padlockable in the OFF position for up to 3 padlocks
- Top and bottom gland plates
- Supplied with fully rated gL fuses



NLSW1004PE

NLSW204PE

Order No.	Model No.	Current Rating	Dimensions H x W x D.	Knockouts
4 POLE SWITCH DISCONNECTS				
1051042893	NLSW204PE	20A	125 x 100 x 70mm	20mm
1051042894	NLSW324PE	32A	125 x 100 x 70mm	20mm
1051042895	NLSW634PE	63A	175 x 125 x 90mm	25mm
1051042896	NLSW804PE	80A	175 x 125 x 90mm	25mm
1051042897	NLSW1004PE	100A	280 x 190 x 130mm	25mm
1051042905	NLSW206PE	20A	280 x 190 x 130mm	25mm
1051042906	NLSW326PE	32A	280 x 190 x 130mm	25mm
1051049561	NLSW204PEL	20A	175 x 125 x 90mm	25mm
1051049562	NLSW324PEL	32A	175 x 125 x 90mm	25mm

ENCLOSED SWITCH DISCONNECTS AC 3P AND SWITCHED NEUTRAL 125A - 400A - STEEL IP55

- Handle padlockable in the OFF position for up to 3 padlocks
- IP20 input & output terminal shrouds (Except 160A)
- Top and bottom gland plates
- Switched Neutral Early make/late break
- Door interlock with defeat mechanism (For authorised personnel only)
- Removable door for easier installation
- IP65 epoxy coated steel enclosure RAL 7035
- Manufactured to EN 60947-3



NLSW125

Order No.	Model No.	Description
ENCLOSED SWITCH DISCONNECT		
2501174503	NLSW125	125A 3P+SW N Enclosure IP65
2501174504	NLSW160	160A 3P+SW N Enclosure IP65
2501174505	NLSW200	200A 3P+SW N Enclosure IP65
2501174506	NLSW250	250A 3P+SW N Enclosure IP65
2501174507	NLSW315	315A 3P+SW N Enclosure IP65
2501174508	NLSW400	400A 3P+SW N Enclosure IP65

ENCLOSED SWITCH FUSE 3P + NEUTRAL 125A - 400A - STEEL IP65

- Supplied with fully rated gL/gG fuses
- Handle padlockable in the OFF position for up to 3 padlocks
- IP20 input & output terminal shrouds
- Fuses fully isolated (Top & bottom) for safe replacement
- Fuse covers fitted as standard
- Fully rated neutral link
- Top and bottom gland plates
- Door interlock with defeat mechanism
- Removable door for easier installation
- IP65 epoxy coated steel enclosure RAL 7035
- 125A - Tunnel Terminals, 160 - 800A - Lug Terminals
- Manufactured to EN 60947-3



NLSWF125

Order No.	Model No.	Description
ENCLOSED SWITCH FUSE		
2501174516	NLSWF125	125A 3P+N Enclosure IP65
2501174517	NLSWF160	160A 3P+N Enclosure IP65
2501174518	NLSWF200	200A 3P+N Enclosure IP65
2501174519	NLSWF250	250A 3P+N Enclosure IP65
2501174520	NLSWF315	315A 3P+N Enclosure IP65
2501174521	NLSWF400	400A 3P+N Enclosure IP65

ENCLOSED SWITCH DISCONNECTS DC - INSULATED IP65



NLSW16DC

Order No.	Model No.	Description
ENCLOSED SWITCH DISCONNECTS		
2501174509	NLSW16DC	16A DC Enclosure Moulded IP65
2501174510	NLSW25DC	25A DC Enclosure Moulded IP65
2501174511	NLSW32DC	32A DC Enclosure Moulded IP65

Newlec
Helping you get the job done.

■ STEEL ENCLOSED

- Interlocking lid ensures removal in OFF position only
- Fully earth bonded
- Epoxy coated strong steel enclosure RAL 7032
- For auxiliary blocks see page 324
- Padlockable handle for added security
- IP65 rating (when installed correctly)
- EN 60947 compliant
- SEMKO, CB and UL approved



NLSW204ME

NLSW634ME

■ STAINLESS STEEL ENCLOSED

- Grade 304 brushed stainless steel
- Padlockable in the OFF position
- Switch rating AC-22
- For auxiliary blocks see page 324
- Suitable for pharmaceutical and food preparation areas
- Manufactured to IEC & EN 60947-3



NLSW204SS

NLSW634SS

Order No.	Model No.	Current Rating	Dimensions H x W x D (mm)	Knock-outs
-----------	-----------	----------------	---------------------------	------------

ENCLOSED FUSED SWITCHES

1051042908	NLSW204ME	20A	176 x 108 x 120	Plain
1051042909	NLSW324ME	32A	176 x 108 x 120	Plain

ENCLOSED FUSED SWITCHES

1051042910	NLSW634ME	63A	182 x 182 x 135	Plain
-------------------	-----------	-----	-----------------	-------

ENCLOSED FUSED SWITCHES

1051042907	NLSW636PE	63A	400 x 300 x 200	Plain
-------------------	-----------	-----	-----------------	-------

Order No.	Model No.	Current Rating	Dimensions (mm) H x W x D
-----------	-----------	----------------	---------------------------

STAINLESS STEEL ENCLOSED

1051088612	NLSW204SS	20A	173 x 100 x 120
1051088613	NLSW324SS	32A	173 x 100 x 120
1051088614	NLSW634SS	63A	178 x 178 x 135

■ CHANGEOVER SWITCHES

- 2 Pole multiple knockouts (20/25mm)
- 4 Pole 25mm knockouts (25A only)
- 4 Pole 63A steel enclosure with removeable gland plate
- Interlocking lid/door ensures removal in OFF position only
- Padlockable handle for added security
- IP65 rating
- EN 60947 compliant
- UL, Bureau Veritas, Lloyds



NLSWC0252E

NLSWC0632E

Order No.	Model No.	Current Rating (Amps)	Dimensions H x W x D (mm)
-----------	-----------	-----------------------	---------------------------

2 POLE

1051042902	NLSWC0252E	25	175 x 151 x 95
1051042903	NLSWC0632E	63	180 x 182 x 137
1051056975	NLSWC1002E	100	254 x 180 x 137

4 POLE

1051042901	NLSWC0254E	25	280 x 190 x 130
1051042904	NLSWC0634E*	63	400 x 300 x 200
2501174522	NLSWC1004E	100	400 x 300 x 257

300+ cable lines to choose from



STEEL ENCLOSED FUSED SWITCHES

- Manufactured to EN 60947-3
- IP20 protection on incoming terminals
- CE Certified 3 Pole + early make/late break neutral switch
- Switch handle padlockable in the OFF position for up to 3 padlocks
- Top and bottom gland plates
- Supplied with fully rated gL fuses



NLFWS32

NLFWS32

Order No.	Model No.	Current Rating	No of Poles
ENCLOSED FUSED SWITCHES			
2501174512	NLFWS32	32A	3P+N
2501174513	NLFWS63	63A	3P+N
2501174514	NLFWS80	80A	3P+N
2501174515	NLFWS100	100A	3P+N

AUXILIARIES

- Volt free contact (16A at 500V AC1)
- The normally open contact is early break/late make
- Fits all switches except compact and changeover
- UL approved



NLSWAUXIE

Order No.	Model No.	Description	To Fit Amp
AUXILIARIES			
1051042912	NLSWAUX2E	1NO + 1NC	80 - 100
1051042911	NLSWAUX1E	1NO + 1NC	20 - 63

PANEL MOUNTED - 3 POLE

- Finger proof terminals
- Complete with 282mm metal shaft
- Screw or DIN rail mounting
- Door interlocked, padlockable handle for added security
- IP65 rated handle (when correctly installed)
- EN 60947 compliant
- SEMKO, CB and UL approved



NLSWP203E

Order No.	Model No.	Current Rating	AC23 (kW)
PANEL MOUNTED - 3 POLE			
1051042898	NLSWP203E	20	5.5
1051042899	NLSWP323E	32	11
1051042900	NLSWP633E	63	22

CONTACTORS

- 230V 50Hz AC1 AC-7a
- 20A & 25A single module
- 40A double module
- 35mm DIN rail mountable
- Manufactured and approved to IEC 61095



Order No.	Model No.	Description
CONTACTORS		
1050391133	NLCUC1A	Contacteur Double Pole 20A
1051050161	NLCUC2A	Contacteur Double Pole 25A
1051050162	NLCUC3A	Contacteur Double Pole 40A

FUSES - BS 1361 HOUSE SERVICE CUT OUT

- ASTA certified and tested in accordance with BS 1361
- 415V AC rated voltage
- Designed for use in conventional house cut outs
- NB: Check suitability of fuse holders before inserting these fuse links
- Supplied individually



Order No.	Model No.	Rating	Dia.	Length
FUSES - BS 1361				
1050152899	NL60KR85	60A	22.2mm	57.0mm
1050152900	NL80KR85	80A	22.2mm	57.0mm

FUSES - BS 1362 PLUG TOP

- ASTA certified and tested in accordance with BS 1362
- 250V AC rated voltage
- Suitable for 13A plug tops
- Supplied individually

Order No.	Model No.	Rating	Dia.	Length
FUSES - BS 1362 PLUG TOP				
2500984611	NLPTF1	1A	6.5mm	25.4mm
2500984606	NLPTF2	2A	6.5mm	25.4mm
2500984607	NLPTF3	3A	6.5mm	25.4mm
2500984608	NLPTF5	5A	6.5mm	25.4mm
2500984612	NLPTF7	7A	6.5mm	25.4mm
2500984609	NLPTF10	10A	6.5mm	25.4mm
2500984610	NLPTF13	13A	6.5mm	25.4mm



NLPTF3

FUSES - BS 88 CARTRIDGE AAO TYPE

- BS 88: Parts 1 + 2 1988
- IEC 269-1 1986
- Industrial HRC fuse links - type A2
- Offset bolted tags 550V AC rated
- 80kA interrupting rating



NLAAO16/1

Order No.	Model No.	Rating
-----------	-----------	--------

FUSES - BS 88 CARTRIDGE AAO TYPE

2500981600	NLAAO6/1	6A
2500981601	NLAAO10/1	10A
2500981602	NLAAO16/1	16A
2500981603	NLAAO20/1	20A
2500981604	NLAAO25/1	25A
2500981605	NLAAO32/1	32A
2500981606	NLAAO32M40/1	32A MR40

FUSES - BS 88 CARTRIDGE BAO TYPE

- BS 88-1 and 2
- IEC 60269-1 and 2
- Industrial HRC fuse links - type A3
- 80kA interrupting rating
- Offset bolted tags 500V AC rated



Order No.	Model No.	Rating
-----------	-----------	--------

FUSES - BS 88 CARTRIDGE BAO TYPE

2500981607	NLBAO40/1	40A
2500981608	NLBAO50/1	50A
2500981609	NLBAO63/1	63A
2500981610	NLBAO63M100/1	63A MR100

FUSES - BS 88 CARTRIDGE CEO TYPE

- Industrial HRC fuse links - type A4.
- 80kA interrupting rating.
- Offset bolted tags 550V AC rated.
- BS 88: Parts 1 + 2 1988.
- IEC 269-1 1986.



Order No.	Model No.	Rating
-----------	-----------	--------

FUSES - BS 88 CARTRIDGE CEO TYPE

2500981611	NLCEO80/1	80A
2500981612	NLCEO100/1	100A

FUSES - BS 88 CARTRIDGE NITD TYPE

- BS 88-1 and 2
- IEC 60269-1 and 2
- Industrial HRC fuse links - type A1
- Offset bolted tags 550V AC rated, motor rated 415V AC
- 80kA interrupting rating



NLNITD6/1

Order No.	Model No.	Rating
-----------	-----------	--------

FUSES - BS 88 CARTRIDGE NITD TYPE

2500981591	NLNITD2/1	2A
2500981592	NLNITD4/1	4A
2500981593	NLNITD6/1	6A
2500981594	NLNITD10/1	10A
2500981595	NLNITD16/1	16A
2500981596	NLNITD20/1	20A
2500981597	NLNITD25/1	25A
2500981598	NLNITD32/1	32A
2500981599	NLNITD20M32/1	20A MR32

FUSES - BS 1361 CONSUMER UNITS

- 240V AC rated voltage
- Approved for the protection of outgoing circuits in domestic consumer units
- Supplied individually



Order No.	Model No.	Rating	Colour	Dia.	Length
-----------	-----------	--------	--------	------	--------

FUSES - BS 1361 CONSUMER UNITS

1050152903	NLCUF5	5A	White	5.35	23
1050152904	NLCUF15	15A	Blue	10.32	26
1050152905	NLCUF20	20A	Yellow	10.32	26
1050152906	NLCUF30	30A	Red	12.7	29
1050152907	NLCUF45	45A	Green	16.67	35

EARTH CLAMP - STANDARD BS 951

Indoor

- Terminal size A-D (2.5mm² - 10mm²)
- Maximum earth conductor 1 x 10mm²
- Pipe diameter 12mm - 32mm
- Suitable for dry conditions



NLEC14N

Outdoor

- Terminal size A-D (2.5mm² - 10mm²)
- Maximum earth conductor 1 x 10mm²
- Pipe diameter 12mm - 32mm
- Suitable for wet or dry conditions



NLEC15N

Outdoor - Heavy duty

- Suitable for wet conditions
- Terminal size A-E (2.5mm² - 10mm²)
- Maximum earth conductor 2 x 16mm²
- Pipe diameter 12mm - 32mm
- All designed to comply with BS 951



NLEC16N

Order No.	Model No.	Type	Material
-----------	-----------	------	----------

EARTH CLAMP - STANDARD BS 951

1000016598	NLEC14N	Indoor	Brass
1000009546	NLEC15N	Outdoor	Phosphor Bronze
1000009545	NLEC16N	Outdoor - Heavy Duty	Phosphor Bronze

EARTH CLAMPS - EASY

- Suitable for a wide range of earthing applications e.g. radiators, sinks etc.
- No drilling or special tools needed
- Pack contains: 10x clamps, 10x safety labels, 1x allen key, 20x cable ties



Order No.	Model No.	Description
-----------	-----------	-------------

EARTH CLAMPS - EASY

1000008404	NL800	
-------------------	-------	--

EARTH ROD CLAMPS

Earth Rod Clamps

- High strength copper alloy body and screws
- NL784 - Type G Rod to cable clamp
- NL785 - Type A Rod to tape clamp



Non-metallic DC Tape Clips

- Manufactured from high grade polypropylene
- UV stabilised against degradation by sunlight and non-brittle to prevent cold weather damage
- For conductor size 25 x 3mm
- NL787BRN - For use with bare tape
- NL787GRN - For use with PVC covered tape



Metallic DC Tape Clips

- Manufactured from high quality copper alloys
- Fix using countersunk wood screws
- Use with bare copper tape 25 x 3mm
- Single clamping screw



Order No.	Model No.	Size	Type
-----------	-----------	------	------

EARTH ROD CLAMPS

1000008553	NL784	5/8"	16-70mm Cable
1000008554	NL785	5/8"	25 x 12mm Tape (max.)

NON-METALLIC DC TAPE CLIPS

1000008555	NL787BRN		
1000008556	NL787GRN		

METALLIC DC TAPE CLIPS

1000008557	NL788		
-------------------	-------	--	--

METALLIC DC TAPE CLAMPS

Square Clamp

- Copper alloy square clamp for forming straight through, cross or tee joints in tape
- Fix using countersunk wood screws
- Use with 25 x 3mm bare copper tape



Bonding Clamp

- Copper alloy clamp for bonding to steel structures
- For use with 25 x 3mm copper tape
- Bolt size M10



Junction Clamp

- Copper alloy clamp for connection between overlapping tapes
- For use with 25 x 3mm copper tape



Order No.	Model No.	Type
-----------	-----------	------

METALLIC DC TAPE CLAMPS

1000015921	NL792	Square Clamp
1051039233	NL792B	Bonding Clamp
1051039234	NL792J	Junction Clamp



EARTH RODS

- Manufactured by molecularly bonding 99.9% pure electrolytic copper onto a low carbon steel core
- Highly resistant to corrosion
- Due to the high tensile strength, can be driven by power hammers to great depths
- NL780 - 3/8" unthreaded copperbond rod and lug clamp (M8 bolt size)
- NL781 - 5/8" threaded copperbond rod



NL780

Order No.	Model No.	Diameter	Length
EARTH RODS			
1000008551	NL781	5/8"	1200mm
1000008550	NL780	3/8"	1200mm

EARTH ROD ACCESSORIES

- Counter bored couplings are made from high copper content alloy
- High corrosion resistance and high strength



NL782

NL783

Order No.	Model No.	Size	Type
EARTH ROD ACCESSORIES			
1000008552	NL782	5/8"	Coupler
1000015922	NL783	5/8"	Driving Stud

LIGHTWEIGHT INSPECTION PIT

- Manufactured from high performance polymer
- Grey plastic lockable lid
- High load bearing capacity 5,000kg (static load)
- UV stable and chemical resistant
- Weighs only 1.8kg



Order No.	Model No.
LIGHTWEIGHT INSPECTION PIT	
1000015973	NL786

EARTH TAPE CONDUCTORS

- High conductivity copper tape to BS EN 13601
- 25 metre coils (a cutting charge may apply to non-coil lengths)
- Conductor size 25 x 3mm



NL793

Order No.	Model No.	Type
EARTH TAPE CONDUCTORS		
1050156843	NL793	Bare Copper
1050156844	NL794	PVC Covered Copper Green/Yellow

EARTHING BLOCKS

- Tinned brass earthing terminals
- Maximum conductor sizes:
4 way 1 x 25mm² & 3 x 16mm²
8 way 2 x 25mm² & 6 x 16mm²
- Supplied complete with slot head brass screws



Order No.	Model No.	Type
EARTHING BLOCKS		
1050153796	NLEB4W	4 Way
1050153797	NLEB8W	8 Way

EARTH BARS AND DISCONNECTING LINKS

- High quality 50mm x 6mm hard drawn copper bar
- Lightweight high impact PVC insulating base entirely corrosion proof
- M10 phosphor bronze nuts, washers and set screws
- Available with single or twin disconnecting links




Order No.	Model No.	Description	L x W x H (mm)
-----------	-----------	-------------	----------------

EARTH BARS AND DISCONNECTING LINKS

1050311315	NL798	Disconnecting Link only	125 x 90 x 77
1050311312	NL795	6 Way	400 x 90 x 77
1050311313	NL796	6 Way with Single Link	475 x 90 x 77
1050311314	NL797	6 Way with Twin Link	550 x 90 x 77
1051091179	NL795/8	8 Way	500 x 90 x 77
1051091180	NL796/8	8 Way with Single Link	575 x 90 x 77
1051091181	NL797/8	8 Way with Twin Link	650 x 90 x 77
1051091182	NL795/10	10 Way	650 x 90 x 77
1051091183	NL796/10	10 Way with Single Link	725 x 90 x 77
1051091184	NL797/10	10 Way with Twin Link	800 x 90 x 77
1051091185	NL795/12	12 Way	750 x 90 x 77
1051091186	NL796/12	12 Way with Single Link	825 x 90 x 77
1051091187	NL797/12	12 Way with Twin Link	900 x 90 x 77

CABLE GLAND EARTHING NUT

- 60% faster installation time
- Eliminates drilling for earth bolts
- Enclosure IP rating not compromised
- No earth bolts required as all parts are supplied
- Designed to resist vibration
- Eliminates the need for surface preparation - paint scraping etc
- Enables GRP or plastic enclosures to be used where this would normally be avoided due to cable earthing requirements
- Pack of 2



Order No.	Model No.	Size
-----------	-----------	------

CABLE GLAND EARTHING NUT

1051014935	NLENS20	20mm
1051014936	NLENS25	25mm
1051014937	NLENS32	32mm

LIGHTING COLUMN CUT-OUT

- Suitable for column mounting, these fused cut-out units allow for the safe termination of incoming and outgoing PVC SWA cables and the fusing of the single phase supply feed to the luminaire(s)
- Electroplated brass terminal blocks accept conductors up to 25mm²
- Moulded in high performance thermoplastics
- Stud & Lug connections
- Serrated bores in terminals to ensure good contact with all conductor types
- Red terminal block cover for safety



Order No.	Model No.	Size
-----------	-----------	------

LIGHTING COLUMN CUT-OUT

1052080572	NLCOIP	Single Phase C/W 6A Fuse
1052080573	NLCO3P	Three Phase C/W 6A Fuses

ALL ROUND BAND

- Galvanised steel
- Available in either uncoated or PVC coated - black
- Supplied in 10m coils



Order No.	Model No.	Coated	Width
-----------	-----------	--------	-------

ALL ROUND BAND

1051015263	NLABU12A	No	12mm
1051015264	NLABC12A	Yes	12mm
1051015266	NLABC17A	Yes	17mm

06 | HVAC

Electric Heating	100
Electric Towel Rails	101
Fan Heaters	101 - 102
Tubular Heaters	102
Oil Filled Radiators	102
Programmings & Timers	103 - 105
Residential Ventilation	106 - 107
Flexible Ducting	108
Flat Channel	108



PANEL HEATERS

- Intuitive user controls with LCD display
- 7 Day programmable timer
- Electronic thermostat Features energy-saving Adaptive start technology
- Complies with Lot 20 of ERP Directive



Order No.	Model No.	Output
-----------	-----------	--------

PANEL HEATERS

2503005035	NLPH24T	2.4kW
2503005034	NLPH20T	2.0kW
2503005033	NLPH15T	1.5kW
2503005032	NLPH10T	1.0kW
2503005031	NLPH05T	0.5kW

ELECTRIC STORAGE HEATERS

- Dynamic storage capacity - Only stores the right amount of energy to heat your room
- Fan assisted heat distribution
- Open window detection
- Lot 20 Compliant



Order No.	Model No.	Output	Dimensions (mm)
-----------	-----------	--------	-----------------

ELECTRIC STORAGE HEATERS

2501091126	NLSH050	0.5kW	749 x 580 x 185
2501091127	NLSH070	0.75kW	749 x 700 x 185
2501091128	NLSH100	1kW	749 x 823 x 185
2501091129	NLSH125	1.25kW	749 x 945 x 185
2501091130	NLSH150	1.5kW	749 x 1067 x 185

ELECTRIC RADIATORS

- Direct replacement for both panel convector and storage heaters
- Three operating modes - comfort, economy and frost protection
- Quick-fix wall mounting brackets
- Built-in daily/weekly programmer



Order No.	Model No.	Output	Dimensions (mm)
-----------	-----------	--------	-----------------

ELECTRIC RADIATORS

1051058532	NLHRADD500	0.5kW	580 x 415 x 100
1051058533	NLHRADD750	0.75kW	580 x 575 x 100
1051058534	NLHRADD1000	1kW	580 x 735 x 100
1051058535	NLHRADD1250	1.25kW	580 x 895 x 100
1051058536	NLHRADD1500	1.5kW	580 x 1055 x 100
1051058537	NLHRADD2000	2kW	580 x 1215 x 100

Stock items delivered FREE in the UK*

* T&Cs apply

ELECTRIC LADDER TOWEL RAILS

- IPX4 rated
- Rapid heat up
- Lightweight and easy to install
- Robust mounting brackets included



NLFCH150W

Order No.	Model No.	Dimensions	Output kW
CHROME FLAT LADDER TOWEL RAILS			
1051039953	NLFCH150W	700 x 400mm	0.15kW
1051039955	NLFCH250W	1100 x 500mm	0.25kW
1051039956	NLFCH400W	1500 x 500mm	0.40kW
CHROME CURVED LADDER TOWEL RAILS			
1051039957	NLCCH250W	1100 x 500mm	0.25kW

TOWEL RAIL ELEMENT CONTROLLER

- IPX4 rated
- White finish
- Five power settings
- Eco timer function



Order No.	Model No.	Output kW
TOWEL RAIL ELEMENT CONTROLLER		
1051039959	NLWHCON	Towel Rail Element Controller Electronic IPX4 White

ELECTRIC S SHAPED TOWEL RAILS

- IPX4 rated
- Rapid heat up
- Lightweight and easy to install
- Robust mounting brackets included



NLSCH50W

Order No.	Model No.	Dimensions	Output W
CHROME FLAT S SHAPED TOWEL RAILS			
1051039952	NLSCH50W	645 x 500mm	50W
WHITE FLAT S SHAPED TOWEL RAILS			
1051039951	NLSWH80W	645 x 500mm	50W

BATHROOM FAN HEATER

- Factory-set 30 minute runback for ease of use and energy savings
- Pull cord operation with auto switch off (after 30 minutes)



Order No.	Model No.	Output kW
BATHROOM FAN HEATER		
2501117872	NLBDHNE	2kW Downflow Fan Heater with Pull Cord & Timer

PORTABLE FAN HEATER

- Freestanding
- Position control panel on top
- Overheat protection
- Thermostatically controlled
- BEAB Approved
- Frost guard setting



Order No.	Model No.	Description
PORTABLE FAN HEATER		
1000009542	NL202	2kW Fan Heater

PORTABLE FAN HEATER

- Thermostatic control with frost protection
- Choice of heat settings including cool blow
- Manual reset cut-out and safety fused link



Order No.	Model No.	Description
PORTABLE FAN HEATER		
1051039961	NLFH2KW	2kW Fan Heater

THERMOSTATIC TUBULAR HEATERS

- IPX4 rated
- Built-in thermostat
- Discreet mounting brackets included - suitable for walls or floors
- Reversible left or right hand cable entry



Order No.	Model No.	Length	Output kW
THERMOSTATIC TUBULAR HEATERS			
1051058518	NLTH1	1ft	0.4kW
1051058519	NLTH2	2ft	0.8kW
1051058521	NLTH4	4ft	1.6kW
1051058523	NLTH6	6ft	2.4kW

OIL FILLED ELECTRIC RADIATOR

- Free standing
- Electrical reset safety cut-out
- IP68
- 3 Pole



Order No.	Model No.	Description
OIL FILLED ELECTRIC RADIATOR		
2501380424	NLOP150E	Oil Filled Electric Radiator

WIRING CENTRE BOX FOR ALL BOILER TYPES

This wiring centre box is a safe and convenient way of wiring all connections to and from a heating system, making system testing a clean and simple task.

Order No.	Model No.	Description	Current Rating
WIRING CENTRE BOX			
2501133741	NLWC	Wiring Centre Box	10A

7 DAY DIGITAL CENTRAL HEATING AND HOT WATER PROGRAMMERS

- **NL7DAYTIMER**
 - 3 timed periods per day
 - Boost function (+1, +2, +3 hours)
- **NL2CHTIMER**
 - 3 timed periods per day
 - 2 independently programmed channels
 - Boost function (+1, +2, +3 hours)



NL7DAYTIMER



NL2CHTIMER

Order No.	Model No.	Description	Current Rating
CENTRAL HEATING AND HOT WATER PROGRAMMERS			
2501096782	NL7DAYTIMER	7 Day Digital Programmable Timeswitch	3A resistive (1A inductive)
2501096783	NL2CHTIMER	2 Channel 7 Day Digital Programmer	3A resistive (1A inductive)

CYLINDER/PIPE THERMOSTAT

- Cylinder or pipe thermostat
- Ideal for uninsulated and foam lagged domestic cylinders
- Solid construction with secure cable clamping
- Supplied with cylinder strap and wire pipe strap
- Precise Temperature Control
- Easy Installation and Programming



Order No.	Model No.	Description
CYLINDER/PIPE THERMOSTAT		
2501133742	NLCYLSTAT	Cylinder/Pipe Thermostat

THERMOSTAT DIGITAL ROOM PROGRAMMABLE WITH WIFI CONTROL

- A Wi-Fi controlled thermostat that allows the user to program, change, and check their heating status wherever they are
- Both Android and IOS Apps available
- Works with Wi-Fi and 4G
- Up to 6 time / temperature periods per day
- 5C to 35C set temperature range adjusted in 0.5C steps
- Replaces existing wall thermostat
- Supplied with surface mounting box



Order No.	Model No.	Description
DIGITAL ROOM THERMOSTAT WITH WI-FI		
2501133744	NLWIFISTAT	Digital Room Thermostat with Wi-Fi

THERMOSTAT PROGRAMMABLE DIGITAL 1 CHANNEL

- 6 temperature control periods per day
- Switch rating at 230V (3A resistive, 1A inductive)
- Volt-free change over contacts
- Frost mode (5°C)
- Temporary override until next program
- Copy program function & optimum start function



Order No.	Model No.	Description
THERMOSTAT PROGRAMMABLE DIGITAL 1 CHANNEL		
2501096781	NLThERMDIG	Programmable Digital 1 Channel



ELECTRONIC ROOM THERMOSTAT

- Temperature range: 5 - 30°C
- Universal mounting base (fits other manufacturer's back plates)
- Unique clearly marked temperature scale



Order No.	Model No.	Description	Current Rating
-----------	-----------	-------------	----------------

ELECTRONIC ROOM THERMOSTAT

2501096780	NLTHERM	Electronic Room Thermostat	6A resistive (2A inductive)
-------------------	---------	----------------------------	-----------------------------

ECONOMY 7 TIMESWITCHES

- **NLECO7**
 - Boost function (15m, 30m, 60m and 120m)
 - Suitable for twin or single element immersion heaters
- **NLECO7DIG**
 - Boost function (30m, 60m and 120m)
 - Suitable for twin or single element immersion heaters



NLECO7



NLECO7DIG

Order No.	Model No.	Description	Current Rating
-----------	-----------	-------------	----------------

ECONOMY 7 TIMESWITCHES

2501096784	NLECO7	7 Day Analogue Eco Timer with Boost Control	13A
2501096785	NLECO7DIG	7 Day Digital Eco Timer with Boost Control	13A

2 HOUR ELECTRONIC BOOST TIMER

Boost timer for immersion heaters, room heaters, towel rails, etc.

- Automatically switches off at end of set time period
- On time can be increased in four step - 15, 30, 60 or 120 minutes



Order No.	Model No.	Description	Current Rating
-----------	-----------	-------------	----------------

2 HOUR ELECTRONIC BOOST TIMER

1050378519	NL2HRBT1	2 Hour Electronic Boost Timer	13A
-------------------	----------	-------------------------------	-----

7 DAY ELECTRONIC IMMERSION HEATER TIMESWITCHES

- 4 on/4 off easy-set programme periods per day
- Automatic summer/winter changeover
- Optional 1 and 2 hour boost button



NL24HR7DIHTS



NL24HR7DELT

Order No.	Model No.	Description	Current Rating
-----------	-----------	-------------	----------------

7 DAY ELECTRONIC IMMERSION HEATER TIMESWITCHES

1051040109	NL24HR7DIHTS	24hr/7 Day Compact Electronic Immersion Heater Timer	16A resistive (4A inductive)
1051040111	NL24HR7DELTS	24hr/7 Day Electronic Immersion Heater Timer	16A resistive (4A inductive)

24 HOUR IMMERSION HEATER CONTROLLERS & TIMESWITCHES

- **NL24HRIHTS1**
 - Specially designed for installation with both new and existing immersion heater systems
 - Up to 24 on & off programmes (additional pins required)
 - Bottom or rear entry for cable
 - Easy-to-use setting pins
- **NL24HRIHTS**
 - 96 quick-set segments for up to 48 on/48 off programmes
 - LED indicators for easy viewing
 - Fits a standard 32mm deep flush or surface mount box
- **NL24HRTS**
 - 96 quick-set segments for up to 48 on/48 off programmes
 - Red LED 'mains on' and green LED 'output' indicators for easy viewing
 - 'Traffic light' style slider switch for easy on, auto, and off mode indication
 - Not suitable for discharge lighting



NL24HRIHTS1



NL24HRIHTS



NL24HRTS

Order No.	Model No.	Description	Current Rating
24 HOUR IMMERSION HEATER CONTROLLERS & TIMESWITCHES			
1050378529	NL24HRIHTS1	24hr Mechanical Immersion Heater Time Switch	13A resistive (5A inductive)
1051040108	NL24HRIHTS	24hr Compact Analogue Immersion Heater Timer	16A resistive (6A inductive)
1051040110	NL24HRTS	24hr Segment Timer Switch	16A resistive (6A inductive)

TIME CLOCK DIGITAL PLUG-IN PROGRAMMABLE 24 HOUR 7 WAY 13A

- Plug-in controllers to switch appliances on/off at preset times
- Compact design
- Up to 20 on/off programmes selectable over individual days
- Manual override
- Easy-to-use segment setting dial
- Suitable for 13A (3kW) appliances, filament lamps up to 400W and 100W low energy/fluorescent lighting
- 24 hour LCD display for easy viewing



Order No.	Model No.	Description
TIME CLOCK DIGITAL PLUG-IN PROGRAMMABLE		
1050378518	NL24HR7DDTS1	Time Clock Digital Plug-In Programmable 24 Hour 7 Way 13A

PLUG-IN TIME CONTROLLER

Plug-in controllers to switch appliances on/off at preset times.

- Compact design
- Up to 24 on/off programmes per day
- Easy-to-use segment setting dial
- Suitable for 13A (3kW) appliances, filament lamps up to 400W and 100W low energy/fluorescent lighting



Order No.	Model No.	Description
PLUG-IN TIME CONTROLLER		
1050378517	NL24HRST1	Plug-In Time Controller

4" (100MM) STANDARD AXIAL FANS

- CE marked and BEAB approved
- Extract rate: 24l/s
- Can be wall or ceiling mounted
- High quality ABS mouldings
- Power consumption: 16W
- Sound level dB(A) @ 3m: 32



NL880

Order No.	Model No.	Noise Level	Extract Rate	Timer	Shutters	Pull Cord	Humidistat	SELV
-----------	-----------	-------------	--------------	-------	----------	-----------	------------	------

STANDARD AXIAL FANS 16W

1000009100	NL880	32db	24 l/s	No	No	No	No	No
1000009101	NL880T	32db	24 l/s	Yes	No	No	No	No

STANDARD AXIAL FANS 20W

1050151418	NL880PS	32db	24 l/s	No	Yes	Yes	No	No
1051058548	NL880SELV	32db	24 l/s	Yes	No	Yes	Yes	Yes
1050151416	NL880TS	32db	24 l/s	Yes	Yes	No	No	No

4" (100MM) LOW PROFILE FANS

- CE marked and BEAB approved
- Extract rate: 25l/s
- Can be wall or ceiling mounted
- High quality ABS mouldings
- Power consumption: 14W
- Sound level dB(A) @ 3m: 38
- IP44 - Suitable for Zone 1



NLLPF100LVTA

Order No.	Model No.	Noise Level	Extract Rate	Timer	Shutters	Pull Cord	Humidistat	SELV
-----------	-----------	-------------	--------------	-------	----------	-----------	------------	------

LOW PROFILE FANS

1051058552	NLLPF100LVTA	38db	25 l/s	Yes	Yes	No	No	Yes
1051058550	NLLPF100TA	38db	25 l/s	Yes	Yes	No	No	No

6" (150MM) STANDARD AXIAL FANS

- CE marked and GS approved
- Extract rate: 68l/s
- High quality ABS moulding
- Power consumption: 30W
- Sound level dB(A) @ 3m: 45
- Suitable for panel, wall or ceiling mounting



NL883

Order No.	Model No.	Noise Level	Extract Rate	Timer	Shutters	Pull Cord	Humidistat	SELV
-----------	-----------	-------------	--------------	-------	----------	-----------	------------	------

STANDARD AXIAL FANS

1000009108	NL883	45db	68 l/s	No	No	No	No	No
1000009109	NL883S	45db	68 l/s	No	Yes	Yes	No	No



POSITIVE INPUT VENTILATION

- Keep windows closed: provides fresh, filtered air without the heat loss associated with opening windows during the heating season
- Solar gain advantage: uses naturally warmer loft air, typically around 3°C above outdoor temperature, to pre-temper supply air
- Heat redistribution: introduces a gentle, near-imperceptible airflow that circulates warm air from ceiling level through the home, reducing cold spots and supporting lower space-heating costs
- Quiet operation: engineered to run with low noise, keeping ventilation unobtrusive
- Comfort heater with safeguards: integral heater pulses on colder days to maintain set minimum supply temperatures; includes independent safety cut-outs and a separate enable/disable control
- Hours run meter: built-in usage monitor to verify operation and support maintenance planning
- Reduced condensation: helps tackle damp patches, misted glazing, and wet walls by maintaining consistent airflow and humidity control
- Helps prevent mould: supports stable relative humidity to discourage mould and mildew growth
- 3-year warranty



Order No.	Model No.	Description
POSITIVE INPUT VENTILATION (PIV)		
2503031867	NL-PIVH	Loft Mounted PIV Unit with Heater

4" (100MM) CENTRIFUGAL FANS



Order No.	Model No.	Noise Level	Extract Rate	Timer	Shutters
CENTRIFUGAL FANS					
105101035	NL882TN	36db	20.8 l/s	Yes	Yes

IN-LINE MIXED FLOW FANS



Order No.	Model No.	Diameter	Timer
IN-LINE MIXED FLOW FANS 100MM			
1052025551	NL8001	100mm	Yes

4" (100MM) SHOWER FAN KITS

- Timer version adjustable: 3-20mins
- Ideal for extracting air direct from shower rooms
- 220-240V AC
- Extract rate: 23.6l/s
- Power consumption: 15W
- Sound level: 41dB(A) @ 3m



Order No.	Model No.	Noise Level	Extract Rate	Timer	SELV
SHOWER FAN & DUCTING KIT					
1051011037	NL881TN	41db	23.6 l/s	Yes	No

FLEXIBLE DUCTING



NL870



NL891

Order No.	Model No.	Diameter	Colour	Length
FLEXIBLE DUCTING				
1000009110	NL870	4" (100mm)	White	3m
1050325789	NL872	4" (100mm)	White	15m
1000009535	NL883D	6" (150mm)	White	3m
INSULATED DUCTING				
2501117875	NL891	4" (100mm)	Silver	10m

FLAT CHANNEL



Order No.	Model No.	Description	Colour
FLAT CHANNEL 110 X 54MM			
1050325791	NLFC2M	2m Ducting Length	White
1050325798	NLFCAD	100mm Round to Horizontal Adapter	White
1050325793	NLFCCON	Flat Connector	White
FLAT CHANNEL 204 X 60MM			
1052025537	NL8010	1.5m Ducting Length	White

REXEL

Denmans
REXEL GROUP

Power Up with Solar

Discover our **Solar PV solutions** and chat to our solar champions in branch today!

From solar panels, inverters and battery storage to mounting systems, optimisers, accessories and PPE, you can find all you need for the job!

rexel.co.uk/solarpv



07 | Fire & Security

Emergency Assist Alarm	110
Call Points	110
Exit Buttons	110 - 111
Power Supplies	111,
Door Locks	111 - 112



EMERGENCY ASSIST ALARM KIT

- 1 x power supply unit
- 1 x over door indicator
- 1 x ceiling unit with red dual loop pull cord
- 1 x 'Labelled "cancel" button
- 1 x disabled sticker



Order No.	Model No.	Description
EMERGENCY ASSIST ALARM KIT		
1052055662	NLEAA	Emergency Assist Alarm Kit

RESETTABLE CALL POINTS

- Easy to install, single pole
- Resettable & Anti-tamper proof
- Recommended when installing an electro magnetic lock



NLLRBE

Order No.	Model No.	Description
RESETTABLE CALL POINTS		
1000009560	NLLRBE	Resettable Call Point - Green - Single Pole
1050362749	NLLRBEDP	Resettable Call Point - Green - Double Pole

REQUEST TO EXIT BUTTONS

- Flush mounted
- Normally open and closed contacts
- Will fit into single gang back box
- Heavy duty
- Ideal for general area



NLLRBGV

Order No.	Model No.	Description
REQUEST TO EXIT BUTTONS		
1050362746	NLLRBGV	1 Gang Flush Green Dome Stainless Steel Exit Button
1000009583	NLLRBV	Flush Stainless Steel Exit Button
1051011301	NLLRBPG	Surface Mount Green Dome Exit Button

SURFACE MOUNT EXIT BUTTON

- Will fit into single gang back box
- Momentary non-latching switch



Order No.	Model No.	Description
SURFACE MOUNT EXIT BUTTON		
1050362748	NLLRBSBV	1 Gang Surface Mount Exit Button

DC POWER SUPPLY UNITS

- Battery backup connection
- Full electronic short circuit and overload protection on
- Lid open and rear anti-vandal tamper detection
- Green mains present LED- Red fault LED
- Ideal for use with access control, intruder alert and general security applications
- Suitable for all access control products



Order No.	Model No.	Description
DC POWER SUPPLY UNITS		
1000009561	NLLRPSU	1A
1052051422	NL11620	2A

ELECTROMAGNETIC LOCK KIT

- 12V DC 1 Amp Power Supply Unit, NLKP
- Pin access and/or proximity keypad, NLLRMAGS1
- Slimline electro magnet, NLLRBSBV
- Surface mount single gang exit button, NLLRBE
- Suitable for outward opening doors - use bracket NLLRMAGS4 for inward opening doors



Order No.	Model No.	Description
ELECTROMAGNETIC LOCK KIT		
1051058529	NLACKITI	Electromagnetic Lock Kit

IP68 RATED KEYPAD

- The Newlec keypad is heavy duty, vandal resistant and completely waterproof making it suitable for any application
- Pin access control and/or proximity reader when used with NLCARDS (sold separately)
- 4-8 digit pin code length
- IP68 for total protection against dust and water ingress
- Back-lit keys for easy visibility in low lit areas
- Strong zinc alloy electroplated case for protection against vandalism



Order No.	Model No.	Description
IP68 RATED KEYPAD & CARDS		
1051058527	NLKP	Pin Access and/or Proximity Keypad
1051058528	NLCARDS	Access Cards for Proximity Keypad

■ GATE ELECTRO MAGNETIC LOCK

- Ideal for vehicle and pedestrian gates
- Surface mounted and simple to install
- Suitable for external use
- Up to 1200lbs holding force
- Reed switch monitoring
- Weatherproof



Order No.	Model No.	Description
-----------	-----------	-------------

GATE ELECTRO MAGNETIC LOCK

1052051414	NL11612	Gate Magnet
-------------------	---------	-------------

■ 12V DC ELECTRIC FAIL RELEASE

- Fail locked and fail unlocked
- Jaw strengths up to 880lbs
- Rim releases suitable for rim night latches
- Suits latches with 12mm maximum throw



Order No.	Model No.	Description
-----------	-----------	-------------

12V DC ELECTRIC FAIL RELEASE

1051058525	NLELR2	Locked
1051058526	NLELR3	Unlocked

Newlec

**Our products
are right for
you and fit
for the job.**

08 | Tools

Hand Tools

**114 - 133, 149, 151 - 152,
158 - 160, 162 - 163**

Test Instruments **133 - 134**

Tool Bags & Storage **135 - 138**

Screw & Drill Bits **139 - 144**

Hole Saws & Arbors **145 - 147**

Tool Sets **150**

Work Lighting **153 - 154**

Refuse Sacks & Bags **155**

Stud Finder **156**

Certification Books **156 - 157**

Brushes **161**

Shovels, Spades & Rakes **164 - 166**

Tapes **167**

Tarpaulin & Debris Nets **168**

Spray Paints **168**

Oils & Lubricants **169**



1000 V INSULATED WIRE STRIPPERS

- Chrome plated head
- Multi-component grip



Order No.	Model No.	Description
1000 V INSULATED WIRE STRIPPERS		
2501419657	BIZ 790 223	160 mm 1000 V for cables Ø 5-10 mm ²

1000 V INSULATED DIAGONAL CUTTERS

- Chrome plated head
- Multi-component grip



Order No.	Model No.	Description
1000 V INSULATED DIAGONAL CUTTERS		
2501419658	BIZ 790 220	145mm
2501419659	BIZ 790 221	160mm

1000 V INSULATED 2 IN 1 DIAGONAL CUTTERS

- Chrome plated head
- Multi-component grip



Order No.	Model No.	Description
1000 V INSULATED 2 IN 1 DIAGONAL CUTTERS		
2501419663	BIZ 790 222	1000 V Insulated 2 in 1 Diagonal Cutters 160mm

1000 V INSULATED REINFORCED DIAGONAL CUTTING PLIERS

- Chrome plated head
- Multi-component grip



Order No.	Model No.	Description
1000 V INSULATED REINFORCED DIAGONAL CUTTING PLIERS		
2501419661	BIZ 790 230	160mm
2501419662	BIZ 790 234	200mm

1000 V INSULATED 6 IN 1 MULTIFUNCTION PLIERS

- Polished finish
- Dual material handles



Order No.	Model No.	Description
1000 V INSULATED 6 IN 1 MULTIFUNCTION PLIERS		
2501419655	BIZ 790 035	1000 V Insulated 6 in 1 Multifunction Pliers 180mm

INSULATED UNIVERSAL PLIERS 1000 V

- Chrome finish
- Ergonomic non-slip, dual-material handles



Order No.	Model No.	Description
INSULATED UNIVERSAL PLIERS 1000 V		
2501419660	BIZ 790 225	Insulated Universal Pliers 1000 V 180mm

1000 V INSULATED HALF-ROUND LONG NOSE PLIERS

- Chrome plated head
- Multi-component grip



Order No.	Model No.	Description
1000 V INSULATED HALF-ROUND LONG NOSE PLIERS		
2501419665	BIZ 790 227	160mm
2501419666	BIZ 790 231	200mm

1000 V INSULATED HALF-ROUND LONG ANGLED NOSE PLIERS

- Chrome plated head
- Multi-component grip



Order No.	Model No.	Description
1000 V INSULATED HALF-ROUND LONG ANGLED NOSE PLIERS		
2501419667	BIZ 790 228	160mm
2501419668	BIZ 790 232	200mm

1000 V INSULATED WATER PUMP PLIERS

- Box joint
- Chrome plated head
- Multi-component grip



Order No.	Model No.	Description
1000 V INSULATED WATER PUMP PLIERS		
2501419664	BIZ 790 229	1000 V Insulated Water Pump Pliers 250mm

ELECTRONICS TOOL KIT

Box contains: 8 Pieces screwdriver set-length 152 mm including blade 60 mm:

- 1 slotted screwdriver, 1.2 mm
- 1 slotted screwdriver, 1.5 mm
- 1 slotted screwdriver, 2.0 mm
- 1 slotted screwdriver, 2.5 mm
- 1 slotted screwdriver, 3.0 mm
- 1 PH 000 screwdriver
- 1 PH 00 screwdriver
- 1 PH 0 screwdriver
- 3 electronics pliers:
 - 1 plier BIZ 700 300
 - 1 plier BIZ 700 301
 - 1 plier BIZ 700 302

- Screwdriver blades in satin chrome steel with polished tip
- Handles in polypropylene and elastomer



Order No.	Model No.	Description
ELECTRONICS TOOL KIT		
2501419395	BIZ 700 516	Tool Kit

CABLE TIE PLIERS

- Spring lifetime 60,000 cycles
- Body in carbon steel



Order No.	Model No.	Description
CABLE TIE PLIERS		
2501419448	BIZ 700 010	Cable Tie Pliers 3.6 - 9.5 mm

WATER PUMP PLIERS

- Slip-joint hinge
- Lifetime warranty



Order No.	Model No.	Description
WATER PUMP PLIERS		
2501419877	BIZ 400062	Water Pump Plier Non Insulated 300mm
2501419876	BIZ 400061	Water Pump Plier Non Insulated 240mm
2501419875	BIZ 400060	Water Pump Plier Non Insulated 170mm

SELF ADJUSTING WATER PUMP PLIER

- Plastic coated handles
- Lifetime warranty



Order No.	Model No.	Description
SELF ADJUSTING WATER PUMP PLIERS		
2501419757	BIZ 790048	Auto-adjustable shears 250mm with PVC handles. Opening 40mm
2501419756	BIZ 790047	Auto-adjustable shears 180mm with PVC handles. Opening 32mm

METAL PLUG RATCHET INSERTION TOOL



Order No.	Model No.	Description
METAL PLUG RATCHET INSERTION TOOL		
2501419615	BIZ 790 200	Metal Plug Ratchet Insertion Tool Ø 4-8 mm

STAINLESS STEEL CABLE TIE TOOL



Order No.	Model No.	Description
STAINLESS STEEL CABLE TIE TOOL		
2501419672	BIZ 790 010	Stainless Steel Cable Tie Tool 4.5-12 mm

1000 V I-SLIM INSULATED SCREWDRIVERS

- Shank in high quality chromium-molybdenum-vanadium steel
- Bi-material grip in polypropylene and elastomer
- Polypropylene insulation



Order No.	Model No.	Description	Tip
1000 V I-SLIM INSULATED SCREWDRIVERS			
2501419856	BIZ 790 083	2.5 x 100 mm	Slotted
2501419762	BIZ 790 070	3 x 100 mm	Slotted
2501419763	BIZ 790 071	3.5 x 100 mm	Slotted
2501419764	BIZ 790 072	4 x 100 mm	Slotted
2501419765	BIZ 790 073	5.5 x 125 mm	Slotted
2501419766	BIZ 790 074	6.5 x 125 mm	Slotted
2501419767	BIZ 790 075	4.5 x 80 mm	PH1
2501419768	BIZ 790 076	6 x 100 mm	PH2
2501419769	BIZ 790 077	4.5 x 80 mm	PZ1
2501419770	BIZ 790 078	6 x 100 mm	PZ2
2501419771	BIZ 790 079	Double Pattern	PZ1/Slotted
2501419772	BIZ 790 080	Double Pattern	PZ2/Slotted
2501419862	BIZ 790 084	T10 x 100 mm	Torx [®] 10
2501419864	BIZ 790 085	T15 x 125 mm	Torx [®] 15
2501419863	BIZ 790 086	T20 x 125 mm	Torx [®] 20
2501419865	BIZ 790 087	T25 x 125 mm	Torx [®] 25

1000 V INSULATED SCREWDRIVERS

- Chrome vanadium steel with blackening finishing
- Multi-component grip
- Polypropylene insulation



Order No.	Model No.	Description	Tip
1000 V INSULATED SCREWDRIVERS			
2501419425	BIZ 700 014	2.5 x 75 mm	Slotted
2501419430	BIZ 700 015	3 x 100 mm	Slotted
2501419579	BIZ 700 485	3.5 x 100 mm	Slotted
2501419432	BIZ 700 016	4 x 100 mm	Slotted
2501419426	BIZ 700 017	5.5 x 125 mm	Slotted
2501419420	BIZ 700 018	6.5 x 150 mm	Slotted
2501419433	BIZ 700 509	8 x 175 mm	Slotted
2501419421	BIZ 700 504	3 x 60 mm	PH0
2501419428	BIZ 700 021	4.5 x 80 mm	PH1
2501419423	BIZ 700 022	6 x 100 mm	PH2
2501419427	BIZ 700 508	8 x 150 mm	PH3
2501419429	BIZ 700 500	3 x 60 mm	PZ0
2501419424	BIZ 700 019	4.5 x 80 mm	PZ1
2501419431	BIZ 700 510	8 x 150 mm	PZ3

1000 V+C250 INSULATED BIT HOLDER SCREWDRIVER WITH 11 BITS

6-sided 1/4" magnetic bit holder Supplied with a storage case containing: 4 flat bits (3/4/5/7 mm). 3 PH bits (PH0/PH1/PH2). 2 PZ bits (PZ1/PZ2). 2 Torx bits (T15/T20).

- Vanadium chrome ends
- Bi-material handle
- Polypropylene insulator
- Screwdriver length: 204 mm
- Screwdriver weight: 103g
- Case weight: 218g



Order No.	Model No.	Description
1000 V+C250 INSULATED BIT HOLDER SCREWDRIVER WITH 11 BITS		
2501419434	BIZ 700 490	Insulated Bit Holder Screwdriver with 11 Bits



INSULATED VDE SCREWDRIVERS SLOTTED



Order No. Model No. Description

INSULATED VDE SCREWDRIVERS - SLOTTED

2501618790	BIZ 790158	2.5x75mm
2501618791	BIZ 790159	3x100mm
2501618792	BIZ 790160	3.5 x 100 mm
2501618793	BIZ 790161	4x100mm
2501618794	BIZ 790162	5.5 x 125 mm
2501618795	BIZ 790163	6.5 x 150 mm

INSULATED VDE SCREWDRIVERS PH



Order No. Model No. Description

INSULATED VDE SCREWDRIVERS - PH

2501618796	BIZ 790164	PH0 - 60mm
2501618797	BIZ 790165	PH1 - 80mm
2501618798	BIZ 790166	PH2 - 100mm

INSULATED VDE SCREWDRIVERS PZ



Order No. Model No. Description

INSULATED VDE SCREWDRIVERS - PZ

2501618799	BIZ 790167	PZ0 - 60mm
2501618800	BIZ 790168	PZ1 - 80mm
2501618801	BIZ 790169	PZ2 - 100mm

SET OF 6 INSULATED VDE SCREWDRIVERS



Order No. Model No. Description

SET OF 6 INSULATED VDE SCREWDRIVERS

2501618802	BIZ 790170	Set of 6 insulated VDE Screwdrivers
-------------------	------------	-------------------------------------

SET OF INTERCHANGEABLE INSULATED BLADE SCREWDRIVERS

Nylon pouch containing 10 1000 V insulated interchangeable blades, a bimaterial handle and a grip bit.

- 10 blades:
 - Flat-blade: 3.0 mm/3.5 mm/4.0 mm/5.5 mm/6.5 mm
 - PH: PH1/PH2.PZ: PZ2
 - Torx: TX15/TX20



Order No.	Model No.	Description
SET OF INTERCHANGEABLE INSULATED BLADE SCREWDRIVERS		

2501419891	BIZ 790 098	Set of Interchangeable Insulated Blade Screwdrivers
-------------------	-------------	---

HANDLE

2501419904	BIZ 790 099	Handle for BIZ 790 098
-------------------	-------------	------------------------

SPARE SCREWDRIVER BLADES

2501419905	BIZ 790 100	3.0 mm	Slotted
2501419906	BIZ 790 101	3.5 mm	Slotted
2501419907	BIZ 790 102	4.0 mm	Slotted
2501419908	BIZ 790 104	5.5 mm	Slotted
2501419909	BIZ 790 105	6.5 mm	Slotted
2501419910	BIZ 790 106	4.5mm	PH1
2501419911	BIZ 790 107	6.0mm	PH2
2501419912	BIZ 790 108	6.0mm	PZ2
2501419913	BIZ 790 109	3.5mm	T15

1000 V INSULATED I-SLIM SCREWDRIVERS SLOTTED/PZ 6 PIECES

Kit composed of:

- 1 i-SLIM slotted screwdriver 3.5 x 100 (BIZ 790 071)
- 1 i-SLIM slotted screwdriver 4 x 100 (BIZ 790 072)
- 1 i-SLIM slotted screwdriver 5.5 x 125 (BIZ 790 073)
- 1 i-SLIM slotted screwdriver 6.5 x 125 (BIZ 790 074)
- 1 i-SLIM PZ1 screwdriver 4.5 x 80 (BIZ 790 077)
- 1 i-SLIM PZ2 screwdriver 6 x 100 (BIZ 790 078)

Order No.	Model No.	Description
1000 V INSULATED I-SLIM SCREWDRIVERS SLOTTED/PZ 6 PIECES		

2501419773	BIZ 790 081	1000 V Insulated I-Slim Screwdrivers Slotted/PZ 6 Pieces
-------------------	-------------	--

RATCHET SCREWDRIVER

Supplied with 8 bits:

3 x slotted bits (4.5 x 0.6 mm/5.5 x 1 mm/6.5 x 1.2 mm), 3 x PH bits (PH1/PH2/PH3), 2 x PZ bits (PZ1/PZ2)

Telescopic storage of 8 bits in the handle. Magnetic bit holder 1/4 hex. (6.35 mm)

- Bits in chrome vanadium steel
- Multi-component grip
- Length: 220 mm
- Weight: 220 g



Order No.	Model No.	Description
RATCHET SCREWDRIVER		

2501419407	BIZ 700 492	Ratchet Screwdriver cw 8 Bits
-------------------	-------------	-------------------------------

1000 V INSULATED PLIERS 4 PIECES



Kit contains:

- 1 x 1000 V insulated Chrome plated stripping plier 160 mm (BIZ 790 223)
- 1 x 1000 V insulated Chrome plated combination plier 180 mm (BIZ 790 225)
- 1 x 1000 V insulated Chrome plated half-round long nose plier 200 mm (BIZ 790 231)
- 1 x 1000 V insulated Chrome plated reinforced cutting plier 200 mm (BIZ 790 234)

Order No.	Model No.	Description
RATCHET SCREWDRIVER		

2501419670	BIZ 790 240	1000 V Insulated Pliers 4 Pieces
-------------------	-------------	----------------------------------



1000 V INSULATED I-SLIM SCREWDRIVER SLOTTED/PH 6 PIECES

Kit composed of:

- 1 i-SLIM slotted screwdriver 3.5 x 100 (BIZ 790071)
- 1 i-SLIM slotted screwdriver 4 x 100 (BIZ 790072)
- 1 i-SLIM slotted screwdriver 5.5 x 125 (BIZ 790073)
- 1 i-SLIM slotted screwdriver 6.5 x 125 (BIZ 790074)
- 1 i-SLIM PH1 screwdriver 4.5 x 80 (BIZ 790075)
- 1 i-SLIM PH2 screwdriver 6 x 100 (BIZ 790076)



Order No.	Model No.	Description
1000 V INSULATED I-SLIM SCREWDRIVER SLOTTED/PH 6 PIECES		
2501419782	BIZ 790 082	1000 V Insulated I-SLIM screwdriver slotted/PH 6 Pieces

TORX® 1000 V I-SLIM SCREWDRIVER 4 PIECES

Kit composed of:

- 1 i-SLIM Torx® screwdriver T10 x 100 (BIZ 790 084)
- 1 i-SLIM Torx® screwdriver T15 x 125 (BIZ 790 085)
- 1 i-SLIM Torx® screwdriver T20 x 125 (BIZ 790 086)
- 1 i-SLIM Torx® screwdriver T25 x 125 (BIZ 790 087)



Order No.	Model No.	Description
TORX® 1000 V I-SLIM SCREWDRIVER 4 PIECES		
2501419857	BIZ 790 095	Torx® 1000 V I-Slim Screwdriver 4 Pieces

1000 V INSULATED SCREWDRIVERS AND TESTER 7 PIECES

Kit composed of:

- 1 x 1000 V insulated slotted screwdriver 2.5 x 75 (BIZ 700 014)
- 1 x 1000 V insulated slotted screwdriver 3 x 100 (BIZ 700 015)
- 1 x 1000 V insulated slotted screwdriver 4 x 100 (BIZ 700 016)
- 1 x 1000 V insulated slotted screwdriver 5.5 x 125 (BIZ 700 017)
- 1 x 1000 V insulated slotted screwdriver 6.5 x 150 (BIZ 700 018)
- 1 x 1000 V insulated PZ1 screwdriver 4.5 x 80 (BIZ 700 019)
- 1 x 1000 V insulated PZ2 screwdriver 6 x 100 (BIZ 700 020)
- 1 x voltage tester 220-250 V, 140 mm



Order No.	Model No.	Description
1000 V INSULATED SCREWDRIVERS AND TESTER 7 PIECES		
2501419419	BIZ 700 093	1000 V Insulated Screwdrivers and Tester 7 Pieces

CABLE CUTTERS

- Plastic coated handles



Order No.	Model No.	Description
-----------	-----------	-------------

CABLE CUTTERS

2501419580	BIZ 700 278	16 mm ²
2501419380	BIZ 700 201	25 mm ²

1000 V INSULATED AUTOMATIC CABLE CUTTERS

- Forged steel
- Polished head
- Multi-component grip



Order No.	Model No.	Description
-----------	-----------	-------------

INSULATED CABLE CUTTERS

2501419656	BIZ 790 036	50 mm ²
2501419682	BIZ 790 213	70 mm ²

RATCHET CABLE CUTTERS

- Special quality steel tools, forged, oil hardened
- Protective pin to avoid trapping



Order No.	Model No.	Description
-----------	-----------	-------------

RATCHET CABLE CUTTERS

2501419383	BIZ 700 011	∅ 32 mm
2501419382	BIZ 700 202	∅ 52 mm
2501420038	BIZ 781 040	∅ 32 mm Premium
2501420040	BIZ 781 042	∅ 52 mm Premium

HEAVY-DUTY CABLE CUTTER

- Plastic coated handles



Order No.	Model No.	Description
-----------	-----------	-------------

HEAVY-DUTY CABLE CUTTER

2501419381	BIZ 700 001	Heavy-Duty Cable Cutter 70 mm ²
-------------------	-------------	--

TUBE CUTTER COPPER



Order No.	Model No.	Description
-----------	-----------	-------------

TUBE CUTTER COPPER 3-45 MM

2501583282	BIZ 400 064	Tube Cutter Copper 3-45 mm
-------------------	-------------	----------------------------

ADJUSTABLE CABLE STRIPPERS

- Adjustable stripping thickness



Order No.	Model No.	Description
-----------	-----------	-------------

ADJUSTABLE CABLE STRIPPERS

2501419402	BIZ 700 003	4.5 - 25 mm
2501419401	BIZ 700 004	25 - 36 mm
2501419403	BIZ 700 085	Spare Blade

CABLE STRIPPER KNIVES

- Adjustable stripping thickness
- Self-swivel spare blade included in the tool's body



Order No.	Model No.	Description
-----------	-----------	-------------

CABLE STRIPPER KNIVES

2501419695	BIZ 790 008	Cable Stripper Knife with Hooked Blade
2501419722	BIZ 790 019	Cable Stripper Knife without Blade
2501419696	BIZ 790 009	Spare Blade for BIZ 790 019



AUTOMATIC STRIPPING GUN PLIERS

- Stripping length adjustment stop from 3 to 17 mm
- Fitted with a wire cutter (2.5 mm² maximum)



Order No.	Model No.	Description
-----------	-----------	-------------

AUTOMATIC STRIPPING GUN PLIERS

2501419400	BIZ 700 071	0.08 to 2.5 mm ²
-------------------	-------------	-----------------------------

AUTOMATIC STRIPPING PLIERS

- Stripping length adjustment stop
- Fitted with a wire cutter



Order No.	Model No.	Description
-----------	-----------	-------------

AUTOMATIC STRIPPING PLIERS

2501419724	BIZ 790 015	0.02 to 10 mm ²
-------------------	-------------	----------------------------

2501419697	BIZ 790 017	0.2 to 6 mm ²
-------------------	-------------	--------------------------

2501419399	BIZ 700 043	0.34 to 10 mm ²
-------------------	-------------	----------------------------

2501419726	BIZ 790 013	6 to 16 mm ²
-------------------	-------------	-------------------------

AUTOMATIC STRIPPING GUN

- For stripping round, flat or semi-flat wires and cables, from 0.2 to 6 mm²



Order No.	Model No.	Description
-----------	-----------	-------------

AUTOMATIC STRIPPING GUN

2501419601	BIZ 700 081	Automatic Stripping Gun 0.2 to 6 mm ²
-------------------	-------------	---

MULTI-STRIPPER TOOL



Order No.	Model No.	Description
-----------	-----------	-------------

MULTI-STRIPPER TOOL

2501419397	BIZ 700 186	Multi-Stripper Tool
-------------------	-------------	---------------------

2501419723	BIZ 790 014	Multi-Stripper Tool with Blade
-------------------	-------------	--------------------------------

MULTIFUNCTION STRIPPING PLIERS



Order No.	Model No.	Description
-----------	-----------	-------------

MULTIFUNCTION STRIPPING PLIERS

2501419900	BIZ 790 025	Multifunction Stripping Pliers
-------------------	-------------	--------------------------------

COAXIAL CABLE STRIPPER

- Blades on 2 sides of the tool, marked 1 and 2 in the order of the working steps
- Does not require depth of cut adjustment
- TIN coated blade



Order No.	Model No.	Description
-----------	-----------	-------------

COAXIAL CABLE STRIPPER

2501419608	BIZ 700 857	Coaxial Cable Stripper
-------------------	-------------	------------------------

SQUARE TERMINAL CRIMPING PLIERS

- Bimaterial grip
- Burnished finish



Order No.	Model No.	Description
SQUARE TERMINAL CRIMPING PLIERS		
2501419846	BIZ 790 011	Square Terminal Crimping Pliers 0,08-16 mm ²

CABLE ENDS CRIMPING PLIERS

- PVC grips



Order No.	Model No.	Description
CABLE ENDS CRIMPING PLIERS		
2501419902	BIZ 790 277	Cable Ends Crimping Pliers 0,25-16mm ²

TERMINALS AND CABLE ENDS CRIMPING PLIERS

- Multi-component grip



Order No.	Model No.	Description
TERMINALS AND CABLE ENDS CRIMPING PLIERS		
2501419461	BIZ 700 005	0.5 to 6 mm ²
2501419454	BIZ 700 006	0.5 to 4 mm ²
2501419458	BIZ 700 009	6 to 16 mm ²
2501419460	BIZ 700 008	1.5 to 10 mm ²
2501419901	BIZ 700 697	0.5 to 16 mm ²

CRIMPING PLIERS FOR PRE-INSULATED TERMINALS & CLIPS

- BizLine terminals are UL homologated with these pliers



Order No.	Model No.	Description
CRIMPING PLIERS		
2501419732	BIZ 790 275	Crimping Pliers for Terminals

CRIMPING PLIERS FOR RJ45, RJ11 AND RJ12 CONNECTORS

- Pliers with ratchet
- Includes cable cutting and stripping functions
- Polished head
- Multi-component grip



Order No.	Model No.	Description
CRIMPING PLIERS FOR RJ45, RJ11 AND RJ12 CONNECTORS		
2501419581	BIZ 700 587	Crimping Pliers for RJ45, RJ11 and RJ12 Connectors

CRIMPING PLIERS FOR COPPER TERMINAL LUGS AND SLEEVES

- Hexagonal crimping
- Complies with NFC 20-130 (LCIE test report available on request)
- Not suitable for crimping aluminium parts



Order No.	Model No.	Description
CRIMPING PLIERS FOR COPPER TERMINAL LUGS AND SLEEVES		
2501419457	BIZ 700 012	6 to 50 mm ²
2501419459	BIZ 700 013	6 to 120 mm ²



OPEN-END WRENCHES 10 PIECES

- Chrome vanadium steel
- Polished chrome finish
- Dimensions: 6 x 7.8 x 9.10 x 11.12 x 13.14 x 15.16 x 17.18 x 19.20 x 22.21 x 23.24 x 26



Order No.	Model No.	Description
OPEN-END WRENCHES 10 PIECES		
2501419671	BIZ 700 488	Open-End Wrenches 10 Pieces

COMBINATION WRENCHES 8 PIECES

- Chrome vanadium steel
- Polished chrome finish
- Dimensions:
8/9/10/11/12/13/17/19 mm



Order No.	Model No.	Description
COMBINATION WRENCHES 8 PIECES		
2501419442	BIZ 700 041	Combination Wrenches 8 Pieces

REVERSIBLE RATCHET RING WRENCHES

- 72 teeth mechanism
- 5° increments
- Chrome Vanadium steel
- Mirror finish



Order No.	Model No.	Description
REVERSIBLE RATCHET RING WRENCHES		
2501419675	BIZ 790 007	2 sizes - 10/13 mm
2501419681	BIZ 790 202	4 sizes - 10/13/17/19 mm

SOCKET WRENCHES 6 PIECES

- 6 x 12 points
- Chrome vanadium steel
- Dimensions:
6/7/8/10/13/17 mm



Order No.	Model No.	Description
SOCKET WRENCHES 6 PIECES		
2501419441	BIZ 700 066	Socket Wrenches 6 Pieces

RATCHET WRENCHES 7 PIECES

- Chrome vanadium steel
- Polished chrome finish
- Dimensions:
8/10/11/12/13/17/19 mm



Order No.	Model No.	Description
RATCHET WRENCHES 7 PIECES		
2501419443	BIZ 700 191	Ratchet Wrenches 7 Pieces

RATCHET SOCKET 37 PIECES



- Chrome vanadium steel
- Satin steel finish
- Set contains:
 - 12 x 1/4" drive sockets (4/4.5/5/5.5/6/7/8/9/10/11/12/13)
 - 7 Torx bits (T8/T10/T15/T20/T25/T30/T40)
 - 4 Hex bits (3/4/5/6)
 - 3 PZ bits (PZ1/PZ2/PZ3)
 - 3 slotted bits (4/5.5/7)
- 3 PH bits (PH1/PH2/PH3)
- 1 x 1/4" drive reversible ratchet wrench
- 1 x 1/4" drive universal joint
- 1 x 1/4" drive spinner handle
- 1 x 1/4" drive 150 mm extension
- 1 x 1/4" bit adapter

Order No. Model No. Description

RATCHET SOCKET 37 PIECES

2501419450 BIZ 700 078 Ratchet Socket 37 Pieces

THREADED ROD GO-THROUGH SOCKET 38 PIECES



- Chrome vanadium steel
- Satin steel finish
- Set contains:
 - 13 x 1/4" drive sockets (4/4.5/5/5.5/6/7/8/9/10/11/12/13/14)
 - 6 Torx bits (T10/T15/T20/T25/T30/T40)
 - 4 Slotted bits (3/4/5/6)
 - 3 PH bits (1/2/3)
- 3 PZ bits (PZ1/PZ2/PZ3)
- 4 Hex bits (3/4/5/6)
- 1 x 1/4" drive 75 mm extension
- 1 hollow ratchet wrench
- 1 x 1/4" drive universal joint
- 1 x 1/4" drive spinner handle
- 1 x 1/4" bit adapter

Order No. Model No. Description

THREADED ROD GO-THROUGH SOCKET 38 PIECES

2501419451 BIZ 700 203 Threaded Rod Go-Through Socket 38 Pieces

ADJUSTABLE WRENCHES

- Chrome vanadium steel
- Burnished thumb wheel and head



Order No. Model No. Description

ADJUSTABLE WRENCHES

2501419453 BIZ 700 183 150mm
2501419452 BIZ 700 059 300mm

ADJUSTABLE RATCHET SPANNER

- Chrome molybdenum steel
- Multi-component grip



Order No. Model No. Description

ADJUSTABLE RATCHET SPANNER

2501419582 BIZ 700 598 Adjustable Ratchet Spanner

BALL-POINT HEXAGONAL KEY CLIP SET 9 PIECES

- Chrome Vanadium steel
- Anti-rust burnished
- Weight with sleeve: 430 g
- Dimensions: 1.5/2/2.5/3/4/5/6/8/10 mm
- Supplied in a folding case for storage



Order No. Model No. Description

HEXAGONAL KEY CLIP SET

2501419446 BIZ 700 230 Ball-Point Hexagonal Key Clip Set 9 Pieces

HEXAGONAL KEYS 9 PIECES

- Chrome vanadium steel
- Anti-rust burnished
- Weight with sleeve: 430 g
- Dimensions: 1.5/2/2.5/3/4/5/6/8/10 mm
- Supplied in a folding case for storage



Order No. Model No. Description

HEXAGONAL KEYS 9 PIECES

2501419445 BIZ 700 063 Hexagonal Keys 9 Pieces

7 HEXAGONAL KEY FOLDING SET

- Chrome vanadium steel
- Anti-rust burnished
- Weight: 300 g
- Dimensions: 2/2.5/3/4/5/6/8 mm
- Multi-component grip for comfortable use



Order No.	Model No.	Description
-----------	-----------	-------------

7 HEXAGONAL KEY FOLDING SET

2501419447	BIZ 700 298	7 Hexagonal Key Folding Set
-------------------	-------------	-----------------------------

UNIVERSAL KEY WITH 9 BITS



- Dimensions: 95 x 95 mm
- Composed of: Square (6, 7-8 mm and 9-10 mm)
- Triangle (7, 8-9 mm and 10-11 mm)
- Bit key (3-5 mm)
- Half-moon (6 mm)
- Central square (5 mm) for bleeding radiators
- Magnetic holder for 1/4" bit
- Die-cast zinc
- Includes chain and spring hook for attaching to a belt

Order No.	Model No.	Description
-----------	-----------	-------------

UNIVERSAL KEY WITH 9 BITS

2501419673	BIZ 790 194	Universal Key with 9 Bits
-------------------	-------------	---------------------------

1000 V INSULATED 6-SIDED MALE WRENCH WITH T HANDLE

- Dimensions: 4 mm
- Length: 150 mm
- Width: 100 mm



Order No.	Model No.	Description
-----------	-----------	-------------

6 SIDED MALE WRENCH WITH T-HANDLE

2501420053	BIZ 790 097	1000 V Insulated 6-Sided Male Wrench with T Handle
-------------------	-------------	--

RESISTORX® KEY FOLDING 8 PIECES

- Chrome vanadium steel
- Anti-rust burnished
- Weight: 200 g
- Dimensions: T9/T10/T15/T20/T25/T27/T30/T40
- Multi-component grip for comfortable use



Order No.	Model No.	Description
-----------	-----------	-------------

RESISTORX® KEY FOLDING 8 PIECES

2501419444	BIZ 700 299	ResistorX® Key Folding 8 Pieces
-------------------	-------------	---------------------------------

ELECTRICIAN'S FOUR-WAY CABINET KEY AND BOTTLE OPENER

- Cast zinc
- Dimensions: 75 x 110 mm
- Weight: about 70g
- Composed of: Square (5, 6, 8 mm)
- Triangle (9 mm)
- Key bit (3-5 mm)



Order No.	Model No.	Description
-----------	-----------	-------------

FOUR WAY CABINET KEY AND BOTTLE OPENER

2501419781	BIZ 790 195	Electrician's Four-way Cabinet Key and Bottle Opener
-------------------	-------------	--

UNIVERSAL KEY WITH 14 ARTICULATED SOCKETS

- 14 different sockets
- 360° swivel arm rotation
- Nickel treated rotary shafts
- Die-cast zinc swivel inserts
- Swivel arms & connectors made of fibreglass reinforced plastic
- Weight (g): 105
- Dimensions (mm): 130 x 38
- Consists of:
 - Square (5/6/7/8/9mm)
 - Triangular (5-6/6-7/8-9 mm)
 - Bit-key (3-5 mm)
 - Hexagonal 1/4 for nozzle
 - Square 1/4 for clamp nuts



Order No.	Model No.	Description
UNIVERSAL KEY WITH 14 ARTICULATED SOCKETS		

2501420102	BIZ 790 236	Universal Key with 14 Articulated Sockets
-------------------	-------------	---

CONTROL CABINET KEY



Order No.	Model No.	Description
CONTROL CABINET KEY		
2501420109	BIZ 790 238	Control Cabinet Key

25MM LOCKING SCREW UTILITY KNIFE

- Plastic body with elastomer coating
- Stainless steel guide with built-in snapper
- Fitted with a screw to lock and release the blade
- Supplied with 1 blade
- Carbon steel blade, width 25 mm, thickness 7 mm, 6 snap-off sections



Order No.	Model No.	Description
7 HEXAGONAL KEY FOLDING SET		
2501419387	BIZ 700 069	25mm Locking Screw Utility Knife
2501419386	BIZ 700 070	Set of 10 Blades

UNIVERSAL KEY BOX

- Ergonomic box in high strength plastic
- Die-cast zinc inserts
- Direct reading of dimensions on each key
- Consists of:
 - Square (6/7/8 mm)
 - Triangular (7/8/9/10 mm)
 - Bit-key (3-5 mm)
 - Hexagonal 1/4 for end caps
 - Reversible bit for 1.0 x 7 mm slotted screws and Philips PH2
 - Reversible bit Torx TX20 and TX25
 - Hexagonal (3 mm)
 - Square (6/7/8/9/10 mm)



Order No.	Model No.	Description
UNIVERSAL KEY BOX		

2501420103	BIZ 790 237	Universal Key Box
-------------------	-------------	-------------------

18MM AUTOMATICALLY RELOADING UTILITY KNIFE

- Multi-component grip
- Metal blade guide with built-in blade snapper
- Self-blocking blade
- Supplied with 3 blades (1 mounted + 2 in handle storage)
- Blade width 18 mm snaps into 8 sections



Order No.	Model No.	Description
18MM AUTOMATICALLY RELOADING UTILITY KNIFE		

2501419384	BIZ 700 187	18mm Automatically Reloading Utility Knife
2501419385	BIZ 700 188	Set of 10 Blades for Utility Knife

RETRACTABLE UTILITY KNIFE WITH INTERCHANGEABLE BLADE

- Zinc alloy body
- Blade maintained when used by pressing the trigger
- Blade retracts when trigger is released at the end of application
- Supplied with 1 trapezoidal blade
- Non-snapping 2-position trapezoidal blade



Order No.	Model No.	Description
RETRACTABLE UTILITY KNIFE WITH INTERCHANGEABLE BLADE		

2501419389	BIZ 700 040	Retractable Utility Knife with Interchangeable Blade
-------------------	-------------	--

FOLDING BOX CUTTER

- Ergonomic and light aluminium folding box cutter
- Precision-machined stainless steel blade holder; prevents the blade from moving while cutting in straight lines



Order No.	Model No.	Description
FOLDING BOX CUTTER		
2501420042	BIZ 700 328	Folding Box Cutter
2501419388	BIZ 700 178	Set of 10 Trapezoidal Blades

ELECTRICIAN'S SCISSORS

- Carbon stainless steel notched blade



Order No.	Model No.	Description
ELECTRICIAN'S SCISSORS		
2501419680	BIZ 790 042	50 mm ² "Ultima"

CABLE SHEARS

- 42 mm toothed polished stainless steel blade



Order No.	Model No.	Description
CABLE SHEARS		
2501419583	BIZ 700 524	Cable Shears "Croco"

CABLE SNIPS

- 50 mm toothed polished stainless steel blade



Order No.	Model No.	Description
CABLE SNIPS		
2501419679	BIZ 790 044	Cable Snips "Croco Max"

PLASTIC PIPE SHEARS

- Revolver plate with 3 automatic locking dies
- Double sharpening interchangeable stainless steel blade for effortless and accurate cutting
- Tube cutter for 16, 20 and 25 mm Ø



Order No.	Model No.	Description
PLASTIC PIPE SHEARS		
2501419858	BIZ 790 049	Plastic Pipe Shears Triocoup 16/20/25 mm
2501419859	BIZ 790 050	Spare Blade for Pipe Shears

METAL SHEARS

- Forged jaws in molybdenum chrome steel
- 42 mm micro-toothed blades with HRC 59-62 hardness



Order No.	Model No.	Description
METAL SHEARS		
2501419396	BIZ 700 211	Metal Shears

CUTTING PASTE 30G



Order No.	Model No.	Description
CUTTING PASTE 30G		
2501419391	BIZ 700 293	Cutting paste 30g

PG/ISO PUNCHES 8 PIECES



- High carbon steel
- 3-point cutting tips for easy cutting without rejects
- Contains the following cutters and screws: 15.2 mm/PG 9, 16.5 mm/ISO 16, 18.6 mm/PG 11, 20.4 mm/PG 13 and ISO 20, 22.5 mm/PG 16, 25.4 mm/ISO 25, 28.3 mm/PG 21, 32.5 mm/ISO 32, 1 x ball-bearing draw-in bolt MF 10 x 1.0 x 50 mm (BIZ 700 291), 1 x ball-bearing draw-in bolt MF 12 x 1.5 x 60 mm (BIZ 700 292)
- Supplied with 30g of cutting paste

Order No.	Model No.	Description
PG/ISO PUNCHES 8 PIECES		
2501419392	BIZ 700 294	PG/ISO Punches 8 Pieces

BOLT CUTTER

- Chrome Vanadium steel
- Polished finish jaws
- Length: 600 mm
- Weight: 2.8 kg
- Tubular arm bolt cutters
- Jaws no.1



Order No.	Model No.	Description
BOLT CUTTER		
2501419584	BIZ 700 313	Bolt Cutter

DIE TOOLS

- Supplied with ball-bearing draw-in bolts



Order No.	Model No.	Description
DIE TOOLS		
2501419691	BIZ 700 285	Die Tool 18.6 mm Ø PG 11
2501419693	BIZ 700 288	Die Tool 25.4 mm ISO 25
2501419689	BIZ 700 290	Die Tool 32.5 mm ISO 32

30CM HACKSAW



- Aluminium frame with elastomer handle
- Blade length: 300 mm
- Supplied with 3 HSS bi-metal blades, 24 teeth per inch
- Delivered with 3 24-teeth HSS bi-metal blades per thumb

Order No.	Model No.	Description
30CM HACKSAW		
2501419394	BIZ 700 035	30cm Hacksaw
2501419393	BIZ 700 036	Saw Blades 10 Pieces

MINI-HACKSAWS

- Steel frame
- Beech handle
- Blade length: 150 mm
- Supplied with 1 HSS bi-metal blades, 25 teeth per inch



Order No.	Model No.	Description
-----------	-----------	-------------

MINI-HACKSAWS

2501419758	BIZ 790 055	Adjustable mini-hacksaw
2501419760	BIZ 790 054	Mini-hacksaw
2501419759	BIZ 790 056	Saw blades 12 Pieces

ENGINEERS HAMMER

- Unbreakable: head and the handle joined by a metal insert and reinforced with a safety collar
- Forged steel C45: high carbon steel for a long lifetime (heat treated)
- Shatterproof chamfered head
- Handle finish: transparent protective varnish



Order No.	Model No.	Description
-----------	-----------	-------------

ENGINEERS HAMMER

2501583287	BIZ 700 796	300mm Shaft 300g Head
2501420110	BIZ 700 797	320mm Shaft 500g Head

MULTI-FUNCTION SHEARS



Order No.	Model No.	Description
-----------	-----------	-------------

MULTI-FUNCTION SHEARS

2501420001	BIZ 790 005	Multi-Function Shears
-------------------	-------------	-----------------------

CHISELS



Order No.	Model No.	Description
-----------	-----------	-------------

CHISELS

2501419597	BIZ 700 584	Mason's Cold Chisel Tubular Shape
2501419678	BIZ 790 217	Mason's Cold Chisel
2501420033	BIZ 790 219	Electrician chisel 200mm x 10mm

MARKING LINE KIT

- Red ABS case with black handle
- Blue/white high strength polycotton line, 30 metres, Ø 1 mm
- Supplied with a blue powder refill, 120g



Order No.	Model No.	Description
-----------	-----------	-------------

MARKING LINE KIT

2501419415	BIZ 700 037	Marking Line Kit
-------------------	-------------	------------------

HAMMERS



Order No.	Model No.	Description
-----------	-----------	-------------

HAMMERS

2501419674	BIZ 790 004	Claw hammer 320mm
-------------------	-------------	-------------------

PICA DRY GRAPHITE LEAD PENCIL

- Telescopic lead pencil
- Lead protected by a cap
- Cap contains a sharpener



Order No.	Model No.	Description
PICA DRY GRAPHITE LEAD PENCIL		
2501419728	BIZ 790 214	Pica Dry Graphite Lead Pencil
2501419761	BIZ 790 212	Colour PICA DRY Graphite Refills x8
2501419729	BIZ 790 215	PICA DRY Graphite Refills x10

SPECIAL CABLE MARKER

- Permanent marking, quick drying, resists to water and light



Order No.	Model No.	Description
SPECIAL CABLE MARKER		
2501419852	BIZ 780 204	Special Cable Black Marker
2501419851	BIZ 780 399	Special Cable White Marker

LARGE BLACK MARKING PEN

- Wide tip 1 to 4 mm Ø
- Free of xylene and toluene
- Black permanent marker resistant to water and abrasion with quick drying



Order No.	Model No.	Description
LARGE BLACK MARKING PEN		
2501419855	BIZ 780 205	Large Black Marking Pen

PICA INK BLACK MARKER DEEP HOLES

- Telescopic tip in stainless steel Ø 1.5 mm. 'Quiver' cap
- Very fine tip marker



Order No.	Model No.	Description
PICA INK BLACK MARKER DEEP HOLES		
2501419853	BIZ 780 428	Pica Ink Black Marker Deep Holes

BLACK MARKERS

- Black indelible marker, water and light resistant
- Tip Ø 0.6 mm



Order No.	Model No.	Description
BLACK MARKERS		
2501419411	BIZ 740 002	Black Marker Pen 0.6 mm (x1)
2501419412	BIZ 740 001	Black Marker Pen 0.6 mm (x4)

WAX CRAYON PICA VISOR PERMANENT

- Rotating mechanism
- Handy "quiver" cap
- Lead Ø: 10 mm
- Red wax holder pen for permanent marking



Order No.	Model No.	Description
WAX CRAYON PICA VISOR PERMANENT		
2501419850	BIZ 780 852	Wax crayon Pica Visor Permanent
2501419854	BIZ 780 853	Spare leads for Pica Visor

JOINER'S PENCILS

Order No.	Model No.	Description
JOINER'S PENCILS		
2501419416	BIZ 790 002	180 mm (x1)
2501419417	BIZ 790 003	180 mm (x5)



MAGNETIC LEVEL 10CM

- Aluminium body
- Machined vial in impact-resistant acrylic block
- Fluorescent high UV-resistance liquid
- Impact absorbing end pieces
- Magnetic



Order No.	Model No.	Description
MAGNETIC LEVEL 10CM		
2501420044	BIZ 700 334	Handy Magnetic Level 10cm

PRO MAGNETIC LEVEL 23CM

- Metallised level with corrosion-resistant paint
- Comprises 4 level vials set with epoxy: vertical, horizontal, 45° and 30° levels



Order No.	Model No.	Description
PRO MAGNETIC LEVEL 23CM		
2501420046	BIZ 700 336	Pro Magnetic Level 23cm

LASER LEVEL

- Shock-absorbing bimaterial rubber casing
- 'Tilt' mode for angle tracing and marking
- Sturdy folding feet for angle positioning and height adjustment
- Self-levelling mechanism
- Visual and sound 'out of range' alarm
- 1/4 threading (adapts to tripod BIZ 700 388)
- Power supply: 3 AA batteries (not supplied)
- Dimensions: 100 x 82 x 104 mm
- Weight: 620g

Order No.	Model No.	Description
LASER LEVEL		
2501419890	BIZ 782 276	Laser Level

MAGNETIC LEVEL 23CM

- Comprising 3 easy to read level vials (horizontal, vertical, 45°)
- Magnetic
- Robust rubber ends
- Reinforced plastic body



Order No.	Model No.	Description
MAGNETIC LEVEL 23CM		
2501420045	BIZ 700 335	Magnetic level 23cm

40CM ALUMINIUM LEVEL

- Aluminium level
- Vials machined in shock-resistant acrylic
- Fluorescent liquid resistant to UV radiation
- Shock-proof end tips
- 3 vials: horizontal, vertical, and 45° angle



Order No.	Model No.	Description
40CM ALUMINIUM LEVEL		
2501419418	BIZ 700 044	40cm Aluminium Level



INFRARED THERMOMETER

- Measuring range: from -30 °C to +260 °C (-22 °F to 500 °F)
- Precision: +- 4 °C/+7 °F
- LCD screen.
- Can be used either with or without laser beam
- Backlit screen for improved visibility
- Either Celsius or Fahrenheit can be selected
- Usage temperature: 0 °C to +50 °C (32 °F to +122 °F)
- Storage temperature: -20 °C to +60 °C (-4 °F to +140 °F)
- Save date with "HOLD" function, indicates maximum and minimum values
- Auto power off after 8 seconds. Power source: 9V battery, NEDA 1604A or 66LR61 or equivalent
- Field of view: The distance to measurement point ratio for the thermometer's field of view is 8:1, which means that if the device is located 8 cm from the target, the diameter of the target must be at least 1 cm
- At a distance of 24 cm, the device measures a target of 3 cm
- For further details, view the table printed on the device



Order No.	Model No.	Description
INFRARED THERMOMETER		
2501420059	BIZ 790 395	Infrared Thermometer

TELEMETER

- Maximum range: 50 m
- Measurement history: 20.Type of keyboard: function key (durable)
- Operating temperature: -10 °C to +50 °C
- Storage temperature: -20 °C to +60 °C
- Operating humidity: $\leq 95\%$ RH (non-condensing)
- Storage humidity: 30% to 50% RH
- Battery life: up to 4,000 measurements
- Batteries: 2 x 1.5 V AAA batteries
- Automatic laser deactivation: after 30 seconds
- Automatic device shut-off: after 3 minutes
- Dimensions (mm): 110 x 46 x 28
- Weight (g): 100



Order No.	Model No.	Description
TELEMETER		
2501420055	BIZ 790 394	Telemeter
2501419587	BIZ 700 388	Tripod

VOLTAGE TESTERS 2 PIECES

- Set contains:
 - 1 voltage tester 140 mm, 100-250V
 - 1 voltage tester 190 mm, 100-250V
- With pocket clip



Order No.	Model No.	Description
VOLTAGE TESTERS 2 PIECES		
2501419449	BIZ 700 031	Voltage Testers 2 Pieces

DIGITAL MULTIMETER 600V

- Voltage range: 0 to 1000 VAC
- TRMS
- LCD screen
- CAT IV - 600 V
- Continuity check
- Dimensions (mm): 182 x 82 x 59 (including housing)
- Weight (g): 436 (including case)



Order No.	Model No.	Description
DIGITAL MULTIMETER 600V		
2501583283	BIZ 780312	Digital Multimeter 600V

VOLTAGE TESTER 600V

- Rotation test (three-phase alternating current): voltage range 57 V-400 V and frequency range 50 Hz to 60 Hz
- Operating temperature range (°C): -15 to + 45
- Storage temperature range (°C): -20 to +60
- Working humidity range: ≤85% RH
- Surge protection class: CAT III 690 V CAT IV 600 V
- Pollution class: 2
- Safety regulations IP65 EN61010-1 EN61243-3 (2010)
- Weight (g): 295 (batteries included)
- Dimensions (mm): 272 x 85 x 31
- IEC LR03 (AAA) batteries (x 2)
- Auto interval: full interval
- Lighting: full range
- Low battery voltage indication (V): approximately 2.4
- Interval overflow indication (V): approximately 755
- Automatic sleep mode: standby current



Order No.	Model No.	Description
VOLTAGE TESTER 600V		
2501583285	BIZ 780 311	Voltage Tester 600V

DIGITAL CLAMP METER 600V

- Screen: LCD 4000 measurements
- AC current: 50/60 Hz (AAC)
- TRMS
- Voltage bandwidth: AC 50/60 Hz (VAC)
- Operating temperature (°C): -10 to +50
- Relative humidity: 90% (0°C to 30°C), 75% (30°C to 40°C), 45% (40°C to 50°C)
- Altitude of use (m): 3,000
- Storage (m): 10,000
- Overvoltage: category III 600 V
- Battery: 19 V battery
- Automatic power off: after approximately 35 min
- Dimensions (mm): 229 x 80 x 49. Weight (g): 303
- Safety: for indoor use and surge category II, pollution degree 2
- Category II includes local level, device, portable equipment, etc. with transient overvoltages lower than category III overvoltage



Order No.	Model No.	Description
DIGITAL CLAMP METER 600V		
2501583284	BIZ 780 313	Digital Clamp Meter 600V

VOLTAGE DETECTOR

- Security norm: CAT IV 1000 V
- Measuring range : 12 - 1000 VAC
- Voltage range : 50 VAC - 1000 VAC (50/60 Hz)
- Red LED rouge blinks and beeping sounds
- If the tester detects voltage, the "power on" LED in the tip of the tester changes colour from green to red and a discontinuous beeping sound is generated
- Inside application
- IEC 61010-1.2 AAA 1,5 V included



Order No.	Model No.	Description
VOLTAGE DETECTOR		
2501420056	BIZ 780 310	Voltage Detector

TOOL BELT

- 600 denier polyester
- 15-compartment belt
- 2 storage pockets for tools, each with five compartments
- 2 pockets for screws and nails
- 2 retention loops for electrician's or riveting hammer
- 1 tape measure clip
- Contents non-included



Order No.	Model No.	Description
TOOL BELT		
2501419439	BIZ 700 228	Tool Belt

ELECTRICIAN WOVEN BAG

- 600 denier polyester
- Contents non-included
- Tool bag with large central pocket
- Reinforced floor and zip fastening
- Supplied with shoulder strap



Order No.	Model No.	Description
ELECTRICIAN WOVEN BAG		
2501419438	BIZ 700 226	Electrician Woven Bag

TOOLS BACKPACK

- Tool panel with 4 storage faces, each fitted with 8 pockets and 10 pen and/or screwdriver slots
- Large interior compartment with zipper
- Reinforced pack base to lay it on the ground open or closed for permanent access to the tools
- Comfortable with padded back and shoulder straps
- Ergonomic thanks to appropriate tool distribution on the level of the back
- Cell phone and water bottle compartments



Order No.	Model No.	Description
TOOLS BACKPACK		
2501419845	BIZ 790 519	Tools Backpack

LA COSTABELLE TOOL BAG

- Plastic floor
- Removable soft top
- With multiple inside/outside pockets
- Side fixing loops for bulky tools (levels, saws, drawings, etc.)
- Small parts storage box
- With foam-covered steel carry handle
- 600 denier polyester



Order No. Model No. Description

LA COSTABELLE TOOL BAG

2501419440 BIZ 700 229 Tool Bag 420x205x264mm

MAINTENANCE BAG

- Plastic feet
- Small parts storage box
- With multiple pockets and compartments
- 1 tape measure holding clip
- 600 denier polyester



Order No. Model No. Description

MAINTENANCE BAG

2501419849 BIZ 790 500 Maintenance Bag

STANDARD PLASTIC TOOL BOX 20" - 51CM

- Fabric: polypropylene (PP)
- Colours: black and red
- Supplied with a mobile tool holder (trolley)
- Two storage compartments in the lid
- Padlocking option (padlock not included)
- No tools included



Order No. Model No. Description

STANDARD PLASTIC TOOL BOX

2501419915 BIZ 790 527 Standard Plastic Tool Box 20" - 51cm

MAINTENANCE TOOL BOX

- Material: base in reinforced polypropylene (PP) and polycarbonate storage kit lid (PC)
- Metal wire hinges
- Wide metal fasteners
- Safe and comfortable aluminium handle
- Soft protection bumpers at corners
- Colours: black and grey
- Supplied with a mobile tool holder
- Mobile storage case in the lid
- Padlocking option (padlock not included)
- No tools included



Order No. Model No. Description

MAINTENANCE TOOL BOX

2501419916 BIZ 790 529 Maintenance Tool Box

Stock items delivered FREE in the UK*

* T&Cs apply

HEAVY DUTY TYPE PROFESSIONAL TOOL BOX 21"

- Material: reinforced polypropylene (PP)
- Metal wire hinges
- Wide metal fasteners
- Ergonomic and comfortable bi-material handle
- "V" groove on the lid for secondary cutting
- Colour: black
- Supplied with a mobile 2/3 tool holder (trolley)
- Padlocking option (padlock not included)



Order No.	Model No.	Description
HEAVY DUTY TYPE PROFESSIONAL TOOL BOX 21"		
2501419917	BIZ 790 530	Heavy Duty Type Professional Tool Box 21"

STORAGE CASE WITH 4 ORGANISERS

- Material: polypropylene
- Contents non-included
- Storage case with carrying handle
- Including: 2 organisers with 12 compartments, 1 organiser with 14 compartments (BIZ 700 529), 1 organiser with 16 compartments



Order No.	Model No.	Description
STORAGE CASE WITH 4 ORGANISERS		
2501419435	BIZ 700 220	Storage Case with 4 Organisers

STACKABLE ORGANISER

- Material: compartments and storage body made of polypropylene (PP) and cover made of polycarbonate (PC)
- Metal wire hinges
- Wide metal fasteners
- Comfortable dual-material handle
- Corners protected by soft bumpers
- Colours: black and red
- Storage case with side fasteners allowing several cases to be assembled together
- Can be locked using a padlock (not provided)
- Supplied empty



Order No.	Model No.	Description
STACKABLE ORGANIZER		
2501419918	BIZ 790 531	60mm Depth
2501419921	BIZ 790 532	100mm Depth

ORGANISER CASE 14 COMPARTMENTS

- With 14 compartments
- U profile transparent lid
- Material: polypropylene (PP)
- Contents not-included



Order No.	Model No.	Description
ORGANISER CASE 14 COMPARTMENTS		
2501419609	BIZ 700 529	Organiser Case 14 Compartments

WORKSITE STORAGE BOX

- Rolling storage box
- With removable tool tray with 2 closable compartments
- Possibility of locking by padlock (not supplied)
- Material: reinforced polypropylene (PP)
- Hinges metal wire
- Metal fastener
- Telescopic handle
- "V" groove on the cover for extra cut
- Attaching objects in the lid
- Colours: black and grey



Order No.	Model No.	Description
-----------	-----------	-------------

WORKSITE STORAGE BOX

2501419922	BIZ 790 533	Worksite Storage Box
-------------------	-------------	----------------------

ALUMINIUM FOLDING HAND TROLLEY

- TelescopJ565;R565th 200-kg loading capacity. Practical: foldable, ergonomic plastic handles. Wheels can be folded away
- Aluminium telescopic folding hand truck with a 200 kg load capacity
- Maximum payload: 200kg
- Ergonomic folding plastic handles
- Folding aluminium toe plate: 590 x 400mm
- Retractable wheels
- 2 wheels with TPR tyres 200 mm on plastic rim (polypropylene material)
- Folded dimensions: 590 x 80 x 1030mm



Order No.	Model No.	Description
-----------	-----------	-------------

ALUMINIUM FOLDING HAND TROLLEY

2501420057	BIZ 771025	Aluminium Folding Hand Trolley 200kg
-------------------	------------	--------------------------------------

STRAPS WITH TIGHTENING BUCKLES

- Polypropylene
- For strapping and stowing light loads on trailers, galleries, etc



Order No.	Model No.	Description
-----------	-----------	-------------

STRAPS WITH TIGHTENING BUCKLES

2501419720	BIZ 390478	1m x 20mm White
2501419721	BIZ 390479	1m x 25mm White
2501419719	BIZ 390476	1.5 m x 20mm Yellow
2501419703	BIZ 730930	1.5m x 25mm Yellow
2501419717	BIZ 390474	2m x 20mm Blue
2501419718	BIZ 390475	2m x 25mm Blue
2501419715	BIZ 390472	2.5m x 20mm Red
2501419716	BIZ 390473	2.5m x 25mm Red
2501419714	BIZ 390470	3m x 20mm Black
2501419704	BIZ 730931	3m x 25mm Black

RATCHET STRAPS

- Polyester. For strapping and stowing medium loads on trailers, galleries, etc.



Order No.	Model No.	Description
-----------	-----------	-------------

RATCHET STRAPS

2501419706	BIZ 730933	4.6m x 25mm Black
2501419705	BIZ 730932	5m x 25mm Black

BUNGEEES AND SECURING STRAPS SET

- Set of tensioners and straps including two 40-cm tensioners, two 60-cm tensioners, two 80-cm tensioners, two 100-cm tensioners and two 2-m straps (width 25mm)



Order No.	Model No.	Description
-----------	-----------	-------------

BUNGEEES AND SECURING STRAPS SET

2501419897	BIZ 700327	Bungees and Securing Straps Set - 10 Pack
-------------------	------------	---

MAGNETIC NUT DRIVER 5/16

- Made of S2 steel
- 1/4" hex shank



Order No.	Model No.	Description
MAGNETIC NUT DRIVER 5/16		
2501420071	BIZ 781 050	Magnetic Nut Driver 5/16

BELT SET OF 16 SCREW BITS + 2 SOCKETS

- Belt clip set composed of:
 - 4 Slotted bits: 3/4/5/6 mm.
 - 4 Phillips® bits: PH1 / PH2 (2 pieces) / PH3.3 Pozidriv® bits: PZ1 / PZ 2/ PZ3.5 Torx® bits: T10 / T15 / T20 / T25 / T30.2 sockets 8 and 10 mm.
 - 1 bit holder with grip and 1/4" hex adapter, length 50 mm.
 - 1 1/4" bit holder, length 50 mm



Order No.	Model No.	Description
BELT SET OF 16 SCREW BITS + 2 SOCKETS		
2501419873	BIZ 781 519	Belt set of 16 Screw Bits + 2 Sockets

IMPACT BIT BOX FOR IMPACT SCREWDRIVER

- 30mm Impact Bits
- Box composed of:
 - 1 magnetic bit holder special for impact screwdrivers
 - 3 Pozidriv® tips: 2 x PZ2 / 1 x PZ3
 - 6 Torx® bits: 1 x TX 15 / 2 x TX20 / 2 x TX25 / 1 x TX30



Order No.	Model No.	Description
IMPACT BIT BOX FOR IMPACT SCREWDRIVER		
2501618781	BIZ 781 053	Impact Bit Box for Impact Screwdriver

TORSION BIT SET 32 PIECES

- 25 mm Torsion bits resistant to high tightening torques.
- Box composed of:
 - 1 magnetic bit holder
 - 2 flat tips: 4.5 / 5.5 mm
 - 7 Phillips® tips: 2 x PH1 / 3 x PH2 / 2 x PH3
 - 7 Pozidriv® bits: 2 x PZ1 / 3 x PZ2 / 2 x PZ3
 - 10 Torx® bits: 1 x TX10 / 1 x TX 15 / 3 x TX20 / 2 x TX25 / 2 x TX30 / 1 x TX40
 - 5 hexagonal bits: HEX 2 / 3 / 4 / 5 / 6



Order No.	Model No.	Description
TORSION BIT SET - 32 PIECES		
2501618789	BIZ 781 064	Torsion Bit Set 32 Pieces

SCREW BITS

- Chrome molybdenum
- 1/4" hex handle



Order No.	Model No.	Description
-----------	-----------	-------------

SCREW BITS

2501419868	BIZ 781 023	6 Hexagonal Screw Bits 25mm
2501419889	BIZ 781 008	2 piece PH2 bit set 70mm

MAGNETIC SCREW BITS

- In steel S2
- 1/4" hexagon socket



Order No.	Model No.	Description
-----------	-----------	-------------

MAGNETIC SCREW BITS

2501420067	BIZ 781 036	PH2 100mm
2501420068	BIZ 781 037	PH2 150mm
2501420069	BIZ 781 038	SQ2 100mm
2501420070	BIZ 781 039	SQ2 150mm

LONG SCREW BITS

- Torsion bits resistant to high tightening torques
- Standard DIN hardness
- Anti-rust protection



Order No.	Model No.	Description
-----------	-----------	-------------

LONG SCREW BITS

2501618785	BIZ 781 060	Set of 3 Screw Bits 90mm 1x PH2, 1x PZ1, 1x PZ2
2501618787	BIZ 781 062	Set of 2 Screw Bits PH2 70mm 2x PH2

SHORT SCREW BITS

- Torsion bits resistant to high tightening torques
- Standard DIN hardness
- Anti-rust protection



Order No.	Model No.	Description
-----------	-----------	-------------

SHORT SCREW BITS

2501618786	BIZ 781 061	Set of 5 Screw Bits PH2 25mm
2501618788	BIZ 781 063	Set of 5 Screw Bits PZ2 25mm

DAMAGED SCREW EXTRACTOR

- Tempered and quenched HSS steel
- Hex shank fitting



Order No.	Model No.	Description
-----------	-----------	-------------

DAMAGED SCREW EXTRACTOR

2501419616	BIZ 780 009	Damaged Screw Extractor
-------------------	-------------	-------------------------

SDS+ HAMMER DRILL BITS 2 CUTTING EDGES



Order No.	Model No.	Description
SDS+ HAMMER DRILL BITS		
2501419473	BIZ 700 601	2 Cutter 4 x 110 mm
2501419474	BIZ 700 602	2 Cutter 5 x 110 mm
2501419513	BIZ 700 603	2 Cutter 5 x 160 mm
2501419501	BIZ 700 646	2 Cutter 5.5 x 110 mm
2501419505	BIZ 700 647	2 Cutter Ø 5.5 x 160 mm
2501419480	BIZ 700 604	2 Cutter 6 x 110 mm
2501419478	BIZ 700 605	2 Cutter 6 x 160 mm
2501419755	BIZ 700 648	2 Cutter 6 x 210 mm
2501419479	BIZ 700 606	2 Cutter 6 x 260 mm
2501419508	BIZ 700 608	2 Cutter 7 x 160 mm
2501419512	BIZ 700 610	2 Cutter 8 x 110 mm
2501419496	BIZ 700 611	2 Cutter 8 x 160 mm
2501419481	BIZ 700 612	2 Cutter 8 x 210 mm
2501419495	BIZ 700 613	2 Cutter 8 x 260 mm
2501419494	BIZ 700 614	2 Cutter 8 x 310 mm
2501419492	BIZ 700 615	S2 Cutter 8 x 450 mm
2501419488	BIZ 700 616	2 Cutter 10 x 160 mm
2501419499	BIZ 700 617	2 Cutter 10 x 210 mm
2501419487	BIZ 700 618	2 Cutter 10 x 260 mm
2501419483	BIZ 700 619	2 Cutter 10 x 310 mm
2501419510	BIZ 700 620	2 Cutter 10 x 450 mm
2501419485	BIZ 700 621	2 Cutter 12 x 160 mm
2501419476	BIZ 700 622	2 Cutter 12 x 210 mm
2501419482	BIZ 700 624	2 Cutter 12 x 310 mm
2501419504	BIZ 700 625	2 Cutter 12 x 450 mm
2501419588	BIZ 700 626	2 Cutter 12 x 600 mm
2501419491	BIZ 700 627	2 Cutter 12 x 1000 mm
2501419486	BIZ 700 629	2 Cutter 14 x 210 mm
2501419493	BIZ 700 631	2 Cutter 14 x 450 mm
2501419506	BIZ 700 633	2 Cutter 16 x 210 mm
2501419490	BIZ 700 634	2 Cutter 16 x 260 mm
2501419507	BIZ 700 635	2 Cutter 16 x 450 mm
2501419484	BIZ 700 636	2 Cutter 16 x 600 mm
2501419497	BIZ 700 638	2 Cutter 18 x 450 mm
2501419477	BIZ 700 641	2 Cutter 20 x 450 mm
2501419489	BIZ 700 642	2 Cutter 20 x 600 mm
2501419503	BIZ 700 643	2 Cutter 22 x 450 mm
2501419502	BIZ 700 645	2 Cutter 26 x 450 mm

SDS+ HAMMER DRILL BITS "XTREME" 4 CUTTING EDGES



Order No.	Model No.	Description
SDS+ HAMMER DRILL BITS "XTREME"		
2501419589	BIZ 700 650	XTREME 4 Cutter 5 x 110 mm
2501419590	BIZ 700 651	XTREME 4 Cutter 5 x 160 mm
2501419599	BIZ 700 657	XTREME 4 Cutter 5.5 x 110 mm
2501419600	BIZ 700 658	XTREME 4 Cutter 5.5 x 160 mm
2501419591	BIZ 700 652	XTREME 4 Cutter 6 x 110 mm
2501419592	BIZ 700 653	XTREME 4 Cutter 6 x 160 mm
2501419737	BIZ 780 072	XTREME 4 Cutter 6 x 210 mm
2501419742	BIZ 780 077	XTREME 4 Cutter 6 x 260 mm
2501419594	BIZ 700 655	XTREME 4 Cutter 8 x 160 mm
2501419738	BIZ 780 073	XTREME 4 Cutter 8 x 210 mm
2501419743	BIZ 780 078	XTREME 4 Cutter 8 x 260 mm
2501419747	BIZ 780 082	XTREME 4 Cutter 8 x 450 mm
2501419595	BIZ 700 656	XTREME 4 Cutter 10 x 160 mm
2501419739	BIZ 780 074	XTREME 4 Cutter 10 x 210 mm
2501419744	BIZ 780 079	XTREME 4 Cutter 10 x 260 mm
2501419748	BIZ 780 083	XTREME 4 Cutter 10 x 450 mm
2501419736	BIZ 780 071	XTREME 4 Cutter 12 x 160 mm
2501419740	BIZ 780 075	XTREME 4 Cutter 12 x 210 mm
2501419745	BIZ 780 080	XTREME 4 Cutter 12 x 260 mm
2501419749	BIZ 780 084	XTREME 4 Cutter 12 x 450 mm
2501419741	BIZ 780 076	XTREME 4 Cutter 14 x 210 mm
2501419746	BIZ 780 081	XTREME 4 Cutter 14 x 260 mm
2501419750	BIZ 780 085	XTREME 4 Cutter 14 x 450 mm
2501419751	BIZ 780 086	XTREME 4 Cutter 18 x 450 mm
2501419752	BIZ 780 087	XTREME 4 Cutter 20 x 450 mm
2501419753	BIZ 780 088	XTREME 4 Cutter 22 x 450 mm
2501419754	BIZ 780 089	XTREME 4 Cutter 25 x 450 mm
PACK OF 5		
2501420008	BIZ 700 688	5 Piece XTREME 5.5 x 110 mm



SDS+ HAMMER DRILL BITS SET - 7 PACK

- 2 cutting edges
- Includes: 5 x 110 mm, 6 x 110 mm, 6 x 160 mm, 8 x 110 mm, 8 x 160 mm, 10 x 160 mm, 12 x 160 mm



Order No.	Model No.	Description
-----------	-----------	-------------

7 PIECE SETS

2501419472	BIZ 700 196	SDS+ Hammer Drill Bit Set - 7 Pack
-------------------	-------------	------------------------------------

SDS+ HAMMER DRILL BITS 2 CUTTING EDGES - 10 PIECE SETS



Order No.	Model No.	Description
-----------	-----------	-------------

10 PIECE SETS

2501419475	BIZ 700 687	2 Cutter Set 5.5 x 110 mm
2501419498	BIZ 700 681	2 Cutter Set 6 x 110 mm
2501419511	BIZ 700 684	2 Cutter Set 8 x 160 mm

SDS-MAX HAMMER DRILL BITS



Order No.	Model No.	Description
-----------	-----------	-------------

SDS-MAX HAMMER DRILL BITS

2501419517	BIZ 700 660	4 Cutter 14 x 540 mm
2501419520	BIZ 700 661	4 Cutter 16 x 340 mm
2501419521	BIZ 700 662	4 Cutter 16 x 540 mm
2501419522	BIZ 700 663	4 Cutter 18 x 540 mm
2501419516	BIZ 700 664	4 Cutter 20 x 520 mm
2501419524	BIZ 700 665	4 Cutter 22 x 520 mm
2501419523	BIZ 700 666	4 Cutter 22 x 920 mm
2501419514	BIZ 700 667	4 Cutter 25 x 520 mm
2501419525	BIZ 700 668	4 Cutter 25 x 920 mm
2501419515	BIZ 700 669	4 Cutter 30 x 570 mm
2501419519	BIZ 700 670	4 Cutter 32 x 920 mm
2501419518	BIZ 700 671	4 Cutter 35 x 570 mm

POINTED AND FLAT CHISELS



Order No.	Model No.	Description
-----------	-----------	-------------

POINTED AND FLAT CHISELS

2501419528	BIZ 700 690	SDS-MAX Pointed Chisel 18 x 400mm
2501419527	BIZ 700 691	SDS-MAX Flat Chisel Ø 18 x 400 mm
2501419526	BIZ 700 692	SDS+ Pointed Chisel 10 x 250 mm
2501419529	BIZ 700 693	SDS+ Flat Chisel 10 x 250 mm

CYLINDRICAL MULTI-MATERIAL DRILL BITS

- Cylindrical shank
- Carbide tips sharpened on diamond grinding wheel
- Red polished helix and flute



Order No.	Model No.	Description
-----------	-----------	-------------

MULTI-MATERIAL DRILL BITS

2501419532	BIZ 700 742	5 x 150 mm
2501419598	BIZ 700 753	5.5 x 150 mm
2501419540	BIZ 700 744	6 x 50 mm
2501419530	BIZ 700 746	8 x 200 mm
2501419533	BIZ 700 748	10 x 200 mm
2501419537	BIZ 700 749	12 x 220 mm
2501419531	BIZ 700 750	14 x 220 mm

CERAMIC TILE DRILL BITS

- Accurate centering with the diamond sharpened carbide plate



Order No.	Model No.	Description
-----------	-----------	-------------

CERAMIC TILE DRILL BITS

2501419892	BIZ 709 990	Ø6 mm
2501419893	BIZ 709 991	Ø8 mm
2501419894	BIZ 709 992	Ø10 mm

SET CERAMIC STONWARE AND CONCRETE DRILL BITS

- Ready to use sets for fastening plugs into very hard tiles



Order No.	Model No.	Description
-----------	-----------	-------------

SET CERAMIC STONWARE AND CONCRETE DRILL BITS

2501419895	BIZ 709 993	2 Piece set Ø 6 mm
2501419896	BIZ 709 994	2 Piece set Ø 8 mm

HEX. SHANK MULTI-MATERIAL DRILL BITS

- Hexagonal shank
- Carbide tips sharpened on diamond grinding wheel
- Polished helix and flute



Order No.	Model No.	Description
-----------	-----------	-------------

HEX. SHANK MULTI-MATERIAL DRILL BITS

2501419534	BIZ 700 741	1/4" Hex 5 x 99 mm
2501419602	BIZ 700 752	1/4" Hex 5.5 x 99 mm
2501419538	BIZ 700 743	1/4" Hex 6 x 114 mm
2501419535	BIZ 700 745	1/4" Hex 8 x 120 mm
2501419539	BIZ 700 747	1/4" Hex 10 x 120 mm

PACK OF 5

2501419536	BIZ 700 751	5 Piece 1/4" Hex 4-10 mm
------------	-------------	--------------------------

CYLINDRICAL HSS METAL DRILL BITS

- Cylindrical shank Monoblock head
- Helix angle between 23° and 33°



Order No.	Model No.	Description
-----------	-----------	-------------

HSS METAL DRILL BITS

2501419544	BIZ 700 702	3 Pieces Set 1.5 x 40 mm
2501419543	BIZ 700 703	3 Piece Set 2 x 49 mm
2501419551	BIZ 700 704	3 Piece Set 2.5 x 57 mm
2501419553	BIZ 700 705	3 Piece Set Ø 3 x 61 mm
2501419542	BIZ 700 706	3 Piece Set 3.2 x 65 mm (x 3)
2501419541	BIZ 700 707	3 Piece Set Ø 3.3 x 65 mm
2501419564	BIZ 700 708	2 Piece Set Ø 3.5 x 70 mm (x 2)
2501419559	BIZ 700 709	2 Piece Set 4 x 75 mm
2501419545	BIZ 700 710	2 Pieces Set Ø 4.2 x 75 mm
2501419563	BIZ 700 711	2 Piece Set 4.5 x 80 mm
2501419546	BIZ 700 713	2 Pieces Set 5 x 86 mm
2501419566	BIZ 700 714	2 Piece Set Ø 5.5 x 93 mm
2501419565	BIZ 700 715	2 Piece Set Ø 6 x 93 mm
2501419555	BIZ 700 716	Ø 6.5 x 101 mm
2501419550	BIZ 700 717	Ø 7 x 109 mm
2501419556	BIZ 700 718	Ø 7.5 x 109 mm
2501419557	BIZ 700 719	Ø 8 x 117 mm
2501419548	BIZ 700 720	Ø 8.5 x 117 mm
2501419549	BIZ 700 721	Ø 9 x 125 mm
2501419552	BIZ 700 722	Ø 9.5 x 125 mm
2501419561	BIZ 700 724	Ø 10 x 133 mm
2501419560	BIZ 700 725	Ø 10.5 x 133 mm
2501419562	BIZ 700 726	Ø 11 x 142 mm
2501419558	BIZ 700 728	Ø 12 x 151 mm
2501419547	BIZ 700 729	Ø 13 x 151 mm



■ CYLINDRICAL SHANK HSS METAL DRILL BITS SETS

- Cylindrical shank
- HSS 5 % cobalt drills



Order No. Model No. Description

CYLINDRICAL SHANK HSS METAL DRILL BITS SETS

2501419554	BIZ 700 723	10 Piece Set - 1/2/3/4/5/6/7/8/9/10mm
2501420000	BIZ 700 757	19 Piece Set - 1 to 10mm in steps of 0.5 mm

■ ISO STEP DRILL

- Hexagonal shank \varnothing 10 mm
- Straight flutes
- Offset point
- ISO compatible, from 8 mm to 25 mm
- Laser marking of the 10 steps
- Fitted with a shank with 3 \varnothing 10 mm tips



Order No. Model No. Description

ISO STEP DRILL

2501420029	BIZ 700 699	ISO Step Drill
-------------------	-------------	----------------

■ STEP DRILL BIT

- Hexagonal shank 10 mm \varnothing 5 % cobalt HSS steel
- Helix flutes
- Cross shaped sharpening



Order No. Model No. Description

STEP DRILL BIT

2501419567	BIZ 700 095	Step Drill Bit
-------------------	-------------	----------------

■ 8MM \varnothing SIDE CUTTING BIT

- TiN (titanium nitride) HSS drill bit
- Cylindrical shank
- Tip angle 118°
- Sharpened cross-shape tip



Order No. Model No. Description

8MM \varnothing SIDE CUTTING BIT

2501419568	BIZ 700 700	8mm \varnothing Side Cutting Bit
-------------------	-------------	------------------------------------

■ SET OF 7 TAPS & 7 DRILLS

- Precision shaped and sized, milled, self-centring HSS drills with accurate dimensions to produce the tapping holes
- Contains:
7 taps: M3/M4/M5/M6/M8/M10/M12
7 drills: 2.5/3.3/4.2/5/6.8/8.5/10.2 mm
- 1 tap wrench



Order No. Model No. Description

SET OF 7 TAPS & 7 DRILLS

2501419569	BIZ 700 180	Set of 7 Taps & 7 Drills
-------------------	-------------	--------------------------

■ FLAT WOOD BITS

- Hexagonal shank



Order No. Model No. Description

FLAT WOOD BITS

2501419783	BIZ 790 801	\varnothing 6 x 152 mm
2501419784	BIZ 790 802	\varnothing 10 x 152 mm
2501419785	BIZ 790 803	\varnothing 12 x 152 mm
2501419786	BIZ 790 804	\varnothing 13 x 152 mm
2501419787	BIZ 790 805	\varnothing 16 x 152 mm
2501419790	BIZ 790 807	\varnothing 18 x 152 mm
2501419789	BIZ 790 808	\varnothing 20 x 152 mm
2501419791	BIZ 790 809	\varnothing 22 x 152 mm
2501419792	BIZ 790 810	\varnothing 28 x 152 mm
2501419899	BIZ 790 813	\varnothing 25 x 152 mm
2501419793	BIZ 790 811	\varnothing 35 x 152 mm
2501419794	BIZ 790 812	\varnothing 40 x 152 mm
2501419796	BIZ 790 822	\varnothing 10 x 400 mm
2501419797	BIZ 790 823	\varnothing 12 x 400 mm
2501419798	BIZ 790 825	\varnothing 16 x 400 mm
2501419800	BIZ 790 827	\varnothing 18 x 400 mm
2501419801	BIZ 790 828	\varnothing 20 x 400 mm
2501419802	BIZ 790 829	\varnothing 22 x 400 mm
2501419803	BIZ 790 830	\varnothing 28 x 400 mm
2501419804	BIZ 790 831	\varnothing 35 x 400 mm

5 PIECE SET

2501419805	BIZ 790 816	5 Piece Set \varnothing 13/18/22/28/35 mm
-------------------	-------------	---

BI-METAL 8% COBALT HOLE SAWS STANDARD

- Material: bi-metal HSS steel with 8 % cobalt
- Cutting depth: 38 mm



Order No.	Model No.	Description
-----------	-----------	-------------

BI-METAL 8% COBALT HOLE SAWS STANDARD

2501419620	BIZ 700 863	Ø 16 mm
2501419621	BIZ 700 864	Ø 17 mm
2501419622	BIZ 700 865	Ø 19 mm
2501419623	BIZ 700 866	Ø 20 mm
2501419624	BIZ 700 867	Ø 21 mm
2501419625	BIZ 700 868	Ø 22 mm
2501419626	BIZ 700 869	Ø 25 mm
2501419627	BIZ 700 870	Ø 29 mm
2501419628	BIZ 700 871	Ø 32 mm
2501419629	BIZ 700 872	Ø 33 mm
2501419630	BIZ 700 873	Ø 38 mm
2501419631	BIZ 700 874	Ø 40 mm
2501419632	BIZ 700 875	Ø 41 mm
2501419633	BIZ 700 876	Ø 48 mm
2501419634	BIZ 700 877	Ø 51 mm
2501419635	BIZ 700 878	Ø 54 mm
2501419636	BIZ 700 879	Ø 57 mm
2501419637	BIZ 700 880	Ø 60 mm
2501419638	BIZ 700 881	Ø 63 mm
2501419639	BIZ 700 882	Ø 64 mm
2501419640	BIZ 700 883	Ø 65 mm
2501419641	BIZ 700 884	Ø 67 mm
2501419642	BIZ 700 885	Ø 68 mm
2501419643	BIZ 700 886	Ø 70 mm
2501419644	BIZ 700 887	Ø 73 mm
2501419645	BIZ 700 888	Ø 76 mm
2501419646	BIZ 700 889	Ø 79 mm
2501419647	BIZ 700 890	Ø 80 mm
2501419683	BIZ 700 415	Ø 83 mm
2501419648	BIZ 700 891	Ø 86 mm
2501419684	BIZ 700 416	Ø 92 mm
2501419685	BIZ 700 417	Ø 95 mm
2501419686	BIZ 700 418	Ø 100 mm
2501419649	BIZ 700 892	Ø 102 mm
2501419650	BIZ 700 893	Ø 105 mm
2501419651	BIZ 700 894	Ø 127 mm

ARBORS FOR BI-METAL HOLE SAWS STANDARD

- Hexagonal shank
- Fitted with a 6.35 mm Ø HSS pilot drill and length 80 mm



Order No.	Model No.	Description
-----------	-----------	-------------

ARBORS FOR BI-METAL HOLE SAWS STANDARD

2501419653	BIZ 700 896	Ø 14 to 30 mm
2501419654	BIZ 700 897	Ø 31 to 210 mm

HSS PILOT DRILL

2501419652	BIZ 700 898	HSS pilot drill for arbors
------------	-------------	----------------------------

SET OF 3 ADAPTERS STANDARD HOLE SAW Ø > 30MM



Order No.	Model No.	Description
-----------	-----------	-------------

SET OF 3 ADAPTERS STANDARD HOLE SAW Ø > 30 MM

2501419834	BIZ 780 155	Set of 3 adapters standard hole saw Ø > 30 mm
2501419835	BIZ 780 156	Set of 3 adapters standard hole saw Ø > 30 mm

ADAPTER SAWS BELLS TO EXTEND HOLES

- The solution for enlarging existing holes by simultaneously mounting two hole saws on the chuck



Order No.	Model No.	Description
-----------	-----------	-------------

ADAPTER SAWS BELLS TO EXTEND HOLES

2501420052	BIZ 700 698	Adapter saws bells to extend holes
------------	-------------	------------------------------------

BI-METAL CLIC II HOLE SAWS

- Cutting depth 44mm
- Teeth per inch: 4/6
- Supplied without arbor or pilot drill



Order No.	Model No.	Description
-----------	-----------	-------------

BI-METAL CLIC II HOLE SAWS

2501419806	BIZ 780 110	Ø 16 mm
2501419931	BIZ 781 130	Ø 17 mm
2501419807	BIZ 780 111	Ø 19 mm
2501419808	BIZ 780 112	Ø 20 mm
2501419809	BIZ 780 113	Ø 22 mm
2501419933	BIZ 781 132	Ø 24 mm
2501419810	BIZ 780 114	Ø 25 mm
2501419934	BIZ 781 133	Ø 27
2501419935	BIZ 781 134	Ø 29 mm
2501419936	BIZ 781 135	Ø 30 mm
2501419811	BIZ 780 115	Ø 32 mm
2501419938	BIZ 781 137	Ø 35 mm
2501419886	BIZ 780 026	Ø 38 mm
2501419812	BIZ 780 116	Ø 40 mm
2501419940	BIZ 781 139	Ø 41 mm
2501419941	BIZ 781 140	Ø 43 mm
2501419942	BIZ 781 141	Ø 44 mm
2501419943	BIZ 781 142	Ø 46 mm
2501419887	BIZ 780 027	Ø 48 mm
2501419813	BIZ 780 117	Ø 51 mm
2501419944	BIZ 781 143	Ø 52 mm
2501419814	BIZ 780 118	Ø 54 mm
2501419815	BIZ 780 119	Ø 57 mm
2501419816	BIZ 780 120	Ø 60 mm
2501419945	BIZ 781 144	Ø 64 mm
2501419817	BIZ 780 121	Ø 65 mm
2501419818	BIZ 780 122	Ø 67 mm
2501419860	BIZ 780 129	Ø 68 mm
2501419819	BIZ 780 123	Ø 70 mm
2501419820	BIZ 780 124	Ø 73 mm
2501419821	BIZ 780 125	Ø 75 mm
2501419822	BIZ 780 126	Ø 76 mm
2501419861	BIZ 780 131	Ø 80 mm
2501419947	BIZ 781 146	Ø 82 mm
2501419948	BIZ 781 147	Ø 83 mm
2501419823	BIZ 780 127	Ø 86 mm
2501419949	BIZ 781 148	Ø 89 mm
2501419950	BIZ 781 149	Ø 92 mm
2501419888	BIZ 780 132	Ø 95 mm
2501419951	BIZ 781 150	Ø 98 mm
2501419952	BIZ 781 151	Ø 102 mm
2501419824	BIZ 780 128	Ø 105 mm
2501419953	BIZ 781 152	Ø 111 mm

MULTI-MATERIAL CLIC II HOLE SAWS

- Cutting depth 59mm
- Tungsten carbide tips
- Wide ejection notches



Order No.	Model No.	Description
-----------	-----------	-------------

MULTI-MATERIAL CLIC II HOLE SAWS

2501419977	BIZ 781 177	Ø 16 mm
2501419979	BIZ 781 179	Ø 20 mm
2501419980	BIZ 781 180	Ø 22 mm
2501419981	BIZ 781 181	Ø 25 mm
2501419957	BIZ 781 157	Ø 27 mm
2501419959	BIZ 781 159	Ø 30 mm
2501419961	BIZ 781 161	Ø 35 mm
2501419825	BIZ 780 140	Ø 40 mm
2501419963	BIZ 781 163	Ø 41 mm
2501419964	BIZ 781 164	Ø 43 mm
2501419966	BIZ 781 166	Ø 46 mm
2501419985	BIZ 781 185	Ø 51 mm
2501419967	BIZ 781 167	Ø 52 mm
2501419826	BIZ 780 141	Ø 55 mm
2501419986	BIZ 781 186	Ø 57 mm
2501419987	BIZ 781 187	Ø 60 mm
2501419968	BIZ 781 168	Ø 64 mm
2501419988	BIZ 781 188	Ø 65 mm
2501419989	BIZ 781 189	Ø 67 mm
2501419827	BIZ 780 142	Ø 68 mm
2501419990	BIZ 781 190	Ø 70 mm
2501419991	BIZ 781 191	Ø 73 mm
2501419992	BIZ 781 192	Ø 76 mm
2501419969	BIZ 781 169	Ø 79 mm
2501419993	BIZ 781 193	Ø 80 mm
2501419828	BIZ 780 143	Ø 85 mm
2501419972	BIZ 781 172	Ø 89 mm
2501419994	BIZ 781 194	Ø 95 mm
2501419975	BIZ 781 175	Ø 102 mm
2501419976	BIZ 781 176	Ø 111 mm

HEX. ARBOR FOR CLIC II HOLE SAW WITH HSS PILOT DRILL

- Supplied in standard with cobalt HSS pilot drill BIZ 780 153

Order No.	Model No.	Description
HEX ARBOUR FOR CLIC II HOLE SAW WITH HSS PILOT DRILL		
2501419830	BIZ 780 150	Hexagonal Shaft for CLIC II Hole Saw with HSS Pilot Drill 120 mm
2501419831	BIZ 780 151	Hexagonal Shaft for CLIC II Hole Saw with HSS Pilot Drill 120 mm
2501419832	BIZ 780 153	Cylindrical Shaft for CLIC II Hole Saw with HSS Pilot Drill 120 mm



CARBIDE TIPPED PILOT DRILL FOR CLIC II HOLE SAW

- Cylindrical shank



Order No.	Model No.	Description
CARBIDE TIPPED PILOT DRILL FOR CLIC II HOLE SAW		
2501419833	BIZ 780 154	Carbide Tipped Pilot Drill for Clc II Hole Saw 120 mm

EXTENSION FOR HOLE SAW

- Supplied in standard with cobalt HSS pilot drill BIZ 780 153



Order No.	Model No.	Description
EXTENSION FOR HOLE SAW		
2501420101	BIZ 781 195	Extension for Hole Saw 300 mm

SDS+ CONCRETE HOLE SAWS

- Supplied with carbide pilot drill BIZ 700 694 with flats for fitting to the hole saw holder
- SDS+ hole shank
- Carbide tips



Order No.	Model No.	Description
SDS+ CONCRETE HOLE SAWS		
2501419687	BIZ 700 419	SDS+ HD Hole Saw

DIAMOND CLIC II HOLE SAW

- Diamond coating



Order No.	Model No.	Description
DIAMOND CLIC II HOLE SAW		
2501419829	BIZ 780 148	Diamond Clc II Hole Saw Ø 68 mm

CUTTING DISCS



Order No.	Model No.	Description
CUTTING DISCS		
2501420095	BIZ 782 016	Diamond Cutting Disc for Steel 125 mm
2501420096	BIZ 782 017	Diamond Cutting Disc for Concrete 125 mm
2501420097	BIZ 782 018	Diamond Cutting Disc for Multimaterial 125 mm

DRUM ROLLERS

- One piece drum rollers



Order No.	Model No.	Description
MONOBLOCK DRUM ROLLERS		
2501419339	BIZ 700208	Monoblock Drum Roller 150 kg
2501419610	BIZ 700848	Monoblock Drum Roller 300kg

MULTI-DIAMETER HOLE SAW

- Supplied with anti-dust hood



Order No.	Model No.	Description
MULTI-DIAMETER HOLE SAW		
2501419464	BIZ 700 197	Multi-Diameter Hole Saw

DRUM ROLLER STAND

- Two separate stand parts which can be packed together like a suitcase with a handle for carrying to site



Order No.	Model No.	Description
DRUM ROLLER STAND		
2501419340	BIZ 700207	Drum Roller Stand 300kg

BLADES



Order No.	Model No.	Description
BLADES		
2501419841	BIZ 782 071	Set of 2 Blades for Very Clean Cuts in Wood
2501419840	BIZ 782 070	Set of 5 Special Quick-Cutting Blades for Wood
2501419842	BIZ 782 073	Set of 2 Special Quick Blades for Steel
2501419844	BIZ 782 076	Set of 2 Blades for Stainless Steel
2501419843	BIZ 782 074	Set of 5 Blades for Cutting Curves in Steel

HAND SAW DOUBLE TEETH

- Hand saw with double teeth edge and ergonomic handle



Order No.	Model No.	Description
HAND SAW DOUBLE TEETH		
2501583293	BIZ 700342	Hand Saw Double Teeth

GUN FOR CARTRIDGES AND FOAM 330ML

- Gun for cartridges and intumescent foam up to 330 ml



Order No.	Model No.	Description
GUN FOR CARTRIDGES AND FOAM 330ML		
2501583278	BIZ 710 320	Gun for Cartridges and Foam 330ml

SABRE BLADES



Order No.	Model No.	Description
SABRE BLADES		
2501420084	BIZ 782 077	Set of 5 Sabre Saw Blades for Metal
2501420085	BIZ 782 078	Set of 5 Sabre Saw Blades for Wood

AUTOLOCK TAPE MEASURES

- Double marking tape measure meter/feet



Order No.	Model No.	Description
AUTOLOCK TAPE MEASURES		
2501583291	BIZ 790063	Autolock Tape Measure 5m
2501583292	BIZ 790064	Autolock Tape Measure 8m

CAULKING GUN FOR CARTRIDGES 310ML

- Caulking Gun for Cartridges up to 310 ml



Order No.	Model No.	Description
CAULKING GUN FOR CARTRIDGES 310ML		
2501583279	BIZ 710214	Caulking Gun for Cartridges 310ml



21 PIECE MASTER ROLL TOOL CASE SET



- Master tool case (BIZ 790 502) equipped with:
- 1 i-SLIM flat-blade screwdriver 3.5 x 100 (BIZ 790 071).
- 1 i-SLIM flat-blade screwdriver 4 x 100 (BIZ 790 072).
- 1 i-SLIM flat-blade screwdriver 5.5 x 125 (BIZ 790 073).
- 1 i-SLIM flat-blade screwdriver 6.5 x 125 (BIZ 790 074).
- 1 i-SLIM PH1 screwdriver 4.5 x 80 (BIZ 790 075).
- 1 i-SLIM PH2 screwdriver 6 x 100 (BIZ 790 076).
- 1 i-SLIM flat-blade/PZ1 screwdriver (BIZ 790 079).
- 1 i-SLIM torx screwdriver T20 x 125 (BIZ 790 086).
- 1 insulated stripping pliers 1000 V (BIZ 790 223).
- 1 insulated reinforced cutter 1000 V (BIZ 790 234).
- 1 insulated combined pliers 1000 V (BIZ 790 225).
- 1 insulated half-round nose pliers 1000 V (BIZ 790 231).
- 1 electronic cutter (BIZ 700 862).
- 1 automatic stripping pliers 0.02-10mm² (BIZ 790 015).
- 1 multi-function cable stripper Ø 8-13mm (BIZ 790 014).
- 1 set of 9 hex head male wrenches (BIZ 700 063).
- 1 PICA DRY graphite mechanical pencil (BIZ 790 214).
- 1 Pica InK black marker (BIZ 780 428).
- 1 special black felt pen for cables (BIZ 780 204).
- 1 aluminium level 40 cm (BIZ 700 044).
- 1 set of 32 screw bits with holder (BIZ 781 027).

Order No.	Model No.	Description
-----------	-----------	-------------

21 PIECE MASTER ROLL TOOL CASE SET

2501510491	BIZ 790523	21 Piece Master Roll Tool Case Set
-------------------	------------	------------------------------------

13 PIECE BACKPACK SET

- Backpack (BIZ 790519) with 13 tools:
- 1 1000 V insulated flat-blade screwdriver 3 mm (BIZ 700 015)
- 1 1000 V insulated flat-blade screwdriver 4 mm (BIZ 700 016)
- 1 1000 V insulated flat-blade screwdriver 5.5 mm (BIZ 700 017)
- 1 1000 V insulated PH1 screwdriver (BIZ 700 021).
- 1 1000 V insulated PH2 screwdriver (BIZ 700 022).
- 1 1000 V insulated Torx® T15 screwdriver (BIZ 700 466).
- 1 1000 V insulated Torx® T20 screwdriver (BIZ 700 467)
- 1 chrome-plated 1000 V insulated cutters 160 mm (BIZ 790 221).
- 1 chrome-plated 1000 V insulated combined pliers 180 mm (BIZ 790 225).
- 1 chrome-plated 1000 V insulated half-round long nose pliers 160 mm (BIZ 790 227)
- 1 250 mm magnet level (BIZ 700 206).
- 1 fixed grip mini saw (BIZ 790 054).
- 1 cable stripper (BIZ 790 008)

Order No.	Model No.	Description
-----------	-----------	-------------

13 PIECE BACKPACK SET

2501510488	BIZ 997063	13 Piece Backpack Set
-------------------	------------	-----------------------

13 PIECE LA COSTABELLE TOOL BAG SET



- La Costabelle tool bag (BIZ 700 229) composed of:
- 1 1000 V insulated flat-blade screwdriver 3 x 100 (BIZ 700 015).
- 1 1000 V insulated flat-blade screwdriver 4 x 100 (BIZ 700 016).
- 1 1000 V insulated flat-blade screwdriver 5.5 x 125 (BIZ 700 017).
- 1 1000 V insulated flat-blade screwdriver 6.5 x 150 (BIZ 700 018).
- 1 1000 V insulated PZ1 screwdriver 4.5 x 80 (BIZ 700 019).
- 1 1000 V insulated PZ2 screwdriver 6 x 100 (BIZ 700 020).
- 1 1000 V insulated PH1 screwdriver 4.5 x 80 (BIZ 700 021).
- 1 1000 V insulated PH2 screwdriver (BIZ 700 022).
- 1 Premium 1000 V insulated diagonal cutters 160 mm (BIZ 790 221).
- 1 Premium 1000 V insulated combined pliers 180 mm (BIZ 790 225).
- 1 Premium 1000 V insulated half-round long nose pliers 160 mm (BIZ 790 227).
- 1 joiner's pencil 180 mm (BIZ 790 002)
- 1 cable stripper knife with hooked blade (BIZ 790 008)

Order No.	Model No.	Description
-----------	-----------	-------------

13 PIECE LA COSTABELLE TOOL BAG SET

2501510487	BIZ 790512	13 Piece La Costabelle Tool Bag Set
-------------------	------------	-------------------------------------



POLYESTER MO PULL-WIRE 30M 4.5MM WITHOUT REEL

- Polyester cable puller 30 m 4.5 mm without casing for pulling cables in ducts from 16 to 50 mm, even if they are impinged and curved
- Interchangeable end caps
- Very good rigidity and no form memory



Order No.	Model No.	Description
POLYESTER PULL-WIRE WITHOUT REEL		
2501420043	BIZ 760030	Polyester Mo Pull-Wire 30m 4.5mm without Reel

POLYESTER MO PULL-WIRE 15M 3MM WITHOUT REEL


- Polyester cable puller 30 m 4.5 mm without casing for pulling cables in ducts from 16 to 50 mm, even if they are impinged and curved
- Interchangeable end caps
- Very good rigidity and no form memory



Order No.	Model No.	Description
POLYESTER PULL-WIRE WITHOUT REEL		
2501419924	BIZ 760011	Polyester Mo Pull-Wire 15m 3mm without Reel

NYLON PULL-WIRE 4MM WITHOUT CASING

- Nylon wire puller without casing
- Ideal for non-cluttered environments
- Crimped ends
- For pulling cables through conduits and electrical ducts from 16 to 25 mm
- Very soft with low form memory



Order No.	Model No.	Description
NYLON PULL-WIRE WITHOUT CASING		
2501419881	BIZ 700810	10m 4mm without Casing
2501419882	BIZ 700811	15m 4mm without Casing
2501419883	BIZ 700812	20m 4mm without Casing
2501419884	BIZ 700813	30m 4mm without Casing

CABLE PULLING LUBRICANT

- BIZ'LUB lubricant gel for cable and wires to ease passage of cables and wires through electrical conduits, ducts and pipes
- Non-toxic and non-flammable
- Can be applied to both high- and low-voltage cables



Order No.	Model No.	Description
CABLE PULLING LUBRICANT		
2501419342	BIZ 700231	Cable Pulling Lubricant - 1 Litre Bottle - Clear



HOLE TRIMMING KNIFE

- 20.4 mm PG 13 and ISO 20 drill bit with 3-prong teeth for easy, fast and scrap-free drilling
- Plus point: reduces effort by 67%.



Order No.	Model No.	Description
HOLE TRIMMING KNIFE		
2501419694	BIZ 700286	Hole Trimming Knife 20.4mm

PUTTY KNIFE

- Painter's knife for filling small and medium-sized surfaces with 5 cm blade made of superior hardened steel
- Colourless varnish, hardness of 50 HRC and raw beechwood handle



Order No.	Model No.	Description
PUTTY KNIFE		
2501420031	BIZ 740131	Putty Knife 5cm Blade

PLASTER MIXING BOWL

- Flexible material
- Volume: 0.50 litre
- Dimension: 130 x H.95 mm
- Plaster bowl for minor mixtures



Order No.	Model No.	Description
PLASTER MIXING BOWL		
2501420030	BIZ 740130	Plaster Mixing Bowl 0.5 Litre - Mixing Bowl

MULTILAYER CONDUIT CUTTERS

- For easy cutting without damaging multi-layer pipes
- Replaceable blade in case of wear



Order No.	Model No.	Description
MULTILAYER CONDUIT CUTTERS		
2501419928	BIZ 400160	32mm Multi-Layer Pipe Cutter
2501419929	BIZ 400161	42mm Multi-Layer Pipe Cutter

CAULKING SKELETON GUN

- Sealant applicator
- Hexagon rod with hooked end
- Handle with plunger and release lever
- Suitable for use with most standard cartridges



Order No.	Model No.	Description
CAULKING SKELETON GUN		
1030021684	H2150	Caulking Skeleton Gun

14M CABLE ROD KIT & ACCESSORIES

- Wire puller kit 14 m with carry case and polymer accessories
- Complete set letting you adjust the wire puller according to the length and environment encountered
- New: polymer accessories glow in the dark



Order No.	Model No.	Description
14M CABLE ROD KIT & ACCESSORIES		
2501419923	BIZ 760010	14m Cable Rod Kit & Accessories

FLOODLIGHT MULTI-BATTERY

- Discover our powerful, energy-efficient 40 W multi-battery LED floodlight. With a brightness of 5000 lm, it provides optimum lighting
- Compatible with 18V power tool batteries, it goes everywhere with you
- 4 lighting modes : 100%/75%/50%/25%



Order No.	Model No.	Description
FLOODLIGHT MULTI-BATTERY		
2501618778	BIZ 625060	Bizline Floodlight Multi-Battery

INSPECTION LAMP RED LASER LED

- Rechargeable red LED laser inspection light for battery-powered inspection
- The built-in red laser makes it easy to point at an area



Order No.	Model No.	Description
INSPECTION LAMP RED LASER LED		
2501583289	BIZ 625059	Inspection Lamp Red Laser Lamp LED Rechargeable

3 IN 1 RECHARGEABLE INSPECTION LAMP

- 3-in-1 rechargeable inspection lamp
- Inspection lamp and torch that is water and dust resistant (IP54)
- Practical: hook and magnetic base
- Can be rotated through 180°
- 12 hours of operation



Order No.	Model No.	Description
3 IN 1 RECHARGEABLE INSPECTION LAMP		
2501420051	BIZ 620262	Inspection Lamp LED 3 in 1 Rechargeable

RECHARGEABLE LED HEADLAMP

- Integrated red LED and adjustable optics for inspection and safety lighting
- Adjustable optics let you adjust the beam to suit your activity



Order No.	Model No.	Description
RECHARGEABLE LED HEADLAMP		
2501583288	BIZ 625058	Rechargeable LED Headlamp with Focus



RECHARGEABLE LED HEADLAMP WITH SENSOR FREEHANDS

- Compact and rechargeable LED headlamp
- Practical: can be switched on and off just with a movement of the hand
- Ideal for inspection and security lighting
- Magnetic holder to use headlamp without headband



Order No. Model No. Description

RECHARGEABLE LED HEADLAMP WITH SENSOR

2501420074 BIZ 625034 Rechargeable LED Headlamp with Sensor Freehands

RECHARGEABLE LED HANDLAMP AND WIRELESS SPEAKER

- Rechargeable LED lamp for inspection lighting with connected wireless speaker
- Ideal for working to music and adding some atmosphere to building sites
- 500 Lm, 6000 K, IP54. Up to 7 hours of operation



Order No. Model No. Description

RECHARGEABLE LED HEADLAMP AND WIRELESS SPEAKER

2501420073 BIZ 625032 Rechargeable LED Handlamp and Wireless Speaker

RECHARGEABLE LED NECK LIGHT

- LED rechargeable neck lamp. Its light beam is twice as wide as a head torch
- The high manoeuvrability of the heads allows for detailed inspection
- Can be worn around the neck or attached to a magnetic surface



Order No. Model No. Description

RECHARGEABLE LED NECK LIGHT

2501420093 BIZ 625050 Rechargeable LED Neck Light 2x 1W

RECHARGEABLE LED INSPECTION LAMP

- Rechargeable LED inspection light, water and dust resistant (IP54)
- Easy to use as a result of hook and magnetic base
- Can be rotated through 90°. 200Lm 6000K
- Up to 4 hours of operation.



Order No. Model No. Description

RECHARGEABLE INSPECTION LAMP

2501420050 BIZ 620261 Rechargeable LED Inspection Lamp 200 Lumens

REFUSE SACKS



Order No.	Model No.	Description
REFUSE SACKS		
2501420048	BIZ 730951	Bin Bags Clear 125L - 25 Pack
2501420047	BIZ 730950	Garbage Bag Blue 125L - 25 Pack
2501419374	BIZ 700215	Rubble Bag 50 Litre White - 10 Pack
2501419713	BIZ 730927	Bin Liners Black 130L - 15 Pack

REFUSE SACKS

- Black refuse sacks from defiance suitable for a majority of waste disposal related applications
- 50 Sacks per roll



Order No.	Model No.	Description
REFUSE SACKS		
1030006015	FL0913	Refuse Sacks 375 x 725 x 975mm Black

MICROFIBRE CLOTH

- Microfibre looped cloth wipes 38 x 38 cm (x 10)
- Ideal for cleaning any surface
- The microfibre texture easily traps dust
- Use dry or with soapy water



Order No.	Model No.	Description
MICROFIBRE CLOTH PACK OF 10		
2501420108	BIZ 751034	Microfibre Cloth 38 x 38cm - 10 Pack

1500KG RUBBLE BIG BAG

- BIG BAG maximum load 1500 kg rubble sack 1m² for storage of dry materials such as gravel, sand, leaves etc.



Order No.	Model No.	Description
1500KG RUBBLE BIG BAG		
2501420104	BIZ 730953	Rubble BIG BAG 1m ² Maximum Capacity 1500 kg

RUBBLE SACKS

- Durable construction: Made from high-quality polyethylene, these sacks are resistant to tears and rips
- Holds a significant amount of waste, making them ideal for a variety of projects



Order No.	Model No.	Description
RUBBLE SACKS		
1030006023	GR0301	Black Rubble Sacks 800 x 550mm - 10 Pack

GRIT SALT BINS

- Finger Grips - Moulded finger grips to assist lifting of lid and to avoid injury
- Fork Lift Access Points - Access points make the grit bin convenient for lifting with a fork lift truck



Order No.	Model No.	Description
GRIT SALT BINS		
1030025109	HPK480	Large 450kg Grit Salt Bin - Yellow
1030025110	HPK470	Standard 250kg Grit Salt Bin - Yellow

SCANNER WALL STUD METAL+VOLTAGE

The NLWS1 is a compact high accuracy 3-in-1 wall scanner which detects voltage, studs and metal behind walls. It has easy to use function keys, which makes detecting fast and Reliable. NLWS1 also has a built in torch for poorly lit areas.

- Wooden and metal stud detection
- Metal Pipe Detection
- Tracing live cables in walls up to 20mm depth
- Dynamic LCD and Audible Indication
- Fully Automatic Operation
- Carry Case
- AC Voltage Range 50 to 600V AC
- Supplied with 1 x 9v battery
- Warning for low battery




Order No.	Model No.	Description
SCANNER WALL STUD METAL+VOLTAGE		
1051088453	NLWS1	Scanner Wall Stud Metal+Voltage

NEW & EXISTING TEST RESULTS UP TO 12 WAYS CERTIFICATION BOOK

- 18th Edition certification
- BS7671 amendment 3 certification
- 40 Certificates
- 1 page per certificate
- All pages duplicated

Order No.	Model No.
NEW & EXISTING TEST RESULTS UP TO 12 WAYS CERTIFICATION BOOK	
1051088466	NLTBTR12W



NLTBTR12W

NEW & EXISTING TEST RESULTS UP TO 36 WAYS CERTIFICATION BOOK

- 18th Edition certification
- BS7671 amendment 3 certification
- 20 Certificates
- 2 pages per certificate
- All pages duplicated

Order No.	Model No.
NEW & EXISTING TEST RESULTS UP TO 36 WAYS CERTIFICATION BOOK	
1051088467	NLTBTR36W



NLTBTR36W

TEST BOOK OBSERVATION SHEET A4 CERTIFICATION BOOK

- 17th edition certification, BS7671 amendment 3 certification
- Complies with BS7671:2008 Amendment 3:2015
- No of certificates: 40
- 1 page per certificate
- Pages duplicated
- Easy to fill out
- Come in logical sequences

Order No.	Model No.	Description
TEST BOOK OBSERVATION BOOK		
1051088468	NLTBOS	



NLTBOS

ELECTRICAL INSTALLATION CONDITION REPORTS

- 18th Edition certification
- BS7671 amendment 3 certification
- 7 Certificates
- 6 pages per certificate
- All pages duplicated



NLTBCON100A
NLTBCONG100A

Order No. Model No.

ELECTRICAL INSTALLATION CONDITION REPORTS

- | | | |
|-------------------|--------------|--|
| 1051088465 | NLTBCON100A | For existing installations greater than 100A |
| 1051088464 | NLTBCONL100A | For existing installations less than 100A |

ELECTRICAL INSTALLATION CERTIFICATION BOOK

- 18th Edition certification
- BS7671 amendment 3 certification
- 40 Certificates
- 1 page per certificate
- All pages duplicated



NLTBCRT100A
NLTBCRTG100A


Order No. Model No.

ELECTRICAL INSTALLATION CERTIFICATION BOOKS

- | | | |
|-------------------|--------------|--|
| 1051088469 | NLTBCRTG100A | For existing installations greater than 100A |
| 1051088462 | NLTBCRTL100A | For existing installations less than 100A |

EMERGENCY LIGHTING LOG BOOK

- Everything in one document
- BS 5266-1 compliant
- Site information/device locations
- Dailey/Monthly T&I Records
- Service/Fault action records
- Training/Fire Officer records



Order No. Model No.

EMERGENCY LIGHTING LOG BOOK

- | | |
|-------------------|--------|
| 1051088470 | NLTBEL |
|-------------------|--------|

MINOR WORKS CERTIFICATION BOOK

- 18th Edition certification
- BS7671 amendment 3 certification
- 40 Certificates
- 1 page per certificate
- All pages duplicated




Order No. Model No.

MINOR WORKS CERTIFICATION BOOK

- | | |
|-------------------|--------|
| 1051088463 | NLTBMW |
|-------------------|--------|

PAT TESTING LOG BOOK

- Manually logs your test results - provides a professional results sheet for your customer
- Duplicate sheets - enable you to keep a second record
- Ideal for multiple site use
- A5 Pad with 50 pages all duplicated for multiple sites



Order No. Model No.

PAT TESTING LOG BOOK

- | | |
|-------------------|---------|
| 1051088471 | NLTBPAT |
|-------------------|---------|



DUST & DEBRIS CATCHER

- Unique patented design collects debris in channels
- Ideal for downlighter installation and ceiling fixings
- Self levels on drill to enable one handed operation
- Reduces hours spent on cleaning up
- Reduces exposure to airborne debris whilst drilling



Order No.	Model No.	Description
DUST & DEBRIS CATCHER		
1051091194	NLHSDC	Cutting Tool Debris Catcher

20MM FISH TAPE

- Manufactured from 3mm Nylon Cord
- For pulling cable through electrical conduit tube
- Brass looped ends



Order No.	Model No.	Description
FISH TAPE 20MM NYLON		
1051042698	NLNFIT	Nylon Fish Tape

GAFFER TAPE

- 50mm x 50m



Order No.	Model No.	Description
TAPE - GAFFER		
1050151403	NLGTAPEN	

GALVANISED SPRAY PAINT

- Cold galvanising spray paint
- Used extensively for 'sealing' bare steel, especially where galvanised products have been cut
- WARNING Flammable product - COSHH restrictions apply. Safety sheet available from your local branch



Order No.	Model No.	Description
GALVANISED SPRAY PAINT		
1050009596	NL GALVPAINT	

STOCK & DIE SET

- Contains all components required for threading of 20/25mm conduit tube after cutting
- Packed in a hard shell PVC case
- Cast iron die stock body & guides
- Dies manufactured from high grade tool steel
- Steel handles zinc plated



Order No.	Model No.	Description
STOCK & DIE SET		
1051042696	NLSADSET	

UNDERGROUND WARNING TAPE

- 150mm x 365m



Order No.	Model No.	Size
UNDERGROUND WARNING TAPE		
1050153082	NLUGTAPEN	

20/25MM BUSHING SPANNER

- Spanner designed specifically for installation of Male Brass Bushes
- Saves time on installation
- Suits 20 & 25mm bushes and fits inside body bore to prevent slippage



Order No.	Model No.	Description
SPANNER BUSH 20/25MM		
1051042697	NLSPANBK	Spanner Bush

CRIMPING TOOLS

- Manufactured specifically for use with Newlec terminals, these crimping tools will ensure a good quality compression joint
- Good crimping practice is encouraged in accordance with the requirements of BS 7727 and BS 7609, the use of a matched system of crimping tools & connectors is recommended
- Compact, lightweight and easy to use
- High precision investment cast jaws
- Ratchet controlled to ensure precise & consistent crimping
- Emergency release lever
- Toggle action leverage to reduce operator effort
- Automatic handle opening

NLCT1



NLCT2



NLRF1



Order No.	Model No.	Crimping Range	Crimp Type
CRIMPING TOOLS			
1000008435	NLCT1	0.25 - 6mm	Insulated
1000015962	NLCT2	10 & 16mm	Uninsulated
1050152804	NLRF1	0.5 - 4mm	Bootlace

STAINLESS STEEL CABLE TIE TOOL

- Robust cutting and tensioning tool for stainless steel ties up to 9mm wide
- Steel bar lever to cut off cleanly any excess
- Lightweight and easy to use
- Moulded grip handles



Order No. Model No.

STAINLESS STEEL CABLE TIE TOOL	
1051054849	NLSSTCT1

PVC CUTTER

- Ratchet mechanism - fast clean cut!
- Stainless steel cutting blade
- Clean cut every time - no burred edges or mess
- Will cut round PVC conduit up to 32mm diameter
- Will cut flat PVC mini trunking using the mitre attachment



Order No. Model No.

PVC CUTTER	
1051054850	NLM42

CRIMPING TOOL KIT

- For use with terminals
- Ensure a good quality compression joint
- Range of PVC insulated terminals and connectors for conductor sizes 0.25 - 6mm²
- Robust carrying case with compartments
- Crimp tool kits can make the job of crimping connectors much easier. This is because the dies in the crimping tool kit are specifically designed to crimp connectors onto wires
- Crimp tool kits can help to ensure that the connectors are crimped properly. This is important because a properly crimped connector will provide a secure connection between the wire and the connector



Order No. Model No.

CRIMPING TOOL KIT

100008466 NLCKIT

HP3 crimping tool along with a range of PVC insulated terminals and connectors for conductor sizes 0.25 - 6mm

CRIMPING TOOL FOR BOOTLACE FERRULES

- Ratchet controlled crimping tool for crimping insulated and uninsulated end sleeves 6mm²-16mm²
- Operated with one hand
- Ergonomically designed for operator comfort
- Durable moulded body offering high resistance to wear and damage
- Lightweight and balanced for great control
- Ergonomic handle design
- Compact lightweight and easy to use



Order No. Model No.

CRIMPING TOOL FOR BOOTLACE FERRULES

1050152805 NLRF2

4-16mm Crimping Tool For Bootlace Ferrules

RATCHET CUTTERS

- Swivel cutting blade for ease of application
- Extendable handles with soft moulded grips
- Carry case supplied with tool
- Effortless Cutting
- Universal Compatibility



Order No. Model No.

RATCHET CUTTERS

1051054853 NLRCC32A Tool for Up To 35mm 4 Core Cable

1051054851 NLRCC240 Tool for Up To 240mm² Single Cable

1051054852 NLRCC400HD Tool for Up To 400mm² Single Cable

SWITCHBOARD RUBBER MATTING

- Newlec electrical switchboard matting designed for high voltage areas
- Conforming to BS EN 61111:2009
- Class 0
- For use up to 1000VAC and 1500VDC
- Protects against electrical shocks: The matting provides a safe working surface in areas where there is a risk of electrical shock
- Prevents Electrical Hazards
- Durable and Long-lasting



Order No. Model No.

SWITCHBOARD RUBBER MATTING

1051045700 NLES2M.5 0 2.5m x 4mm

1051045699 NLES5M 0 5m x 4mm

1051045698 NLES10 0 10m x 4mm

SQUARE HEAD ASPHALT TAMPER

- This is a square head asphalt tamper with a 48 inch long wooden handle
- Reinforced cast iron head with perfectly flat face
- Strong but lightweight fibreglass handle offering more accessibility
- 8-inch square steel head for maximum compaction



Order No. Model No. Description

SQUARE HEAD ASPHALT TAMPER

1030051424 ATAMP8 8 Inch Square Head Asphalt Tamper

SINGLE POLE ROTARY CLOTHES AIRERS

- Dry your clothes quickly and easily with the 4 arm single pole rotary clothes airer complete with ground spike
- This heavy-duty airer has three arms
- Easy to use
- Comes with a ground spike



Order No. Model No. Description

ROTARY CLOTHES AIRER

1030041787 SR20111 SP 4 Arm Single Pole Rotary 50m Clothes Airer c/w Ground Spike

1030041786 SR20102 SP 4 Arm Single Pole Rotary 40m Clothes Airer c/w Ground Spike

CLOTHES POST CROSS PEG SOCKET

- 2.4m
- Complete with Socket
- Standard cross-head clothes post
- Galvanised and has a socket for tubes to go through
- Material: Galvanised Metal



Order No. Model No. Description

CLOTHES POST CROSS PEG SOCKET

1030041788 GP/GV/CP/SK Clothes Post Cross Peg Socket 2.4m Galvanised

BROOM HANDLES & HEADS



Order No. Model No. Description

BROOM HEADS AND HANDLES

2501419711 BIZ 730923 Wooden Broom Handle 28 x 140mm

2501419710 BIZ 730922 Wooden Broom Handle 24 x 1300mm

2501419709 BIZ 730921 Coconut Broom Head 60cm

2501419708 BIZ 730920 Coconut Broom Head 29cm

COCONUT BANISTER BRUSH

- Coconut broom with short handle and integrated storage hole in handle
- Pure organic coconut fibre



Order No. Model No. Description

COCONUT BANISTER BRUSH

2501419707 BIZ 730926 Short Wood Handle Coconut Banister Brush

HAMMERS

CLUB HAMMER FULLY INSULATED 1KG

- This is a fully insulated Club Hammer with a strong yet lightweight fibre glass shaft



Order No. Model No. Description

CLUB HAMMER FULLY INSULATED 1KG

1030025473 25LUFGINS Club Hammer Fully Insulated 1kg

CLAW HAMMER WITH HICKORY HANDLE

- This is 567g Claw Hammer with genuine hickory handle



Order No. Model No. Description

CLAW HAMMER WITH HICKORY HANDLE

1030021648 20CL14 567g Claw Hammer with Hickory Handle

SLEDGE HAMMERS WITH HICKORY HANDLES

- Genuine hickory handles
- Treated and varnished



Order No. Model No. Description

SLEDGE HAMMERS WITH HICKORY HANDLES

1030021645 14DF36 Sledge Hammer 6.4kg
1030021644 10DF36 Sledge Hammer 4.5kg
1030021643 07DF30 Sledge Hammer 3.2kg
1030006428 525H36 900mm Hickory Handle

CLUB HAMMER WITH HICKORY HANDLE

- Genuine hickory handles
- Treated and varnished



Order No. Model No. Description

CLUB HAMMER WITH HICKORY HANDLE

1030021642 40LU10 Club Hammer 1.8kg
1030021641 25LU10 Club Hammer 1kg

FIBREGLASS SLEDGE HAMMERS

- Fibreglass handle
- Hardened steel head



Order No. Model No. Description

FIBREGLASS SLEDGE HAMMERS

1030021639 14DFFG Fibreglass Sledge Hammer 6.4kg
1030021638 07DFFG Fibreglass Sledge Hammer 3.2kg

FIBREGLASS CLUB HAMMERS

- 10 times stronger than wood
- Non-conductive Rubber grip



Order No. Model No. Description

FIBREGLASS CLUB HAMMERS

1030021637 40LUFG Club Hammer Fibreglass 1.8kg
1030021636 25LUFG Club Hammer Fibreglass 1kg

FIBREGLASS CLAW HAMMERS

- 10 times stronger than wood
- Non-conductive Rubber grip



Order No.	Model No.	Description
FIBREGLASS CLAW HAMMERS		
1030021634	20CLFG	Fibreglass Claw Hammer 567g
1030021633	16CLFG	Fibreglass Claw Hammer 455g

BALL PEIN HAMMER


- Genuine hickory handle
- Double wedged with wood and steel at head



Order No.	Model No.	Description
BALL PEIN HAMMER		
1030021630	20BP16	Ball Pein Hammer 990g

WRECKING BAR/CROWBARS

- Ideal for general demolition, removing nails, or prying boards
- Bevelled nail slot for removing nails



Order No.	Model No.	Description
WRECKING BAR/CROWBARS		
1030008819	WBAR900	900mm Wrecking Bar/ Crowbar
1030008818	WBAR750	750mm Wrecking Bar/ Crowbar
1030008817	WBAR600	600mm Wrecking Bar/ Crowbar

ALL STEEL CLAW HAMMER WITH RUBBER GRIP

- 10 times stronger than wood
- Non-conductive Rubber grip



Order No.	Model No.	Description
ALL STEEL CLAW HAMMER WITH RUBBER GRIP HANDLE		
1030021631	16CLAS	455g All Steel Claw Hammer with Rubber Grip Handle

RUBBER MAUL HEAD

- Ideal for driving stakes, piles, or wedges
- Made of rubber



Order No.	Model No.	Description
RUBBER MAUL HEAD		
1030006664	10RM00	Rubber Maul Head

SHOVELS

FIBREGLASS SHOVELS

- Durable fiberglass construction
- Comfortable D-shaped handle



Order No.	Model No.	Description
FIBREGLASS SHOVELS		
1030008032	FGMYDTS	Fiberglass Trenching Shovel Black
1030008029	FGMYDSM	Fiberglass Square Mouth No.2 Shovel Black

GENERAL SERVICE BLACK SHOVEL

- Durable fiberglass construction
- Open socket blade for easy digging and scooping



Order No.	Model No.	Description
GENERAL SERVICE BLACK SHOVEL		
1030008034	FGMYDGSS	General Service Fiberglass Metal YD Handle Black Shovel

NO.2 SHOVELS

- Head size no 2



Order No.	Model No.	Description
NO.2 SHOVELS		
1013420003	ASMYDTM	Taper Mouth Tubular Steel
1013420002	ASMYDSM	Square Mouth Tubular Steel
1013420001	ASMYDRM	Round Mouth Tubular Steel
1013410003	MYDTM	Taper Mouth Metal YD Handle
1013410002	MYDSM	Square Mouth Metal YD Handle
1013410001	MYDRM	Round Mouth Metal YD Handle

TRENCHING SHOVEL

- A lighter weight shovel for use where strength is not the main requirement



Order No.	Model No.	Description
TRENCHING SHOVEL		
1030007922	MYDTS	Trenching Shovel

DIGGING FORK

- Ash shaft
- Epoxy coated



Order No.	Model No.	Description
DIGGING FORK		
1030007957	DFMYD	Digging Fork with Metal YD Handle

CONTRACTORS FORK

- 4 solid steel prongs
- Tubular steel handle



Order No.	Model No.	Description
CONTRACTORS FORK		
1030007933	ASMYDF	4 Prong Tubular Steel Contractors Fork with Metal YD Handle

DIGGING SPADE

- Material: Plastic (Handle), Polypropylene (Hilt)
- Epoxy coated
- Metal YD Handle



Order No.	Model No.	Description
DIGGING SPADE		
1013490001	DSMYD	Digging Spade Treaded Metal YD Handle

RAKES

- Heavy-duty construction
- Designed for tough use in paving



Order No.	Model No.	Description
RAKES		
1030007943	ARAKET	Asphalt Rake Square Tooth 16T Tubular Handle
1030007942	ARAKEW	Asphalt Rake Square Tooth 16T Wood Handle
1030007941	TRAKET	Tarmac Rake Round Tooth 16T Tubular Handle
1030007940	TRAKEW	Tarmac Rake Round Tooth 16T Wood Handle



DRAINING TOOL

- Strong and durable tubular steel shaft
- Can withstand the rigors of clearing drains and pipes
- Sharp, pointed tip: Makes it easy to break through clogs



Order No.	Model No.	Description
DRAINING TOOL		
1030007930	ASMYDDT	400mm Draining Tool Tubular Steel Metal YD Handle

GRAFTING TOOL

- Rotary welded tubular steel shaft
- Metal YD handle
- 1 1/2 times the strength



Order No.	Model No.	Description
GRAFTING TOOL		
1030007929	ASMYDGT	Grafting Tool Tubular Steel Metal YD Handle

FLOOR SCRAPERS

- The Floor Scrapers from Defiance are the perfect tool for removing debris and smoothing floors
- Made from high-quality materials and is designed to last
- The steel blade is sharp and durable



Order No.	Model No.	Description
HEAVY DUTY FLOOR SCRAPER		
1030023944	HDFS450	18 Inch Black Heavy Duty Floor Scraper
1030006205	FG1200	1200mm Floor Scraper
1030023945	BLADE450	Heavy Duty Floor Scraper Replacement Blade

POST HOLE DIGGER

- Hardened steel post hole digger blades
- Comfortable grip, Ash wood handles
- Sharp, pointed tip for easy digging
- Ergonomic design for comfort and control



Order No.	Model No.	Description
POST HOLE DIGGER		
1030006961	POSTHD	Post Hole Digger Heavy Duty With Wood Handle

BARRIER TAPE

- Barrier safety tape that can be used to mark out hazards as necessary
- Rolls in handy dispenser box



Order No.	Model No.	Description
BARRIER TAPE		
1030007087	O02570500BYPM	500m x 75mm Black+Yellow
1030007085	RWBT500	500m x 75mm Red+White

MATTOCK PICK HEAD CHISEL

- Pick head chisel & point
- For the breaking of concrete
- If you are looking for a durable and versatile tool for digging, chopping, and breaking, the 3.2kg Mattock Metal Pick Head Chisel from Defiance is a great option



Order No.	Model No.	Description
MATTOCK METAL PICK HEAD CHISEL & HANDLES		
1030006891	PICK7	Mattock Metal Pick Head Chisel 3.2kg
1030006662	MATT7	Mattock Forged Steel Pick Head Chisel 3.2kg
1030006893	556H36	900mm Hickory Pick Handle
1030006892	855E36	900mm Pick/Hammer Handle Hardwood

MANHOLE COVER LIFTING KEYS

- Cast Iron Manhole lifting keys, solid cast for superior strength and longevity



Order No.	Model No.	Description
MANHOLE COVER LIFTING KEYS		
1030006656	MANH12	Manhole Cover Lifting Keys 305mm
1030006657	MANH18	Manhole Cover Lifting Keys 457mm

DOUBLE SIDED TAPE



Order No.	Model No.	Description
DOUBLE SIDED TAPE		
2501419903	BIZ 351090	Double Grip Tape 25mm x 2m x 5.4mm
2501419351	BIZ 351070	Double Sided PE Foam Tape White 19mm x 10m x 0.95mm

PENDANT MARKER BUNTING

- Alternate red and white plastic markers suspended at intervals
- Ideal for any site surveying and boundary marking applications



Order No.	Model No.	Description
PENDANT MARKER BUNTING		
1030007082	O025RW-BUNTPM	26m Red+White Pendant Marker Bunting

CURB RAMP

- Adjustable height: 60 to 160mm
- Can support weight up to 250kg



Order No.	Model No.	Description
CURB RAMP		
1030022533	SKERB	Curb Ramp 1.26m 6kg Yellow



ROAD MARKING ROLL

- Defiance visiline is a permanent thermoplastic road and car park marking system, consisting of preformed lines and symbols which are fused to the road surface
- Applied using a propane torch
- Contains retroflective glass beads which are self cleaning through normal trafficking

Order No.	Model No.	Description
ROAD MARKING ROLL		
1012520001	FLR10000	100mm x 5m White
1012520002	FLR10001	100mm x 5m Yellow



REINFORCED TARPULIN

- 4 Reinforcing strips with eyelets at 10cm intervals
- Ideal for protection of timber, equipment and building materials
- UV-resistant: Protects against the sun's harmful rays



Order No.	Model No.	Description
REINFORCED TARPULINS		
1030019378	26E0450	Reinforced Flex 10m x 4m Green
1030019376	26E0440	Reinforced Flex 8m x 4m Green
1030019375	26E0540	Reinforced Flex 8m x 4m Clear
1030019372	26E0420	Reinforced Flex 5m x 4m Green
1011730001	10/004/002	Tarpaulin 5.4 x 3.6m Blue

DEBRIS NETTING

- UV stabilised to prevent deterioration from sunlight
- Black reinforced eyelet band at 50cm intervals



Order No.	Model No.	Description
DEBRIS NETTING		
1030006788	10/003/022	50m x 2m Roll Green
1030006787	10/003/062	50m x 3m Roll Green
1030006789	10/003/102	50m x 2m Roll Blue

AEROSOL MARKING PAINT SEMI PERMANENT

- Speedline permanent is an acrylic based linemarker, ideal for marking sharp, clear, durable lines
- The use of an applicator kit is recommended for controlled application



Order No.	Model No.	Description
AEROSOL MARKING PAINT SEMI PERMANENT		
1011320007	75/004/010	Semi Permanent 750ml Yellow
1011320006	75/004/040	Semi Permanent 750ml White
1011320005	75/004/020	Semi Permanent 750ml Red
1011320004	75/004/070	Semi Permanent 750ml Orange
1011320003	75/004/050	Semi Permanent 750ml Green
1011320002	75/004/030	Semi Permanent 750ml Blue
1011320001	75/004/060	Semi Permanent 750ml Black

AEROSOL SURVEY PAINT SEMI PERMANENT

- Speedline survey spray is a highly visible, semi-durable marking paint suitable for application to a wide variety of substrates
- Plasticised paint, formulated for aerosol application



Order No.	Model No.	Description
AEROSOL SURVEY PAINT SEMI PERMANENT		
1010600007	75/002/010	Semi Permanent 750ml Yellow
1010600006	75/002/040	Semi Permanent 750ml White
1010600005	75/002/020	Semi Permanent 750ml Red
1010600004	75/002/070	Semi Permanent 750ml Orange
1010600003	75/002/050	Semi Permanent 750ml Green
1010600002	75/002/030	Semi Permanent 750ml Blue
1010600001	75/002/060	Semi Permanent 750ml Black

MULTI PURPOSE LITHIUM GREASE CARTRIDGE

- Contains no ingredients at levels considered hazardous
- Insoluble in water



Order No.	Model No.	Description
MULTI PURPOSE LITHIUM GREASE CARTRIDGE		
1030006345	MPLG400	Multi Purpose Lithium Grease Cartridge 400g

MOULD RELEASE OIL

- Promotes a water repellent and rust inhibiting interface
- Promotes a water repellent and rust inhibiting interface
- Reduces the risk of slips and falls
- Safe for use around food and beverages



Order No.	Model No.	Description
MOULD RELEASE OIL		
1030005743	MRO25	25 Litre Mould Release Oil
1030005742	MRO5	5 Litre Mould Release Oil

2 STROKE OIL UNIVERSAL

- Defiance 2 stroke oil is packaged in convenient 100ml packs which will treat 5 litres of petrol at a 50:1 mix



Order No.	Model No.	Description
2 STROKE OIL UNIVERSAL		
1030005552	ORC1850	2 Stroke Oil Universal 100ml

JOINT SEALER COLD AEROSOL

- Road asphalt jointing spray from Defiance is an essential aerosol can for road repair applications



Order No.	Model No.	Description
JOINT SEALER COLD AEROSOL		
1030006045	CLD600	Joint Sealer Cold Aerosol 600ml Black

LUBE MAINTENANCE SPRAY

- Disperses moisture from electrics
- Penetrates and lubricates
- Sprays at any angle
- Helps prevent corrosion



Order No.	Model No.	Description
LUBE MAINTENANCE SPRAY		
1030005710	LUBE400	Lube Maintenance Spray 400ml

HEAVY DUTY SACK TRUCK

- This sack truck has a rigid tubular frame made up of a strong all steel welded construction and is an Ideal piece of equipment for handling and lifting purposes on site



Order No.	Model No.	Description
HEAVY DUTY SACK TRUCK		
1030007807	HDSACKS	Heavy Duty Sack Truck with Solid Rubber Tyres



NOTHING BUT WINNERS!

HEAD TO BRANCH TO
SEE OUR LATEST OFFERS
AND WIN GREAT PRIZES

Scan here to enter



In branch only T&C's apply

09 | Fasteners & Fixings

Screws	172 - 173
Nails	172
Wall Plugs	174
Shield Bolts & Anchors	174
Fixing Tubs	175
Cavity Fixing	175
Applicator Gun	175



SELF TAPPING SCREWS



NLS4305BN

Order No.	Model No.	Size	Pack Size
POZIDRIV™ PAN HEAD			
1050152039	NLS4305AN	8 x 1/2"	200
1050152040	NLS4305BN	8 x 3/4"	200
1050152041	NLS4305CN	8 x 1"	200
1050152042	NLS4305DN	8 x 1 1/2"	200

ROUNDHEAD SCREWS



NLS4428BN

Order No.	Model No.	Size	Pack Size
SLOTTED BRASS ROUNDHEAD			
1050152087	NLS54BN	6 x 1"	200
1050152089	NLS54DN	8 x 1"	200
POZIDRIV™ ROUND HEAD TWIN THREAD			
1050152093	NLS4428BN	8 x 1"	200
1050152094	NLS4428CN	8 x 1 1/4"	200
1050152095	NLS4428DN	8 x 1 1/2"	200
1050152096	NLS4428EN	8 x 2	200

CAPPING NAIL & WASHERS



Order No.	Model No.	Size	Pack Size
CAPPING NAILS & WASHERS			
1050152027	NLSCN	25mm	100

MACHINE SCREWS

NLS4304EN



NLS4317DN

Order No.	Model No.	Size	Pack Size
SLOTTED PAN HEAD - BRASS			
1050152100	NLS4304AN	M4 x 6mm	100
1050152101	NLS4304BN	M4 x 8mm	100
1050152102	NLS4304CN	M4 x 10mm	100
1050152103	NLS4304DN	M4 x 12mm	100
1050152104	NLS4304EN	M4 x 16mm	100
1050152105	NLS4304FN	M4 x 20mm	100
1050152106	NLS4304GN	M4 x 25mm	100
1050153063	NLS4304HN	M4 x 35mm	50
1050152107	NLS4304JN	M4 x 40mm	50
1050152108	NLS4304KN	M4 x 50mm	50

SLOTTED RAISED COUNTERSUNK - BRIGHT ZINC PLATED			
1050152112	NLS4317AN	M3.5 x 25mm	100
1050152113	NLS4317DN	M3.5 x 40mm	100
1050152114	NLS4317EN	M3.5 x 50mm	25
1050152115	NLS4317FN	M3.5 x 75mm	25

SLOTTED RAISED ROUNDHEAD - SOLID BRASS			
1050152116	NLS4319AN	2BA x 1"	50
1050152117	NLS4319BN	2BA x 2"	50

COUNTERSUNK TWIN THREAD



NLS4628DN

Order No.	Model No.	Size	Pack Size
POZIDRIV™ COUNTERSUNK TWIN THREAD			
1050152061	NLS4626AN	6 x 3/4"	200
1050152062	NLS4626BN	6 x 1	200
1050152065	NLS4628AN	8 x 3/4"	200
1050152066	NLS4628BN	8 x 1"	200
1050152067	NLS4628CN	8 x 1 1/4"	200
1050152068	NLS4628DN	8 x 1 1/2"	200
1050152069	NLS4628EN	8 x 2	200
1050152070	NLS4628FN	10 x 1	200
1050152071	NLS4628GN	10 x 1 1/2"	200
1050152072	NLS4628HN	10 x 2	200
1050152073	NLS4628IN	10 x 2 1/2"	100
1050152074	NLS4628JN	10 x 3"	100

MASONRY SCREWS

- For rapid anchoring directly into most masonry materials
- No wall plug required
- SDS Drill NLSDS3.5X160 required for accurate fixing of screws



Order No.	Model No.	Size	Pack Qty
MASONRY SCREWS			
1051091289	NLMS432	4.8 x 32mm	100
1051091290	NLMS445	4.8 x 45mm	100

DRYWALL

Newlec

- Phillips, countersunk, bugle head, grey, phosphate screws
- Can be used through small gauge sheet metal
- Sharp point for use in plasterboard, partitioning and suspended ceilings



Order No.	Model No.	Size	Pack Size
DRYWALL			
1050152035	NLS4520A	3.5 x 38mm	250

CAVITY FIXINGS - SELF DRILL



Order No.	Model No.	Size	Pack Size
CAVITY FIXINGS - SELF DRILL			
1000008848	NLMSD4N	4.5 x 20mm	25
1061024582	NLMSD5	4.5 x 20mm	100

HEX SET SCREWS



Order No.	Model No.	Size	Pack Size
BRASS			
1050152118	NLSSS625	M6 x 25mm	20
1050152120	NLSSS640	M6 x 40mm	20
1050152121	NLSSS825	M8 x 25mm	20
1050152122	NLSSS830	M8 x 30mm	20
1050152124	NLSSS1025	M10 x 25mm	20
1050152125	NLSSS1030	M10 x 30mm	20
1050152126	NLSSS1040	M10 x 40mm	20

STEEL ZINC PLATED HT8.8			
1051047797	NLZS0620A	M6 x 20mm	10
1051047798	NLZS0625A	M6 x 25mm	10
1051047799	NLZS0825A	M8 x 25mm	10
1051047800	NLZS0835A	M8 x 35mm	10
1051047801	NLZS1025A	M10 x 25mm	10
1051047802	NLZS1035A	M10 x 35mm	10

CONE POINT SET SCREW - HT8.8

- Manufactured from high tensile 8.8 steel for ultimate performance



Order No.	Model No.	Size
CONE POINT SET SCREW - HT8.8		
1051047803	NLZCPI040A	M10 x 40mm

CONCRETE SCREW



Order No.	Model No.	Internal Thread	Pack Size
CONCRETE SCREW			
1051058242	NLCS810	M8 + M10	100

WALL PLUGS



Order No.	Model No.	Colour	Screw Size	Pack Size
WALL PLUGS				
1050151288	NLPYEL	Yellow	6	100
1050151289	NLPLRED	Red	6 & 8	100
1050151290	NLPLBRO	Brown	10 & 12	100


NYLON WALL PLUGS - HIGH PERFORMANCE

- Nylon Plug with 4 way expansion providing optimum force distribution
- Pack of 50



Order No.	Model No.	Screw Size	Dimensions
NYLON WALL PLUGS - HIGH PERFORMANCE			
1051058240	NLPLH6	4 - 5mm	6 x 30mm
1051058241	NLPLH8	4.5 - 6mm	8 x 40mm

WEDGE ANCHORS



Order No.	Model No.	Size	Pack Size
WEDGE ANCHORS			
100008835	NLW6	M6 x 25mm	25
100008836	NLW8	M8 x 30mm	25
100008837	NLW10	M10 x 40mm	25

Order No.	Model No.	Size	Pack Size
SETTING TOOLS			
100008838	NLSET6	M6 Anchor Setting Tool	
100008839	NLSET8	M8 Anchor Setting Tool	
100008840	NLSET10	M10 Anchor Setting Tool	

SHIELD EYE BOLT

- Suitable for use in concrete, brickwork and stone
- Suitable for permanent anchorage, i.e. securing guy ropes, stays and cables
- Supplied in packs of 25



Order No.	Model No.	Size	Hole Depth
SHIELD EYE BOLT			
1050150732	NLEB6	M6	50
1050150733	NLEB8	M8	55

SHIELD PROJECTION BOLT

- Suitable for use in concrete, brickwork and stone
- Suitable for situations where it is useful to support the weight of the fixture during installation, i.e. fixing cable trays, ducting and trunking
- Supplied in packs of 25



Order No.	Model No.	Size	Hole Depth
SHIELD PROJECTION BOLT			
1050150735	NLPB8	M8	55mm
100008831	NLPB10	M10	65mm

THROUGH BOLT

- Easy to use through fixing for concrete and dense natural stone
- For fixing brick work support, angle cladding and curtain walling systems
- Suitable for fixing heavy machinery such as generators, as machine can be sited prior to installation of bolts
- Supplied in packs of 10



Order No.	Model No.	Size	Hole Depth
THROUGH BOLT			
1050150745	NLTB8	M8	55mm
100008842	NLTB10	M10	60mm

Stock items delivered FREE in the UK*

* T&Cs apply

FIXING TUBS



NLTUB1



NLTUB2

Order No.	Model No.	Colour	Pack Size
NEWLEC WALL PLUGS & SCREWS			
1051058237	NLTUB1	Brown	400
1051058238	NLTUB2	Red	500

FIXING TUBS



Order No.	Model No.	Size	Pack Size
METAL SELF DRILL CAVITY FIXINGS			
1051058239	NLTUB3	4.5 x 20mm	300


CAVITY FIXINGS - SPRING TOGGLE



Order No.	Model No.	Size	Pack Size
CAVITY FIXINGS - SPRING TOGGLE			
1000008843	NLSTF350	M3 x 50mm	10
1000008844	NLSTF550	M5 x 50mm	10
1000008845	NLSTF580	M5 x 80mm	10

CAVITY FIXING - METAL

- High performance, interset cavity fixing for securing heavy objects to soft-faced partition boards
- Fixture can be removed and re-used, for example when removing wall heaters for re-decoration
- Supplied with screw and secured using NLFT fixing tool
- Supplied in packs of 25



Order No.	Model No.	Size	Grip Range
CAVITY FIXING - METAL			
1000008846	NLSA4	M4	8-15mm
1050150747	NLSA5	M5	15-28mm
CAVITY FIXING INSTALLATION TOOL			
1000008847	NLFT		

APPLICATOR GUN



Order No.	Model No.	Description
APPLICATOR GUN		
1000008841	NLCA5	Applicator Gun

ReXel

Denmans
REXEL GROUP

Need EV/PV cable today? Need specialist cable cut to size?

Your specialist cable is now available
cut to size for **Next Day Delivery.**

**Speak to a member of the team
in branch to find out more**

Order by 3pm for Next Day Delivery.

10 | Clearance

Slimline Wiring Accessories

178 - 181

Square Edge Wiring Accessories

182 - 183

Metalclad Wiring Accessories **184**

Weatherproof Wiring Accessories **185**

Pattern Boxes **186**

Metal Boxes **186**

RCD Sockets **186**

Ceiling Accessories **187**

Junction Boxes **187**



13A SOCKETS



NLS8300/1




NLS8300/S2USBC

PLATE SWITCHES



NLS8310/12



NLS8310/32

Order No.	Model No.	Description
13A SOCKETS		
2501425323	NLS8300/1	13A 1G SP Switched Socket
2501425324	NLS8300/2	13A 2G SP Switched Socket
2501425325	NLS8300/IDP	13A 1G DP Switched Socket
2501425326	NLS8300/2DP	13A 2G DP Switched Socket
2501425327	NLS8300/S2USBC	13A 2G Switched Socket With 2x USB 3.1A Max
2501425328	NLS8300/1US	13A 1G Unswitched Socket
2501425329	NLS8300/2US	13A 2G Unswitched Socket

Order No.	Model No.	Description
PLATE SWITCHES		
2501425330	NLS8310/12	10A 1G 2W Switch
2501425331	NLS8310/22	10A 2G 2W Switch
2501425332	NLS8310/32	10A 3G 2W Switch
2501425335	NLS8310/INT	10A 1G Intermediate Switch

INTERMEDIATE SWITCH MODULE

- To be used with plate switches range NLS8310



Order No.	Model No.	Description
INTERMEDIATE SWITCH		
2501425336	NLS8310/INTMOD	Intermediate Switch Module

10A FAN ISOLATOR



Order No.	Model No.	Description
10A FAN ISOLATOR		
2501425352	NLS8360	10A Fan Isolator

CONNECTION UNITS



NLS8313



NLS8313/SNF



NLS8320/WH

45A DP COOKER SWITCHES



NLS8345/1N




NLS8345/2N

Order No.	Model No.	Description
CONNECTION UNITS		
2501425337	NLS8313	13A Fused Spur
2501425338	NLS8313/F	13A Fused Spur/Flex Outlet
2501425339	NLS8313/S	13A DP Switched Fused Spur
2501425340	NLS8313/SF	13A DP Switched Fused Spur/Flex Outlet
2501425341	NLS8313/SN	13A DP Switched Fused Spur/Neon
2501425342	NLS8313/SNF	13A DP Switched Fused Spur/Neon/Flex Outlet
2501425344	NLS8320/S	20A DP Switch
2501425345	NLS8320/SN	20A DP Switch/Neon
2501425346	NLS8320/WH	20A DP Switch Water Heater/Neon

Order No.	Model No.	Description
45A DP COOKER SWITCHES		
2501425347	NLS8345/1N	45A DP Switch/Neon
2501425348	NLS8345/2N	45A DP D/Length Switch/Neon

45A DP COOKER CONTROL UNITS



NLS8345/2NS

FLEX CONNECTION OUTLET



Order No.	Model No.	Description
45A DP COOKER CONTROL UNITS		
2501425349	NLS8345/2NS	45A DP Cooker Control/Neon
2501425350	NLS8345/2S	45A DP Cooker Control

Order No.	Model No.	Description
FLEX CONNECTION OUTLET		
2501425343	NLS8320/F	25A Connection Unit



45A COOKER OUTLET



Order No.	Model No.	Description
45A COOKER OUTLET		
2501425351	NLS8345/F	45A Cooker Connection

SHAVER SOCKET



Order No.	Model No.	Description
SHAVER SOCKET		
2501425353	NLS8365	110/240V Shaver Socket

TELEPHONE OUTLETS



Order No.	Model No.	Description
TELEPHONE OUTLETS		
2501425355	NLS8375/MAS	Flush Master Telephone Socket
2501425356	NLS8375/SEC	Flush Slave Telephone Socket

TV SOCKET




Order No.	Model No.	Description
TV SOCKET		
2501425354	NLS8370/1	1G TV Outlet

BLANK PLATES



NLS8380/1



NLS8380/2

Order No.	Model No.	Description
BLANK PLATES		
2501425357	NLS8380/1	1 Gang Blanking Plate
2501425358	NLS8380/2	2 Gang Blanking Plate



SURFACE PATTRESS BOXES



NLS8385/147



NLS8385/225

Order No.	Model No.	Description
SURFACE PATTRESS BOXES		
2501425359	NLS8385/116	1G 16mm Surface Pattress Box
2501425360	NLS8385/125	1G 25mm Surface Pattress Box
2501425362	NLS8385/225	2G 25mm Surface Pattress Box
2501425361	NLS8385/147	1G 47mm Surface Pattress Box
2501425363	NLS8385/247	2G 47mm Surface Pattress Box

DATA & COMMUNICATIONS PLATES



NLMOD/P11



NLMOD/P12

Order No.	Model No.	Description
DATA & COMMUNICATIONS PLATES		
2501425313	NLMOD/P11	1 Gang 1 Module Media Plate
2501425314	NLMOD/P12	1 Gang 2 Module Media Plate
2501425315	NLMOD/P24	2 Gang 4 Module Media Plate

DUAL SURFACE PATTRESS BOX



Order No.	Model No.	Description
DUAL SURFACE PATTRESS BOX		
2501425364	NLS8385/DUAL	2 x 1G 25mm Surface Pattress Box

EURO MODULES



NLMOD/TELM



NLMOD/TV



NLMOD/SAT



NLMOD/RJ45



NLMOD/QUAD



NLMOD/USBC

Order No.	Model No.	Description
EURO MODULES		
2501425319	NLMOD/TELM	25x50mm BT Telephone Master
2501425320	NLMOD/TELS	25x50mm BT Telephone Slave
2501425321	NLMOD/TV	25x50mm TV Outlet
2501425318	NLMOD/SAT	25x50mm Satellite Outlet F Connector
2501425317	NLMOD/RJ45	25x50mm RJ45 Cat5E Data Module
2501425312	NLMOD/IBLANK	25x50mm Blank Plate
2501425316	NLMOD/QUAD	50x50mm Satellite Outlet Sat 1/2/Radio Triplexer
2501425322	NLMOD/USBC	25x50mm 3.1A USB Type C Charger



13A SOCKETS



NLSQ8300/1



NLSQ8300/2

Order No.	Model No.	Description
13A SOCKETS		
2501425365	NLSQ8300/1	13A 1G Switched Socket
2501425367	NLSQ8300/2	13A 2G Switched Socket
2501425366	NLSQ8300/1DP	13A 1G DP Switched Socket
2501425368	NLSQ8300/2DP	13A 2G DP Switched Socket

PLATE SWITCHES



NLSQ8310/12



NLSQ8310/32


Order No.	Model No.	Description
PLATE SWITCHES		
2501425369	NLSQ8310/12	10A 1G 2 Way SP Switch
2501425370	NLSQ8310/22	10A 2G 2 Way SP Switch
2501425371	NLSQ8310/32	10A 3G 2 Way SP Switch
2501425372	NLSQ8310/INT	10A 1G Intermediate Switch

FAN ISOLATOR SWITCH



Order No.	Model No.	Description
FAN ISOLATOR SWITCH		
2501425385	NLSQ8360	10A TP Fan Isolator Switch

45A DP COOKER CONTROL UNITS



NLSQ8350/N

Order No.	Model No.	Description
45A DP COOKER CONTROL UNITS		
2501425382	NLSQ8350	45A DP with 13A Switched Socket
2501425383	NLSQ8350/N	45A DP Switched Socket & Neon

20A/45A PLATE SWITCHES



NLSQ8320/SN



NLSQ8345/1N

Order No.	Model No.	Description
20A/45A PLATE SWITCHES		
2501425377	NLSQ8320/S	20A DP Switch
2501425378	NLSQ8320/SN	20A DP Switch with Neon
2501425379	NLSQ8320/SNWH	20A DP Switch Water Heater
2501425380	NLSQ8345/1N	45A DP Switch with Neon
2501425381	NLSQ8345/2N	45A DP Switch with Neon 2G

13A FUSED CONNECTION UNITS



NLSQ8313



NLSQ8313/SN

Order No.	Model No.	Description
13A FUSED CONNECTION UNITS		
2501425373	NLSQ8313	13A Fused Connection Flex Outlet Fused Spur
2501425374	NLSQ8313/S	13A DP Switched Fused Flex Outlet Spur
2501425375	NLSQ8313/SN	13A DP Switched Fused Flex Outlet Spur Neon

RCD SOCKETS



NLMC8400/1RCD




NLMC8400/2RCD

13A SOCKETS



NLMC8400/1



NLMC8400/2

Order No.	Model No.	Description
RCD SOCKETS		
2501425300	NLMC8400/1RCD	13A 30mA 1G Switched Type A RCD Socket (Latching)
2501425302	NLMC8400/2RCD	13A 30mA 2G Switched Type A RCD Socket (Latching)

Order No.	Model No.	Description
13A SOCKETS		
2501425299	NLMC8400/1	1G Switched Socket
2501425301	NLMC8400/2	2G Switched Socket

PLATE SWITCHES



NLMC8410/12



NLMC8410/22

FUSED CONNECTION UNITS



NLMC8413



NLMC8413/SNFO

Order No.	Model No.	Description
PLATE SWITCHES		
2501425303	NLMC8410/12	1G 2 Way SP Switch
2501425304	NLMC8410/22	2G 2 Way SP Switch

Order No.	Model No.	Description
FUSED CONNECTION UNITS		
2501425306	NLMC8413/S	13A DP Switched Fused Spur
2501425305	NLMC8413	13A Fused Spur
2501425308	NLMC8413/SN	13A DP Switched Fused Spur/Neon
2501425307	NLMC8413/SFO	13A DP Switched Fused Spur/Flex Outlet
2501425309	NLMC8413/SNFO	13A DP Switched Fused Spur/Flex Outlet/Neon

DOUBLE POLE SWITCHES



NLMC8420/S



NLMC8420/SN

Order No.	Model No.	Description
DOUBLE POLE SWITCHES		
2501425310	NLMC8420/S	20A DP Switch
2501425311	NLMC8420/SN	20A DP Switch/Neon

IP55 SWITCHES



NLWP8610/12



NLWP8610/22

Order No.	Model No.	Description
IP55 SWITCHES		
2501425404	NLWP8610/12	20AX Switch 1G 2 Way IP55 Grey
2501425405	NLWP8610/22	20AX Switch 2G 2 Way IP55 Grey

IP66 SWITCHES



NLWP8600/12



NLWP8600/22

Order No.	Model No.	Description
IP66 SWITCHES		
2501425398	NLWP8600/12	20AX Switch 1G 2 Way IP66 Grey
2501425400	NLWP8600/22	20AX Switch 2G 2 Way IP66 Grey

IP66 FUSED SPUR



Order No.	Model No.	Description
IP66 FUSED SPUR		
2501425403	NLWP8600/FCU	DP Switched Fused Spur/Neon IP66 Grey

IP66 RCD SOCKET



Order No.	Model No.	Description
RCD SOCKET		
2501425401	NLWP8600/2RCD	13A 30mA 2G Switched Type A RCD (Latching)

IP66 SOCKETS



NLWP8600/1SW



NLWP8600/2SW

Order No.	Model No.	Description
IP66 SOCKETS		
2501425399	NLWP8600/1SW	1G DP Switched Socket IP66 Grey
2501425402	NLWP8600/2SW	2G DP Switched Socket IP66 Grey

CLEARANCE WIRING ACCESSORIES



■ SURFACE PATRESS BOXES

- BS 5733
- Multiple knockouts provide flexible cable entry to suit the installation
- Solid brass earth terminal



NLSQ8385/116



NLSQ8385/225

Order No.	Model No.	Description	Depth
-----------	-----------	-------------	-------

SURFACE PATRESS BOXES

2501425392	NLSQ8385/116	1G	16mm
2501425393	NLSQ8385/125	1G	25mm
2501425395	NLSQ8385/225	2G	25mm
2501425394	NLSQ8385/147	1G	47mm
2501425396	NLSQ8385/247	2G	47mm
2501425397	NLSQ8385/DUAL	2x1G	35mm

■ METAL BOXES

- BS 4662
- Adjustable lug
- Two steel earth terminals
- With knockouts



Order No.	Model No.	Depth	Type
-----------	-----------	-------	------

BOXES - METAL

1050150609	NL635A	16mm	1 Gang
1050150610	NL621A	25mm	1 Gang
1050150611	NL622A	25mm	2 Gang
1050153573	NL802B	25mm	1 + 1 Gang
1050150612	NL685A	35mm	1 Gang
1050150613	NL683A	35mm	2 Gang
1050150614	NL802A	35mm	1 + 1 Gang
1000008704	NL7040A	48mm	1 Gang
1000009616	NL7080A	48mm	2 Gang

■ RCD SOCKET



Order No.	Model No.	Description
-----------	-----------	-------------

RCD SOCKET

2501425401	NLWP8600/2RCD	13A 30mA 2G Switched Type A RCD (Latching)
-------------------	---------------	--

■ RCD SOCKETS



Order No.	Model No.	Description
-----------	-----------	-------------

RCD SOCKETS

2501425300	NLMC8400/1RCD	13A 30mA 1G Switched Type A RCD Socket (Latching)
2501425302	NLMC8400/2RCD	13A 30mA 2G Switched Type A RCD Socket (Latching)

■ SLIMLINE CURVED DIMMER PLATES



NLS8310/DIMP1



NLS8310/DIMP2

Order No.	Model No.	Description
-----------	-----------	-------------

SLIMLINE CURVED DIMMER PLATES

2501425333	NLS8310/DIMP1	Slimline Curved 1 Gang Dimmer Plate
2501425334	NLS8310/DIMP2	Slimline Curved 2 Gang Dimmer Plate

CEILING SWITCHES



Order No.	Model No.	Description
CEILING SWITCHES		
2501425286	NL8701N	10A 1 Way Ceiling Switch
2501425287	NL8702N	10A 2 Way Ceiling Switch
2501425288	NL8703	45A DP 1 Way/Neon Ceiling Switch

LAMP HOLDERS



Order No.	Model No.	Description
LAMP HOLDERS		
2501425290	NL8710N	Enclosed Pre-Wired Straight T2 Batten Lampholder
2501425291	NL8712N	Enclosed Pre-Wired Angled T2 Batten Lampholder
2501425293	NL8716N	Short Skirt T2 Lampholder

CEILING PENDANT



Order No.	Model No.	Description
CEILING PENDANT		
2501425289	NL8706	6 Inch Pre-Wired T2/Clear Base Pendant

CEILING ROSE



Order No.	Model No.	Description
CEILING ROSE		
2501425292	NL8715N	6A Clear Base Ceiling Rose

JUNCTION BOX - SWA

- General purpose joint box suitable for surface industrial applications.
- 1, 2, 3 or 4 way, 20mm entries
- Dust and waterproof to IP66/68 when used with approved glands
- Mounting studs provided for DIN rail terminals
- Internal earth continuity ring to earth gland entries
- 4 blanking plugs provided
- Screw on lid providing ease of installation
- Made from impact, corrosion and UV resistant GRP
- Operating temperature -30°C to + 130°C



Order No.	Model No.	Description
JUNCTION BOX		
1051043279	NLJB68	Junction Box SWA

JUNCTION BOXES



Order No.	Model No.	Description	Ø Dia.
ROUND JUNCTION BOXES			
2501425295	NLJB204/KOS	20A Non-Selective Entry 4 Terminal Junction Box	58mm
2501425296	NLJB204/SEL	20A Selective Entry 4 Terminal Junction Box	80mm
2501425297	NLJB206/SEL	20A Selective Entry 6 Terminal Junction Box	86mm
2501425298	NLJB303/SEL	30A Selective Entry 3 Terminal Junction Box	90mm

3 PIN PLUG TOP



Order No.	Model No.	Description
13A 3 PIN PLUG TOP		
2501425285	NL3PT	Plug Top 3A 3 Pin White Fitted with 3 Amp Fuse
2501425284	NL13PT	Plug Top 13A 3 Pin White Fitted with 3 Amp Fuse
2501616039	NL13PT-A	Plug Top 13A 3 Pin White Fitted with 13 Amp Fuse

It's so easy to order online



Order your way!

15,000+ products in a few clicks!

Check stock in **real time**

Personalised pricing

Favourites/bought before

Easy Basket Builder - order in 1 click

Convert quotes to orders in 1 click

FREE UK deliveries (stock items)

Order by 5pm for next day

Click and collect in 1 hour

Save time with easy admin!

Easy access to **account details**

View **invoice status** / download / print


Pay invoices online

View **account summary** / statements

View **order history**

Create jobs lists, share and add to
cart / save for later

Track orders / email & text notifications



Download the
Rexel and Denmans
App today





Welcome to Rexel & Denmans Cable Solutions



Our Cable Solutions is here to provide you with all your cable needs via our 230+ branches across the UK, from standard to specialist, large and small volumes.

We can help with your everyday cable needs: quality products that are quickly accessible where and when you need them, allowing you to get the job done efficiently.

We also give you the added peace of mind that our cable is sourced only from reputable suppliers, and complies with current legislation (BASEC/CPR where applicable).



National Cable Centre

Wide range of cables for all your needs with over 300 to choose from

£14m stock value

135,000 sq ft internal warehouse space/
205,000 sq ft secure external space

Our cable offer includes:

Booklet SWA (PVC)

1.5mm² Core to 16.0mm 4 Core

Booklet SWA (PVC)

Multicore from 5 Core to 12 Core

Booklet SWA (LSOH)

1.5mm² Core to 16.0mm 4 Core

Booklet SWA (LSOH)

Multicore from 5 Core to 12 Core

Power SWA (PVC)

25mm² Core to 240mm 4 Core

Power SWA (LSOH)

25mm 3 Core to 95mm 4 Core

Power AWA 90mm to 500mm Single Core

Control Flexes (CY,SY,YY) PVC

Number Core & Colour Core

6181Y Double Insulated

1.0mm to 95.0mm

6491X Singles PVC 1.0mm to 35.0mm

6491B Singles LSF 1.5mm to 95mm

6242Y Twin & Earth PVC 1.0mm to 16.0mm

6243Y Triple & Earth PVC 1.0mm to 2.5mm

6242B Twin & Earth LSOH 1.0mm to 16.0mm

6243B Triple & Earth LSOH 1.0mm to 2.5mm

Tri-Rated 0.5mm to 35.0mm

H07-RNF Rubber 1.5mm to 16.0mm

NY Y (Hi Tuf) 1.5mm to 6mm

Data Cables

Communications Cables

Solar Cables 4mm to 6.0mm

Street Lighting 1.5mm to 16.0mm

Gland Kits & Accessories

Order by 3pm for next day delivery
to branch or to your site



REXEL

Denmans
REXEL GROUP

Lighting Design & Solutions

End to end
support
and
expertise
for all your
lighting
projects

When it comes to lighting projects and independent advice, Rexel and Denmans can help! We offer a free of charge bespoke lighting design and consultancy service that will help you deliver a creative, energy efficient and cost-effective solution, whether your project is commercial, residential or industrial.

Our design team will ensure that your project adheres to all the required standards and regulations, offering peace of mind when it matters with our bespoke emergency lighting designs and solutions.


Rexel and Denmans offer quality and reliable products from leading brands including own brand, fit for any budget, providing the most competitive and cost-effective solutions.

We can also incorporate lighting controls, both wired and wireless in any design, to help you live and work in a better light.

Here's how...

Stage 1: Survey, advice and calculations

A nationwide team of engineers professionally qualified to industry standards offering impartial advice.



Stage 2: Design service

Technical design calculations and layouts are created using the latest RELUX software package, designed to conform to CIBSE/SLL guides and British Standards.

Stage 3: Quality products

We recommend only trusted products from the world's leading lighting manufacturers that meet our rigorous standards of performance, safety and quality.



Stage 4: Installation

Based on information that we have gathered from our survey and lighting designs, we can facilitate an installation service linking you with installers to give you a 'one-stop' solution which is fully project-managed. We can of course, also work on a supply only basis.

Contact us for more info:

Email the Lighting Design and Solutions Team:

lighting.solutions@rexel.co.uk

**GET
THE JOB
DONE**

 Newlec

Quality

At great value.

Reliable

And ready for the job.

Professional

From start to finish.

Trusted

For over 40 years.

The logo for Newlec, featuring a stylized white 'N' followed by the word 'Newlec' in a white sans-serif font.

GET THE JOB DONE
GET THE JOB DONE

Visit our website

