EV SOLUTIONS

ALL YOU NEED FOR YOUR EV PROJECTS

2025



a world of energy

Creating a **Sustainable** Future



With government goals to reduce emissions by 45% by 2030 and zero-carbon emitting fleet cars and vans by 2027, we're here to help you make the right choices.

The innovations in EV technology along with our extensive product range and expertise means we are best placed to help you get what you need.

- 200 branches across the UK
- Our greatest stock offer ever with FREE next day delivery*. (Order by 5pm)
- Quality, high performing products from trusted leading brands
- Solutions for every sector: commercial, residential and industrial
- Access to EV installation training courses
- EV specialist colleagues
- All the products, materials and services you need to do the job right

More Stock

We've invested in a brand new 186,000 sqft distribution centre with the latest robotic technology for fast, accurate order picking. It's now in operation and backing our branch network with our greatest stocks ever.

- £30m stock across 30,000 products available for next day delivery
- £115m stock across 50,000 products available within 48hrs
- £600m products available within 72hrs


Plus, all your essential and locally tailored products readily available off the shelf from your local branch.



Help is at hand


- Speak to our experts in local branches or your Account Manager
- Our Digital Contact Centre is on hand to help with any questions: 0330 0450606
- Email: customersupport@rexel.co.uk
- Live chat (yes, it's a real person!) Rexel.co.uk

Stock Availability



All other products are available within 2-3 days. DC Charging products may require a longer lead time and require specialist handling - please contact your local branch for further details.

You already know our branches are there with a welcome and a free coffee if you want to pop in to collect or get advice, but have you thought about the alternative - online ordering? We've made it quick and easy to search and buy with no fuss. Here's just some of the great reasons to try us online:







- Create job lists, share and add to cart
- Easv basket builder order in one click
- Convert quotes to orders in one click
- Download our improved app: for barcode scanning & more!



Download here to find out more!

Easy to get your products

• Digital catalogues - just add products to cart

• Request a quote online - fastest ever service!



- Free delivery to UK locations
- Order by 5pm for FREE next day delivery of stock items
- Click and collect in 1 hour from 200 branches across UK
- Track and trace your orders live -Email / text notifications

Easy admin



- Easy access to your account details
- View invoice status, download / print / pay invoices online
- View account summary / statements / order history
- Online proof of deliveries

EV Solutions - Contents



Domestic & Commercial

Page 7

9

EVO Smart EV Chargers



Qubev Smart EV Chargers



Zura Smart EV Charger



11 Wallpod Smart EV Charger



12SecuriCharge
Smart EV Charger



BasicCharge Smart EV Charging Pedestal



Quantum Smart EV Charging Pedestal



AutoCharge Smart EV Charging Pedestal

13



SecuriCharge Range with Contactless & LCD Screen



Quantum Range with Contactless & LCD Screen



Stand Alone Remote Payment Terminal



17 EV Accessories



18Easee Charging Robot



18Easee One
Tethered Bundle Kit



18

Easee Charge Tethered Bundle Kit



19 Fac

Easee Covers



19Easee
Base



19 Easee U-Hook



19 Other Accessories



20 Zappi EV Charger



Eddi Energy Diverter



Harvi Energy Monitoring Sensor



21Pedestal for Zappi Chargers



21 CT Clamps



22 Solo 3S - 7kW



22 Solo 3 22kW



22 Solo 3 Mounting Post



Solo Mounting Post & Key Lock



Entity Pro Commercial EV Charger



A complete range for all applications

24 32 40 6 6 6 6 **Entity Pro** Three Phase MCB ΕV **EV** Charger with Pen Fault **Blocks** 24 33 40 Ohme Home MATT:E Park Aid Pro/Epod Guardian Wheel Stop 40 25 33 ΕV EO Mini Single Phase Tower Pro 3 Units 25 33 Test Equipment Page 41 Single Phase MCBs EO Genius 2 with Pen Fault 42 27 34 IET Code of EV Wall Charger Distribution Practice for Electric Gen 2 Boards Vehicle Charging 27 35 42 Apex Wifi RFID **RCBOs** Chargecheck:EV 28 35 42 Pulsar Max EV **DLM Meters** MFT-X1 **Multifunction Tester** Charger 29 36 42 Eiffel **EV** Chargepoint eMobility Testing Pedestal Accessories Equipment 29 36 **EV Circuit** Energy **DC Charging** Page 43 **Protection Boards** Meters 44 30 **37** UltraCharge 30 GIV-7.2kW **EV** Charging **EV Charger** Cables 46 30 38 UltraCharge 160 & X1 EVC **EV Cable** 240 Floor Units 7kW 47 30 38 Rapid 120 X3 EVC EV Cable 11 & 22kW Fixing Packs 47 **Circuit Protection** Rapid 180 **Groundworks** Page 39 and Cables Page 31 48 32 40 EV Block for Connection Signage & Rolec Ultra Centres **Protection Barriers** Charger

REXEL IN YOUR POCKET

We've recharged and rewired our mobile APP to bring you a seamless experience! It's **Faster**, **Easier** and **Smarter!**



RexeL

a world of energy



Domestic & Commercial











EVO

The future of intelligent charging



Up to 22kW charging speeds



Efficient modular design



Affordable & uncompromised



Surplus solar compatible



Manufacturer's warranty



WATCH THE INSTALLATION VIDEO

EVO Smart EV Charger

ROLEC

- Plug & go, mobile app or RFID
- controlled charging
- Universal charging socket
- Up to 7.4kW or 22kW charging output
- Free ROLEC EVO mobile app
- 2x EVO RFID charging cards included
- Scheduled / off-peak charging
- Surplus solar charging compatible
- PME fault detection*
 (no earth rod required)
- Dynamic load balancing (CT clamp & cable included**)
- Three to Single Phase switching (22kW model only)
- OCPP 1.6 compliant
- AC 30mA Type-A and DC 6mA protection
- 4G (22kW model only) / Wi-Fi / Ethernet connectivity
- Strong and durable IP54 / IK08 rated
- Corrosion and fire resistant
- Wall or post mounting options
- OZEV grant fundable
- 5 Year warranty



*Selectable on installation of 22kW Three Phase model

**Single Phase models only, Three Phase models require optional CT kit

Order No.	Model No.	Power	Supply	Connection	Colour	
2503018933	ROLEC5011	Up to 7.4kW	Single	1x Universal Socket	Daytona Grey	
2503018934	ROLEC5013	Up to 22kW	Three	1x Universal Socket	Daytona Grey	
2500633256	EVFP0035	Rolec Universal Mounting Post - Fits up to 2 Chargers Black				
2503021112	EVFP0120	EVO plate for mounting post				
2503021111	ACSR5011	EVO Single Phase Solar CT Clamp Kit				



QubEV Smart EV Charger

ROLEC

- · Universal charging socket or Type 2 tethered lead
- Power rating Up to 7.4kW or 22kW models
- Adjustable power rating 10A, 13A, 16A & 32A
- Free QubEV Smart Wi-Fi app
- Scheduled / off-peak charging
- Solar compatible (single phase models only)
- PEN fault and residual current protection (AC 30mA Type A, DC 6mA)
- Dynamic load balancing (CT clamp(s) & cable(s) included)
- OCPP 1.6J Compliant 1.6 compliant
- Built-in LED charging status indicator
- UK Smart Charge Point Regulations Compliant including tamper security



- OZEV grant fundable
- 3 year warranty



Order No.	Model No.	Power	Supply	Connection	Colour	
2501587149	EVON0090	Up to 7.4kW	Single	1x Universal Socket	Black	
2501587150	EVON0095	Up to 7.4kW	Single	1x Type 2 5m Tethered	Black	
2501587151	EVON0100	Up to 22kW	Three	1x Universal Socket	Black	
2501587152	EVON0105	Up to 22kW	Three	1x Type 2 5m Tethered	Black	
2501587154	EVFP0030	Universal Mounting Post, Fits up to 2 Chargers				
2501587153	EVFP0050	QubEV Smart Plate For Mounting Post				

EV Charging Cables

- Plug to plug Mode 3 EV charging cables to suit every EV and PHEV on the market
- 5m & 10m versions available
- IP54 rated
- 10,000 mating cycles
- Impact resistant 'run over' proof

Order No.	Model No.	Description
2500511850	EVPP0160	5m 32A Type 2 to Type 1
2500837395	EVPP0163	10m 32A Type 2 to Type 1
2500511844	EVPP0100	5m 32A Type 2 to Type 2
2500952377	EVPP0107	10m 32A Type 2 to Type 2
2500627004	EVPP0105	5m 32A 3 Phase Type 2 to Type 2
2501458532	EVPP0108	10m 32A 3 Phase Type 2 to Type 2
2500837396	EVPP0320	EV Charging Lead Carrying Bag





Zura Smart EV Charger

- Suitable for both domestic and commercial installations
- Plug & go, mobile app or RFID controlled charging
- PME, overcurrent & DC leakage protection
- Dynamic load balancing (CT clamp & cable included)
- Single outlet units can be upgraded to dual

- Solar PV, battery storage or wind turbine integration*
- Built-in MID approved energy metering
- Complies with all UK Smart Charge Point Regulations
- 4G/Wi-Fi/Ethernet connectivity
- Optional coloured or fully customised fascias
- OZEV grant fundable
- 3 year warranty



Order No.	Model No.	Power	Supply	Connection	Colour	
2501516847	ROLEC3020B	Up to 7.4kW	Single	1x Universal Socket	Black	
2501516848	ROLEC3030B	Up to 7.4kW	Single	2x Universal Sockets	Black	
2501516849	ROLEC3140B	Up to 7.4kW	Single	1x Type 2 5m Tethered	Black	
2501516850	ROLEC3150B	Up to 7.4kW	Single	2x Type 2 5m Tethered	Black	
2501516851	ROLEC3145B	Up to 7.4kW	Single	1x Type 2 10m Tethered	Black	
2501516852	ROLEC3155B	Up to 7.4kW	Single	2x Type 2 10m Tethered	Black	
2501516853	ROLEC3046B	Up to 22kW	Three	1x Universal Socket	Black	
2501516854	ROLEC3156B	Up to 22kW	Three	1x Type 2 5m Tethered	Black	
2501587154	EVFP0030	Universal Mounting Post, Fits up to 2 Chargers				

^{*}App dependant feature

Wallpod Smart EV Charger

- Suitable for both domestic and commercial installations
- Plug & go, mobile app or RFID controlled charging
- PME, overcurrent & DC leakage protection
- Dynamic load balancing (CT clamp & cable included)
- Solar PV, battery storage or domestic wind turbine integration*

- PME, overcurrent & DC leakage protection
- Complies with all UK Smart Charge Point Regulations
- 4G/Wi-Fi/Ethernet connectivity
- Branding & colour options available
- OZEV grant fundable
- 3 year warranty



Order No.	Model No.	Power	Supply	Connection	Colour		
2501516838	ROLEC4020G	Up to 7.4kW	Single	1x Universal Socket	Grey		
2501516839	ROLEC4020W	Up to 7.4kW	Single	1x Universal Socket	White		
2501516840	ROLEC4020B	Up to 7.4kW	Single	1x Universal Socket	Black		
2501516841	ROLEC4140G	Up to 7.4kW	Single	1x Type 2 5m Tethered	Grey		
2501516842	ROLEC4140W	Up to 7.4kW	Single	1x Type 2 5m Tethered	White		
2501516843	ROLEC4140B	Up to 7.4kW	Single	1x Type 2 5m Tethered	Black		
2501516844	ROLEC4145G	Up to 7.4kW	Single	1x Type 2 10m Tethered	Grey		
2501516845	ROLEC4145W	Up to 7.4kW	Single	1x Type 2 10m Tethered	White		
2501516846	ROLEC4145B	Up to 7.4kW	Up to 7.4kW Single 1x Type 2 10m Tethered Black		Black		
2501587154	EVFP0030	Universal Mounting	Universal Mounting Post, Fits up to 2 Chargers				
2500633256	EVFP0040	WallPod Plate For Mounting Post					

SecuriCharge Smart EV Charger

ROLEC

- Suitable for commercial installations
- Plug & go, mobile app or RFID controlled charging
- PME, AC overload & fault current and DC leakage protection
- Supports dynamic load balancing & static load management
- Lockable front access door

- MID-approved energy metering
- Complies with all UK Smart Charge Point Regulations
- 4G/Wi-Fi/Ethernet connectivity
- IP54 / IK10 rated
- Branding & colour options available
- Eligible for OZEV government grant
- 3 year warranty



Order No.	Model No.	Power	Supply	Connection	Colour		
2501516855	ROLEC0111B	Up to 7.4kW	Single	1x Universal Socket	Black		
2501516858	ROLEC0121B	Up to 7.4kW	Single	2x Universal Sockets	Black		
2501516861	ROLEC0113B	Up to 22kW	Three	1x Universal Socket	Black		
2501516864	ROLEC0123B	Up to 22kW	Three	2x Universal Sockets	Black		
2503021109	EVFP0065	SecuriCharge Mounting Post (Fits 1 Charger)					
2503021110	EVFP0075	SecuriCharge Mounting Post (Fits 2 Chargers)					
2500627007	GMPG0010	SecuriCharge Mou	SecuriCharge Mounting Post Galvanised Steel Ground Mounting Base				

BasicCharge Smart EV Charging Pedestal

- Suitable for commercial installations
- Plug & go, mobile app or RFID controlled charging
- PME, AC overload & fault current and DC leakage protection
- Supports dynamic load balancing & static load management
- PME, AC overload & fault current and DC leakage protection

- Complies with all UK Smart Charge Point Regulations
- 4G/Wi-Fi/Ethernet connectivity
- LED amenity lighting head
- IP54 / IK10 rated
- Branding & colour options available
- OZEV grant fundable
- 3 year warranty



Order No.	Model No.	Power	Supply	Connection	Colour
2501516867	ROLECO211B	Up to 7.4kW	Single	1x Universal Socket	Black
2501516868	ROLECO211G	Up to 7.4kW	Single	1x Universal Socket	Grey
2501516869	ROLEC0211W	Up to 7.4kW	Single	1x Universal Socket	White
2501516870	ROLEC0221B	Up to 7.4kW	Single	2x Universal Sockets	Black
2501516871	ROLEC0221G	Up to 7.4kW	Single	2x Universal Sockets	Grey
2501516872	ROLEC0221W	Up to 7.4kW	Single	2x Universal Sockets	White
2501516873	ROLEC0213B	Up to 22kW	Three	1x Universal Socket	Black
2501516874	ROLEC0213G	Up to 22kW	Three	1x Universal Socket	Grey
2501516875	ROLEC0213W	Up to 22kW	Three	1x Universal Socket	White
2501516876	ROLEC0223B	Up to 22kW	Three	2x Universal Sockets	Black
2501516877	ROLEC0223G	Up to 22kW	Three	2x Universal Sockets	Grey
2501516878	ROLEC0223W	Up to 22kW	Three	2x Universal Sockets	White
2500627006	GMCP0010	BasicCharge Galvanised Steel Ground Mounting Base			

Quantum Smart EV Charging Pedestal

ROLEC

- Suitable for commercial installations
- Plug & go, mobile app or RFID controlled charging
- PME, AC overload & fault current and DC leakage protection
- Supports dynamic load balancing & static load management
- MID-approved energy metering

- Complies with all UK Smart Charge Point Regulations
- 4G/Wi-Fi/Ethernet connectivity
- LED amenity lighting head
- IK10 impact resistant design
- Branding & colour options available
- OZEV grant fundable
- 3 year warranty



Order No.	Model No.	Power	Supply	Connection	Colour
2501516885	ROLEC0421B	Up to 7.4kW	Single	2x Universal Sockets	Black
2501516886	ROLEC0421G	Up to 7.4kW	Single	2x Universal Sockets	Grey
2501516887	ROLEC0421W	Up to 7.4kW	Single	2x Universal Sockets	White
2501516888	ROLEC0425B	Up to 7.4kW	Single	4x Universal Sockets	Black
2501516889	ROLEC0425G	Up to 7.4kW	Single	4x Universal Sockets	Grey
2501516890	ROLEC0425W	Up to 7.4kW	Single	4x Universal Sockets	White
2501516891	ROLEC0423B	Up to 22kW	Three	2x Universal Sockets	Black
2501516892	ROLEC0423G	Up to 22kW	Three	2x Universal Sockets	Grey
2501516893	ROLEC0423W	Up to 22kW	Three	2x Universal Sockets	White
2501134306	GMQR0010	Quantum Galvanised Steel Ground Mounting Base			

¹ way models are available. Ask in branch for details

AutoCharge Smart EV Charging Pedestal

- Suitable for commercial installations
- Plug & go, mobile app or RFID controlled charging
- PME, AC overload & fault current and DC leakage protection
- Supports dynamic load balancing & static load management
- MID-approved energy metering

- Complies with all UK Smart Charge Point Regulations
- 4G/Wi-Fi/Ethernet connectivity
- Switchgear & components behind lockable door
- IK10 impact resistant design
- Branding & colour options available
- OZEV grant fundable
- 3 year warranty



Order No.	Model No.	Power	Supply	Connection	Colour
2501516879	ROLEC0021B	Up to 7.4kW	Single	2x Universal Sockets	Black
2501516880	ROLEC0021G	Up to 7.4kW	Single	2x Universal Sockets	Grey
2501516881	ROLEC0021W	Up to 7.4kW	Single	2x Universal Sockets	White
2501516882	ROLEC0023B	Up to 22kW	Three	2x Universal Sockets	Black
2501516883	ROLEC0023G	Up to 22kW	Three	2x Universal Sockets	Grey
2501516884	ROLEC0023W	Up to 22kW	Three	2x Universal Sockets	White
2500627007	GMPG0010	AutoCharge Galvanised Steel Ground Mounting Base			

SecuriCharge Range with Contactless & LCD Screen

ROLEC







- Plug & go, app, contactless payment (model dependant), or RFID controlled charging
- Choose from 1x or 2x universal charging socket(s)
- Up to 7.4kW or 22kW charging output(s)
- PME fault detection (no earth rod required)
- Supports dynamic load balancing & static load management
- OCPP 1.6J Compliant 1.6 compliant (can integrate with any back-office)
- Over-the-air firmware / software updates
- Built-in AC overload & fault current protection (RCBO)
- Built-in 6mA DC leakage protection
- Dual tamper and breach security notifications
- Lockable front access door
- 5" LCD Screen (model dependant)

- Cable lock security feature (can be permanently locked by user)
- MID-approved energy metering
- 4G / Wi-Fi / Ethernet connectivity
- Conforms with PAS 1899 accessible charging standard*
- Strong and durable IP54 / IK10 rated
- Wall or post mountable
- Independent back plate included
- 3 year warranty

*When installed at the specified height

Order No.	Model No.	Power	Supply	Connection	Feature	Colour	
2503008900	ROLEC1121B	Up to 7.4kW	Single	2x Universal Sockets	Contactless Payment	Black	
2503008901	ROLEC1123B	Up to 22kW	Three	2x Universal Sockets	Contactless Payment	Black	
2503008902	ROLEC2121B	Up to 7.4kW	Single	2x Universal Sockets	LCD Screen	Black	
2503008903	ROLEC2123B	Up to 22kW	Three	2x Universal Sockets	LCD Screen	Black	
2503008898	ROLEC3121B	Up to 7.4kW	Single	2x Universal Sockets	Contactless Payment & LCD Screen	Black	
2503008899	ROLEC3123B	Up to 22kW	Three	2x Universal Sockets	Contactless Payment & LCD Screen	Black	
2503021109	EVFP0065	SecuriCharge Mo	SecuriCharge Mounting Post (Fits 1 Charger)				
2503021110	EVFP0075	SecuriCharge Mo	SecuriCharge Mounting Post (Fits 2 Chargers)				
2500627007	GMPG0010	SecuriCharge Mo	SecuriCharge Mounting Post Galvanised Steel Ground Mounting Base				

Quantum Range with Contactless & LCD Screen

- Plug & go, app, contactless payment (model dependant), or RFID controlled charging
- Choose from 1x or 2x universal charging socket(s)
- Up to 7.4kW or 22kW charging output(s)
- PME fault detection (no earth rod required)
- Supports dynamic load balancing & static load management
- OCPP 1.6J Compliant 1.6 compliant (can integrate with any back-office)
- Over-the-air firmware / software updates
- Built-in AC overload & fault current protection (RCBO)
- Built-in 6mA DC leakage protection
- Dual tamper and breach security notifications
- · Lockable front access door
- 5" LCD Screen (model dependant)
- Cable lock security feature (can be permanently locked by user)
- LED amenity lighting head (Photocell controlled)
- MID-approved energy metering
- 4G / Wi-Fi / Ethernet connectivity
- Conforms with PAS 1899 accessible charging standard
- Strong and durable IP54 / IK10 rated
- Surface or root mountable
- 3 year warranty




Order No.	Model No.	Power	Supply	Connection	Feature	Colour	
2501677107	ROLEC1411B	Up to 7.4kW	Single	1x Universal Sockets	Contactless Payment	Black	
2501677072	ROLEC1421B	Up to 7.4kW	Single	2x Universal Sockets	Contactless Payment	Black	
2501677075	ROLEC1413B	Up to 22kW	Three	1x Universal Sockets	Contactless Payment	Black	
2501677078	ROLEC1423B	Up to 22kW	Three	2x Universal Sockets	Contactless Payment	Black	
2501680929	ROLEC2411B	Up to 7.4kW	Single	1x Universal Sockets	LCD Screen	Black	
2501680930	ROLEC2421B	Up to 7.4kW	Single	2x Universal Sockets	LCD Screen	Black	
2501680931	ROLEC2413B	Up to 22kW	Three	1x Universal Sockets	LCD Screen	Black	
2501680932	ROLEC2423B	Up to 22kW	Three	2x Universal Sockets	LCD Screen	Black	
2501680933	ROLEC3411B	Up to 7.4kW	Single	1x Universal Sockets	Contactless Payment & LCD Screen	Black	
2501680935	ROLEC3421B	Up to 7.4kW	Single	2x Universal Sockets	Contactless Payment & LCD Screen	Black	
2501680934	ROLEC3413B	Up to 22kW	Three	1x Universal Sockets	Contactless Payment & LCD Screen	Black	
2501680936	ROLEC3423B	Up to 22kW	Three	2x Universal Sockets	Contactless Payment & LCD Screen	Black	
2501134306	GMQR0010	Quantum Galvai	Quantum Galvanised Steel Ground Mounting Base				

Stand Alone Remote Payment Terminal

- NFC contactless payment solution for multiple EV chargers
- Compatible with all ROLEC EV chargepoints (except QubEV)
- 3.5" LCD backlit touch screen display
- Market-leading Payter contactless terminal
- Supports pin entry for unattended environments
- Integrates with chargepoint management back-office
- Real-time transactions & data reporting
- Customisable advertising screen (great for promotions or branding)
- Over-the-air firmware / software updates
- Built-in surge protection
- · 4G / Wi-Fi / Ethernet connectivity
- Waterproof & vandal-proof IP65 / IK09 rated terminal
- Strong and durable IP66 / IK10 rated enclosure
- · Wall or post mounted
- Designed & manufactured in the UK
- 3 year warranty

Order No.	Model No.	Description
2501677106	ROLEC5000	Tap & Charge Remote Contactless Payment Terminal
2503009548	EVFP0110	Tap & Charge Premium Mounting Pedestal
2503008880	EVFP0100	Tap & Charge Mounting Post
2500627006	GMCP0010	Tap & Charge Mounting Post Galvanised Steel Ground Mounting Base





Rolec EV Chargepoint Accessories

				•	-
Order No.	Model No.	Description			
2503008894	EVFP0035	Universal Mounting Post, Fits up to 2 Charg	iers		
2503021112	EVFP0120	EVO plate for mounting post			
2503021109	EVFP0065	SecuriCharge Mounting Post (Fits 1 Charg	er)	•	
2503021110	EVFP0075	SecuriCharge Mounting Post (Fits 2 Charg	gers)		_
2500633256	EVFP0040	WallPod Plate For Mounting Post		EVFP0050	_
2501587153	EVFP0050	QubEV Smart Plate For Mounting Post			
2503008886	EVFP0080	Universal Holster Plate for Mounting Post		• •	
2501587154	EVRS0030	Universal Remote wall mount for Type 2 plu	ug holster		
2503008885	EVFP0090	QubEV Smart Holster Plate for Mounting Po	ost		
2501587155	EVRS0040	QubEV Smart Type 2 Plug Holster			
2501134306	GMQR0010	Quantum Galvanised Steel Ground Mount	ing Base		EVFP0035
2500627006	GMCP0010	BasicCharge Galvanised Steel Ground Mo	unting Base		
2500627007	GMPG0010	AutoCharge / SecuriCharge Mounting Por Ground Mounting Base	s Galvanised Steel	EVFP0040	-
2503008887	ACSR0125-F	100A up to 35mm² Screened CT Clamp wit	h 10m Cable		
2503021111	ACSR5011	EVO Single Phase Solar CT Clamp Kit			
2503008889	ACSR0380	QubEV 120A up to 35mm² CT Clamp with 5	5m Cable		
2503008888	ACSR0325	Zura (Three Phase) 3x 100A up to 35mm ² S with 10m Cables	Gcreened CT Clamp		
2501516899 RFID0010 RFID Card		RFID Card			
2501516900	RFID0020	RFID Fob		ACSR0380	
2503008896 ZURA0100G Zura EV Charger Front Fascia Plate - Grey					
2503008897	ZURA0100W	Zura EV Charger Front Fascia Plate - White	2	ROLEC <i>EV</i>	
2		ROME! (FES)		ZURA0100G	EVFP0065
GMPG0010		RFID0010 / RFID0020	EVRS0040		•
				ROLECEV	EVFP0090
GMCF	P0010	GMQR0010	EVRS0030	ZURA0100W	EVFP0080

Easee Charging Robot

ease*

- 7.4kW 22kW
- Integrated Type B RCD
- 4G Sim & WIFI connectivity
- RFID compatible
- Static Load Balancing up to 101 units
- Phase Balancing
- OCPP 1.6J Compliant
- Easee Cloud Back Office
- 3 year warranty

Order No.	Model No.	Description	Power	Connection
2501552767	10523	Easee One UK	7.4kW	Socket
2501552768	10223	Easee Charge UK Black	22kW	Socket



Easee One Tethered Bundle Kit

easee°



- Easee One (7.4kW) complete with 7.5m T2 lead and Cable Hook
- Bundle includes:

10523 - EASEE ONE Charger

90201 - EASEE Type2 7.5m Cable

90101 - EASEE U-Hook Black

• 3 year warranty

Order No.	Model No.	Description
2501634403	10530	Easee One Tethered bundle kit inc. charger, 7.5m lead and cable hook

Easee Charge Tethered Bundle Kit

easee°



- Easee Charge (22kW) complete with 7.5m T2 lead and Cable Hook
- Bundle includes:

10223 - EASEE CHARGE Charger

90201 - EASEE Type2 7.5m Cable

90101 - EASEE U-Hook Black

• 3 year warranty

Order No.	Model No.	Description
2501634404	10228	Easee Charge Tethered bundle kit inc. charger, 7.5m lead and cable hook

Easee Covers

ease®

Personalise your EV charger with different colour options




Order No.	Model No.	Description
2501460152	70105	Anthracite Cover Inc Socket Cap
2501460153	70101	Blue Cover Inc Socket Cap
2501460154	70103	Red Cover Inc Socket Cap
2501460155	70102	White Cover Inc Socket Cap
2501506772	70104	Black Cover Inc Socket Cap

Easee Base

ease*

 Available with 1, 2 or 4 charging positions



Order No.	Model No.	Description
2501506779	90322	Easee Base Pedestal 1 Way
2501506780	90323	Easee Base Pedestal 2 Way
2501506781	90324	Easee Base Pedestal 4 Way

Easee U-Hook

ease*

 Match your cable holder to your Easee EV charger



Order No.	Model No.	Description
2501506774	90103	U-Hook Cable Holder Premium
2501506775	90104	U-Hook Cable Holder Red
2501506776	90101	U-Hook Cable Holder Black
2501506777	90102	U-Hook Cable Holder White

Other Accessories

ease°



Order No.	Model No.	Description
2501436566	10401	Easee Ready Backplate and Blanking Front Cover
2501460156	60101	Easee RFID Key (Pack of 10)
2501506773	70106	Easee Socket Cap
2501506778	90201	Easee Type 2 - Type 2 Cable
2501506782	90210	Easee Mounting Plate

Zappi EV Charger

g myenergi

- Compatible for both 7kW & 22kW applications
- Backlit screen for detailed device settings and Functionality
- Commercial mode & OCPP-ready for seamless fleet management and payment integration
- On-screen custom messages and QR codes for commercial user interactions
- Classic design with soft-touch buttons
- On screen PIN code lock
- Seamless solar and home ecosystem integration
- Easy low-cost energy tariff integration
- Myaccount desktop management platform
- Choose between Black or White to match any aesthetic
- Available with tethered cable or as a universal socket
- WiFi & Ethernet connectivity
- 3 year warranty





Order No.	Model No.	Power	Supply	Connection	Colour
2501556318	ZAPPI-2H22UB-G	7-22kW	Muiltiphase	Untethered	Black
2501556319	ZAPPI-2H22UW-G	7-22kW	Muiltiphase	Untethered	White
2501556320	ZAPPI-2H22TB-G	7-22kW	Muiltiphase	Tethered	Black
2501556321	ZAPPI-2H22TW-G	7-22kW	Muiltiphase	Tethered	White

NEW Zappi Multiphase Customise your charging for tailored eco efficiency

EDDI Energy Diverter

4 myenergi

- Eddi is an eco smart energy management system
- Diverts surplus power from solar PV or wind generation to a designated appliance such as an immersion heater
- Eddi allows you to stop exporting energy back to the grid and saves money on your energy bill
- Utilises myenergi proprietary Varishine technology to ensure compliance with worldwide power grid standards
- 3 year warranty



Order No.	Model No.	Description
2501523237	EDDI-16A1P02H	EDDI Energy Diverter

Pedestal for Zappi Chargers



- Pedestal for Zappi Chargers
- For single and double mounting



Order No.	Model No.	Description
2501527261	ZAPPI-PEDESTAL	Pedestal for Zappi Chargers

Harvi Energy Monitoring Sensor

4 myenergi

- Removes the need for face fixed cabling and difficult routing paths, instead the CT is connected to harvi directly and transmitted to the devices wirelessly
- No power source is needed for Harvi the energy from the CT is harvested and used to transmit the measurement signal to the Zappi or Eddi
- 3 year warranty



Order No.	Model No.	Description
2501312484	HARVI65A3P	Harvi Energy Monitoring Sensor

CT Clamps

4 myenergi

- Used to send data to Zappi and Eddi
- Can be used to monitor solar
- Enables monitoring of battery storage
- 5m cable supplied



Order No.	Model No.	Description
2501312485	CT100-16-05	16mm
2501312486	CT100-24-05	24mm

Solo 3S - 7kW



- 7kW Rating
- Universal socket that connects to all cars
- 5m Tethered version available
- Intelligent and convenient
- Solar integration as standard
- Future-proof technology
- Automatic over-the-air updates
- · Charge scheduling to align with
- · Safe and secure charging with
- 3-year warranty

Order No.	Model No.	Power	Connection
2501678985	S7-UC-05	7kW	Socketed
2501678986	S7-2C-05	7kW	Tethered

Solo 3 Mounting Post pod POINT

 Compatible with all Pod Point Solo 3 products



Order No.	Model No.	Description
2501468679	PP-A-210051-1	Mounting Post

Solo 3 22kW



- Upto 22KW rating
- In-built earth-neutral failure protection (no earth rod or isolation transformer required)
- Load balancing ensures no pre-authorisation required from the ENA or DNO
- 6mA DC leakage protection (no type B RCD required)
- Wi-Fi connected
- Free over-the-air software updates for the life of the charger
- Pair the Solo with the Pod Point App to see charging activity and costs via a smartphone
- Remotely schedule charging with the Solo & Pod Point App when it's cheapest to charge
- Recommended by and installed widely for BMW, Mercedes, VW, Audi and more
- 3 year warranty

Order No.	Model No.	Power	Connection
2501563790	S22-UC-3	22kW	Socketed
2501563791	S22-2C-3	22kW	Tethered

Solo 3 Key Lock POINT

• Physical Key Lock for Pod Point Solo 3 products



Order No.	Model No.	Description
2501468680	PP-A-160021-1	Solo 3 Key Lock

pod POINT

Solo 3S

A home charging system you can trust to power your EV lifestyle





Reliable & easy to install

Covered by a 3-year warranty



Specialised technical support

24/7 support agents available



Quick configuration & commissioning

Via the dedicated Installer App



Regulatory compliance

Fully compliant with the latest smart chargepoint regulations

We've powered 6 billion miles and counting.









Entity Pro Commercial EV Charger

GARO

- IP54 Weatherproof rating
- LAN/4g connectivity
- OCPP 1.6J Compliant
- 3.7kW 22kW
- Load management
- · Reversible socket
- Meshed WIFI
- Wireless load balancing
- IK10 impact rating
- 2 year warranty

CARO

- IP54 Weatherproof rating
- LAN/4g connectivity
- OCPP 1.6J Compliant
- 7-22kW 3 Phase
- Load manageable
- Reversible socket
- Meshed WIFI
- Wireless load balancing
- Available in Tethered and Socketed units
- Dual Option available
- IK10 impact rating
- 2 year warranty



Entity Pro EV Charger

Order No.	Model No.	Description
2501579646	EPCSO00332SIGI	Entity Pro Charger 3PH 4G 32A
2501579644	EPCS40332SIGI	Entity Pro Charger 3PH 4G 32A with Tethered Cable
2501579647	EPCSO00332SIGI	Entity Pro Charger 3PH 4G with Dual Back Plate



Order No.	Model No.	Description
2501556477	EP1	Garo Entity Pro Commercial EV Charger 3.7kW - 22kW

Ohme Home Pro/Epod

Ohme

- Works with every EV tariff, including Octopus Intelligent
- Fully compliant with all EV regulations
- · Load balancing enabled
- 3G/4G connectivity
- Commissioning in under 5 minutes
- Inbuilt PEN fault protection
- Over-the-air tech updates to keep you ahead of the charging curve
- 3 Year warranty

Order No.	Model No.	Description
2501565763	OHME0002GB002	Ohme Home Pro 5m Tethered 7kW
2501565764	OHME0002GB0028M	Ohme Home Pro 8m Tethered 7kW
2501565765	OHMEX1GB003BL	Ohme Epod Socketed 7kW



OHME0002GB002



OHMEX1GB003BL

EO Mini Pro 3

- OCPP 1.6J Compliant
- Internal PME (No earth rod required)
- Bluetooth connectivity
- WIFI enabled for app control
- Solar integration
- Active load management
- 3 year warranty



Order No.	Model No.	Description
2501544283	EM301-PME- DCL	EO Mini Pro 3 Socketed 7.2kW
2501544284	EM301-PME- DCL-GSM	EO Mini Pro3 Socketed 7.2kW with GSM Card
2501544285	EM301-T2T- PME-DCL	EO Mini Pro3 Type 2 Tethered 7.2kW
2501544286	EM301-T2T- PME-DCL-GSM	EO Mini Pro3 Type 2 Tethered 7.2kW with GSM Card



eo

EO Genius 2

- OCPP 1.6J Compliant
- Internal PME (No earth rod required)
- Wifi/Ethernet/GSM connectivity
- Commissioning done via Bluetooth
- Active load management
- 3 year warranty

Order No.	Model No.	Description
2501544287	EG201-PME-DCL	EO Genius 2 Socketed 7.2kW
2501544288	EG201-PME-DCL- GSM	EO Genius 2 Socketed 7.2kW with GSM Card
2501544289	EG203-PME-DCL	EO Genius 2 Socketed 22kW
2501544290	EG203-PME-DCL- GSM	EO Genius 2 Socketed 22kW with GSM Card
2501544291	EG201-T2T-PME- DCL	EO Genius 2 Type 2 Tethered 7.2kW
2501544292	EG201-T2T-PME- DCL-GSM	EO Genius 2 Type 2 Tethered 7.2kW with GSM Card
2501544293	EG203-T2T-PME- DCL	EO Genius 2 Type 2 Tethered 22kW
2501544294	EG203-T2T-PME- DCL-GSM	EO Genius 2 Type 2 Tethered 22kW with GSM Card





EV Charging solutions and accessories

Wall Charger 2







22kW with Wi-Fi, LAN, 4G and RFID

- Dynamic charging up to 22kW on three-phase AC power
- · Wi-Fi, Ethernet, 4G and RFID
- Type 2 socket with auto-lock
- Interchangeable front fascia, change the shade or colour!
- Powered by Monta Integrated SolarCharge
 Leverage your surplus green energy from your solar panels and reduce charging costs
- Improved ease of installation

7kW with Wi-Fi, LAN, 4G and RFID

- · Available as Socketed or Tethered
- · Dynamic charging up to 7.4 kW (32A)
- · Wi-Fi, Ethernet, 4G and RFID
- · Type 2 socket with auto-lock
- Interchangeable front fascia, change the shade or colour!
- Powered by Monta Integrated SolarCharge
 Leverage your surplus green energy from your solar panels and reduce charging costs
- · Improved ease of installation

EV Wall Charger Gen 2



- Type 2 socket with Auto-lock
- Dynamic charging
- Single phase 7.4kW & 3 phase 22kW verisons available
- WIFI & 4G option available
- Fully OCPP 1.6J compliant
- No earth rod required
- Integral RCD with 30ma AC & 6ma DC detection
- 3 year warranty



Order No.	Model No.	Description
2501614958	EVWC2S7G-01	EV Wall Charger Gen2 Socket 7.4kW CT
2501614959	EVWC2S7GG-01	EV Wall Charger Gen2 Socket 7.4kW 4G CT
2501614960	EVWC2S7GGR-01	EV Wall Charger Gen2 Socket 7.4kW 4G RFID CT
2501600174	EVWC2S22GGR-01	EV Wall Charger 2 Socket 22kW 3P 4G RFID
2501600175	EVWC2S22GR-01	EV Wall Charger 2 Socket 22kW 3P RFID
2501614961	EVWC2T7G-01	EV Wall Charger Gen2 7.5m Tethered 7.4kW CT
2501614962	EVWC2T7GG-01	EV Wall Charger Gen2 7.5m Tethered 7.4kW 4G CT

Apex Wifi RFID



- Pro Earth Pen Fault Protection
- WIFI, Bluetooth, 4G & LAN Compatible
- Intelligent solar
- Dynamic load balancing
- RFID Reader
- Socketed & Tethered version available
- 5 year warranty





Order No.	Model No.	Description
2501620511	APEX-7S	APEX 7kW Charger WiFi RFID Bluetooth Single Socket
2501620512	APEX-7S-4G	APEX 7kW Charger WiFi RFID Bluetooth 4G Single Socket
2501620513	APEX-7S-T	APEX 7kW Charger WiFi RFID Bluetooth Tethered
2501620514	APEX-7S-T-4G	APEX 7kW Charger WiFi RFID Bluetooth Tethered 4G
2501620519	APEX-SPOST	APEX Post for 7kW & 22kW Single



Pulsar Max EV Charger

wallbox 📆



- Certified water and dust resistant with IP54 and IK10 protection ratings
- Compatible with UK Smart Charge Point Regulations
- Schedule charging sessions that take advantage of off-peak energy rates
- DC leakage and UK earthing
- Easy installation
- For mounting posts see opposite page
- 3 year warranty



Order No.	Model No.	Colour	Power	Supply	Cable Length
2501508555	PLP2-0-2-2-F-001	White	7.4kW	Single Phase	5m
2501508556	PLP2-0-2-2-F-002	Black	7.4kW	Single Phase	5m
2501508558	PLP2-M-2-2-F-001	White	7.4kW	Single Phase	7m
2501508557	PLP2-M-2-2-F-002	Black	7.4kW	Single Phase	7m

Eiffel Pedestal

wallbox 11.



• Pedestal unit compatible with Pulsar Max & Copper SB



Order No.	Model No.	Description
2501389073	000002184	Eiffel Pedestal compatible with Pulsar Max
2501389074	000000503	2nd Charger Adapter for Eiffel Pedestal compatible with Pulsar Max

Energy Meters

wallbox 🏗



• Wallbox smart power meters allow you to access the Wallbox Energy Management Solutions built-into every Wallbox charger including Power Boost and Eco-Smart, Wallbox's dynamic load balancing and PV integration solutions





000002137

000002174

Order No.	Model No.	Description
2501309387	000002143	Wallbox Power Meter (1 phase up to 100A)
2501309388 00000217		Wallbox Power Meter (3 phase up to 65A)

Thousands of lines in branch 200 branches nationwide

Plus 30,000 products available online

Scan the QR code to shop now





GIV-7.2kW EV Charger

GivEnergy®

- 7kW (32A)
- Type 2 Socketed
- LAN/WIFI enabled
- 4G optional

Order No.

2501620588

- Plug and Play
- RFID Card or App
- Integrated PEN Fault Detection
- IP65 weatherproof rating

GivEnergy's Solar Diverting

• Solar Diversion

Description

7kW EV Charger



X1 EVC 7kW

Model No.

GIV-7.2KW

EVCHARGER





- 7kW Smart charger
- Complete with CT clamp
- Integrates into Solax System
- Inbuilt PEN fault protection
- Socketed and 6.5M Tethered versions available
- LAN/WIFI/4G (optional)
- IP65/IK10

X3 EVC 11 & 22kW





- 11 or 22kW Smart charger (3 phase)
- Complete with CT clamp
- Integrates into Solax System
- Inbuilt PEN fault protection
- Socketed and 6.5m Tethered versions available
- LAN/WIFI/4G (optional)
- IP65/IK10

Order No.	Model No.	Description
2503009560 X1-HAC-7-S	EV Charger 7kW One Phase, 7kW, Socket Version, CT with PEN Version	
2503009561	X1-HAC-7-T	EV Charger 7kW One Phase, 7kW, Plug Version, CT with PEN Version

Accessories

Order No.	Model No.	Description
2503009566	TYPE2EVCABLE	Charging Cable Type2 5m
2503009567	PEDESTALSINGLE	EVC Pedestal for Solax EV Units Single
2503009568	PEDESTALDUAL	EVC Pedestal for Solax EV Units Dual mount
2503009569	SolaxRFID	RFID Card for Solax EV Units

Order No.	Model No.	Description
2503009562	X3-HAC-11-S	Smart EV Charger Gen2 11kW Socketed
2503009563	X3-HAC-11-T	Smart EV Charger Gen2 11kW Tethered
2503009564	X3-HAC-22-S	Smart EV Charger Gen2 22kW Socketed
2503009565	X3-HAC-22-T	Smart EV Charger Gen2 22kW Tethered

Circuit Protection & Cables



Connection Centre with O-PEN® - Manual Reset



- · Built in O-PEN technology
- Standard mild steel IP41 enclosure
- NO EARTH ELECTRODES REQUIRED
- Built in 5 pole mains isolator with manually resettable shunt trip
- Simple wire in wire out connection
- Available for connection to multiple single or three-phase loads 3 phase loads
- Type A RCBO, MCB or isolation only options available
- Designed and built in the UK
- Standard 1 year parts warranty

Order No.	Model No.	Description
2501294145	EVU-1-63-TP	Connection Centre with O-PEN®, Manual Reset 5 Pole Isolator Suitable for Loads up to 63A
2501294147	EVU-1-32-TP-R	Connection Centre with O-PEN®, Manual Reset 5 Pole Isolator with 32A TPN Type A RCBO
2501458645	EVU-1-100-TP	Connection Centre with O-PEN®, Manual Reset 5 Pole Isolator Suitable for Loads up to 100A

Three Phase MCB with Pen Fault

- Built in PEN fault protection
- NO EARTH ELECTRODES REQUIRED
- Manual or auto reset function (PEN fault only)
- Available as 40A, 63A, and 100A
- Simple wire in wire out connection
- Standard 1 year parts warranty

Order No.	Model No.	Description
2501673226	MTE/A 5P 40A	5 Pole 40A MCB with built in PEN Fault Protection
2501673227	MTE/A 5P 63A	5 Pole 63A MCB with built in PEN Fault Protection
2501673228	MTE/A 5P 100A	5 Pole 100A MCB with built in PEN Fault Protection

Connection Centre with O-PEN® - Automatic Reset





- Built in O-PEN technology
- Standard mild steel IP41 enclosure
- NO EARTH ELECTRODES REQUIRED
- Built in 5 pole mains isolator with Automatic reset shunt trip
- Simple wire in wire out connection
- Available for connection to multiple single or three-phase loads 3 phase loads
- Type A RCBO, MCB or isolation only options available
- Type 1 and 1+2 SPD options available
- Designed and built in the UK
- Standard 1 year parts warranty

Order No.	Model No.	Description
2501673192	ARD-1-63-TP	Connection Centre With O-PEN® and Automatic Reset 5 Pole Isolator Suitable For Loads Up To 63A
2501673199	2501673199 ARD-1-100-TP	Connection Centre With O-PEN® and Automatic Reset 5 Pole Isolator Suitable For Loads Up To 100A
2501673217	ARD-1-100-TP -SPD	Connection Centre With O-PEN® and Automatic Reset 5 Pole Isolator and Type 2 SPD Suitable For Loads Up To 100A





MATT:E Guardian



- Simple installation and commissioning
- · Visual display of alerts and status
- Configurable and preset alerts helping to warn the building user before catastrophic failure
- Ethernet connection for cloud based platform
- Option to subscribe to the platform to send alerts via SMS and email
- Modbus connection for 3rd party building management systems
- Options available with T1 & T1+2 SPD & TPN & DP **RCBOS** and MCBS

Order No.	Model No.	Description
2501673270	Guardian GES	Guardian with Pre-Wired Enclosure and O-PEN® Technology
2501673271	Guardian TP	Guardian Stand Alone Panel Meter with O-PEN® Technology
2503009553	GPC-3-32- TP-R-SPD	Guardian with pre-wired enclosure and O-PEN® technology with SPD & 3 x 32A TPN RCBOS



Single Phase Units





- · Built in matt:e technology
- NO EARTH ELECTRODES REQUIRED
- BS:7671 2018 Amendment 1 2020 compliant
- Suitable for 1 x 32amp load
- Built in Type A RCBO
- SPD Option available
- Simple wire in wire out connection
- Standard mild steel IP2X enclosure
- Other Options available
- Standard 3 year parts warranty

Order No.	Model No.	Description
2501292700	SP-EVCP-R	Single-Phase Unit with 32A Double Pole Type A RCBO
2501673254	SP-M-SPD	Single-phase PEN Fault Protection with MCB and Type 2 SPD





- Built in PEN fault protection
- NO EARTH ELECTRODES REQUIRED
- Manual or auto reset function (PEN fault only)
- Available as 40A and 100A
- Small footprint
- Simple wire in wire out connection
- Standard 1 year parts warranty

Order No.	Model No.	Description
2501673270	MTE/A 3P 40A	Single-Phase PEN Fault Protection and 40A MCB
2501673271	MTE/A 3P 100A	Single-Phase PEN Fault Protection and 100A MCB

MCU 40 Amp Type A RCBO & PME Fault

GARO

- 6 way metal enclosure with PEN fault device type A RCBO
- Type A RCBO (DC leakage monitoring needs to be in the charge point) or you will require a TYPE B PME board
- Can be used with any EV manufacturer charge point that does not have PME detection
- Single phase install only



Order No.	Model No.	Description
2501353699	G6EV40PME	MCU 40 Amp Type A RCBO & PME Fault

EV Priority Board 40A RCBO

GARO

- Simple way of load management prioritising one heavy load over another in a single phase dwelling
- 6 Way metal board
- Load control
- Single phase
- Load shedding relay and contactor
- 40 Amp RCBO
- Type A characteristic



Order No.	Model No.	Description
2501353700	GM6PS	EV Priority Board 40A RCBO

4 Way Metal Enclosure Type A RCBO



- Type A characteristic
- 40 Amp RCBO
- 4 way EV Board
- Metal enclosure
- RCBO Included
- Consumer unit
- 18th edition
- 5 year warranty

Order No.	Model No.	Description
2501353697	G4EV40	4 Way Metal Enclosure Type A RCBO



RCBO 40A 2 Pole 30mA Char C

- Residual current circuit breaker with integral overcurrent protection
- The breaker is a 'Type A' RCBO and is capable of protecting a system
- 5 year warranty





Order No.	Model No.	Description
2501401427	RCBOGRC40	RCBO 40A 2 Pole 30mA Char C

DLM Meters



- Dynamic Load Management Meter and energy consumption
- MID certified
- Modbus RS485 communications
- Displays I, V, Hz, KW, KVA, KWH
- 5 year warranty







GNM3D-RS485

Order No.	Model No.	Current	Power	DLM / Energy Consumption
2501353691	GNM1D-100-RS485	Single Phase	100 Amp	DLM
2501353693	GNM3D-RS485	Three Phase	65 Amp	Energy Consumption
2501353692	GNM1D-RS485	Single Phase	45 Amp	Energy Consumption
2501353694	DLM300	Three Phase	300 Amp	DLM
2501353695	DLM600	Three Phase	600 Amp	DLM

Discover our **Industrial Solutions**

Contact the specialist team today at Industrial.enquiries@rexel.co.uk

Call **0333 400 5938**

Or scan the QR code for more information





EV Chargepoint Accessories

ROLEC

- Rolec's EV consumer units are ideal for the installation of an EV chargepoint which has built-in DC Protective Device & PME Fault Detection
- RFID cards & fobs are ideal for workplaces, fleets and residential shared charging allowing the host to issue drivers or vehicles (VRM) with a simple tap on/ tap of charging solution
- CT clamp & 5m cable Enables load balancing and the monitoring of renewables

EV Consumer Units - Metal Clad Enclosure

Order No.	Model No.	Description
2501516895	EVIN0010	20A Single Phase with Type A RCBO
2501516896	EVIN0015	40A Single Phase with Type A RCBO
2503008892	EVIN0025	40A Single Phase EV Consumer Unit with Type B RCD / MCB
2501516897	EVIN0070	20A Three Phase with Type A RCBO
2501516898	EVIN0075	40A Three Phase with Type A RCBO
2503008893	EVIN0085	40A Three Phase EV Consumer Unit with Type B RCD / MCB

RFID Cards & Fobs

Order No.	Model No.	Description
2501516899	RFID0010	RFID Card
2501516900	RFID0020	RFID Fob

CT Clamp

Order No.	Model No.	Description
2501516894	ACSR0125	100A up to 35mm² screened CT clamp with 10m cable



EV Circuit Protection Boards



- EV Charger Circuit Protection
- Includes Type 2 Surge Protection Device
- IP65

IP65 Type A RCD 40A MCB Type 2 SPD

Order No.	Model No.	Current	Modules	Colour
2501626832	CFEV5A-01	40A	5	Grey
2501626837	CFEV5AW-01	40A	5	White

IP65 Type A RCBO Double Pole 100A Main Switch Type 2 SPD

Order No.	Model No.	Current	Modules	Colour
2501626838	CFEV5RDA-01	40A	5	Grey
2501626839	CFEV5RDAW-01	40A	5	White

IP65 40A MCB 100A Main Switch Type 2 SPD

Order No.	Model No.	Current	Modules	Colour
2501626778	CFEV6-01	40A	5	Grey





EV Charging Cables

ROLEC

- Plug to plug Mode 3 EV charging cables to suit every EV and PHEV on the market
- 5m & 10m versions available
- IP54 rated
- 10,000 mating cycles
- Impact resistant 'run over' proof

Order No.	Model No.	Description
2500511850	EVPP0160	5m 32A Type 2 to Type 1
2500837395	EVPP0163	10m 32A Type 2 to Type 1
2500511844	EVPP0100	5m 32A Type 2 to Type 2
2500952377	EVPP0107	10m 32A Type 2 to Type 2
2500627004	EVPP0105	5m 32A 3 Phase Type 2 to Type 2
2501458532	EVPP0108	10m 32A 3 Phase Type 2 to Type 2
2500837396	EVPP0320	EV Charging Lead Carrying Bag





Did you know

Rexel can help you deliver large electrical installation projects, saving you time and cost?

Contact your local branch today or call **0330 045 0606**





EV ULTRA Charging Cable

- This cable is designed for use in the installation of electric vehicle charge points
- This cable solution to installers combines both power data
- With an SWA option available also



EV Ultra Charging Cable - 3 Core (Cut 1m +)

Order No.	Model No.	Conductor	Description	Length
2501279749	EV-ULTRA 3C4.0	4.0mm	Power Plus Data Cable	Cut 1m+
2501279753	EV-ULTRA 3C4.0SWA	4.0mm	SWA Power Plus Data Cable	Cut 1m+
2501279755	EV-ULTRA 3C6.0	6.0mm	Power Plus Data Cable	Cut 1m+
2501279757	EV-ULTRA 3C6.0SWA	6.0mm	SWA Power Plus Data Cable	Cut 1m+
2501279750	EV-ULTRA 3C4.0CAT5	4.0mm	Power Plus CAT5 Cable	Cut 1m+
2501570883	EV-ULTRA 3C4.0CATSWA	4.0mm	SWA Power Plus CAT5 Cable	Cut 1m+
2501510667	EV-ULTRA 3C6.0CAT5	6.0mm	Power Plus CAT5 Cable	Cut 1m+
2501510666	EV-ULTRA C6.0CAT5SWA	6.0mm	SWA Power Plus CAT5 Cable	Cut 1m+
2501579041	EV-ULTRA 3C710.0CAT5	10.0mm	Power Plus CAT5 Cable	Cut 1m+
2501579042	EV-ULTRA 3C710.0CAT5SWA	10.0mm	SWA Power Plus CAT5 Cable	Cut 1m+
2501579043	EV-ULTRA 3C716.0CAT5	16.0mm	Power Plus CAT5 Cable	Cut 1m+
2501579044	EV-ULTRA 3C716.0CAT5SWA	16.0mm	SWA Power Plus CAT5 Cable	Cut 1m+

EV Ultra Charging Cable - 5 Core (Cut 1m +)

Order No.	Model No.	Conductor	Description	Length
2501579045	EV-ULTRA 5C6.0CAT5	6.0mm	Power Plus CAT5 Cable	Cut 1m+
2501579046	EV-ULTRA 5C6.0CAT5SWA	6.0mm	SWA Power Plus CAT5 Cable	Cut 1m+
2501579047	EV-ULTRA 5C710.0CAT5	10.0mm	Power Plus CAT5 Cable	Cut 1m+
2501579048	EV-ULTRA 5C710.0CAT5SWA	10.0mm	SWA Power Plus CAT5 Cable	Cut 1m+
2501579049	EV-ULTRA 5C716.0CAT5SWA	16.0mm	SWA Power Plus CAT5 Cable	Cut 1m+

Type NYY

- Most suited energy supply for fixed installations
- Can be installed indoors where there is little chance of mechanical damage
- Not suitable for burial



NYY - 3 Core

Order No.	Model No.	Colour	Conductor	Length
2500636551	NYY3C1.5	Black	1.5mm	Cut 1m+
2500507602	NYY3C2.5	Black	2.5mm	Cut 1m+
2500507332	NYY3C4.0	Black	4.0mm	Cut 1m+
2501578994	NYY3C6.0	Black	6.0mm	Cut 1m+

NYY - 4 Core

Order No.	Model No.	Colour	Conductor	Length
2500877711	NYY4C1.5	Black	1.5mm	Cut 1m+
2500877712	NYY4C2.5	Black	2.5mm	Cut 1m+
2501578995	NYY4C4.0	Black	4.0mm	Cut 1m+
2501578996	NYY4C6.0	Black	6.0mm	Cut 1m+


NYY - 5 Core

Order No.	Model No.	Colour	Conductor	Length
2500877713	NYY5C1.5	Black	1.5mm	Cut 1m+
2500877714	NYY5C2.5	Black	2.5mm	Cut 1m+
2500877715	NYY5C4.0	Black	4.0mm	Cut 1m+
2500877716	NYY5C6.0	Black	6.0mm	Cut 1m+
2500877717	NYY5C10.0	Black	10.0mm	Cut 1m+

EV Cable Fixing Packs



- Labour saving
- Quick to install, looks great



Order No.	Model No.	For Cable Dia	Pack Qty
2501464479	EVFIX10B/KIT	10-17mm	100
2501464480	EVFIX16B/KIT	16-21mm	100

Groundworks



EV Chargepoint Signage & Protection Barriers

ROLEC

- Highlight your EV charging facility with an aluminium screen printed EV charging station sign
- Protect your EV charging pedestal with a galvanised steel powder coated barrier





Order No.	Model No.	Description
2500633262	EVPS0010	A4 Landscape Aluminium EV Parking Sign
2500633263	EVPS0020	A5 Landscape Aluminium EV Parking Sign
2500633259	EVCB0020	Root Mount EV Chargepoint Protection Barrier (48mm)
2500633261	EVCB0040	Surface Bolted EV ChargePoint Protection Barrier (48mm)

EV Blocks



EV BLOCKS CON

- Precast concrete EV charger bases for EV charging stations
- 100% Recyclable
- Suitable for all weather conditions
- Made with 35% reduced carbon concrete







Order No.	Model No.	Description
2501654267	EV BLOCK MINI	EV Block 300x300x450mm 78kg
2501654268	B500+	EV Block 500x500x400mm 106kg
2501654269	B600	EV Block 600x600x400mm 192kg

Park Aid Wheel Stop

MORAVIA

- Stop damage to EV Chargers
- Prevents vehicle collisions
- Fixings included



Order No.	Model No.	Description
2501599008	284.20.975	Park-Aid Wheel Stop 1800mm Black/Yellow Fixings Included

EV Tower



- The EV Tower Essentials
 Post, fabricated from
 Grade 304 stainless
 steel, includes cable
 routes for both rear and
 bottom entry chargers
 and is compatible with
 all EV Tower charger
 mounting plates
- Can be used with the E BLOCK MINI -2501654267 (See left)
- Various Mounting plates to suit most EV Chargers available





Order No.	Model No.	Description
2501659317	EVT56-SS	EV Tower Post
2501601214	EVT17	EASEE Plate
2501659318	EVT21	Ohme HomePro Plate
2501659319	EVT98	Ohme Epod Plate
2501601215	EVT09	Zappi Plate

Test Equipment



IET Code of Practice for Electric Vehicle Charging





Order No.	Model No.	Description
2501136926	PIETEVC20	IET Code of Practice for Electric Vehicle Charging

ChargeCheck

ROLEC

- Simulates an electric vehicle
- Simulates and tests IEC 61851-1 Mode 3 communication compliance
- Tests J1772 (Type 1) charging points and Tests IEC 62196 (Type 2)
- Tests for correct Live Neutral – Earth polarity
- Provides test socket for Earth loop impedance test
- Provides test socket for RCD / RCBO trip time and sensitivity test
- Includes a 1 metre J1772 (Type 1) to IEC 62196 (Type 2) adapter cable



Order No.	Model No.	Description
2500580418	EVTU0018	ChargeCheck:EV Charging Unit Tester

MFT-X1 Multifunction Tester

Megger.

- Designed for testing single & 3-phase installations
- Brand new features including full colour screen, RCD configurator and EV charge point testing
- Fully compatible with CertSuite for easy certificate generation and reporting
- TrueLoop measurement using patented confidence meter
- 3 year warranty



Order No.	Model No.	Description	
2501552529 1012-223		MFT-X1 Multifunction Tester	

eMobility Testing Equipment

FLUKE:

- As the electric vehicle (EV) market accelerates, so do the needs for electric vehicle supply equipment (EVSE) from installation to critical infrastructure maintenance
- Fluke offers a range of eMobility solutions including electrical testers, insulation testers, thermal cameras and EVSE testers to help you perform fast, accurate measurements for efficient routine checks and troubleshooting of EVSEs, all while providing the highest level of safety



Order No.	Model No.	Description
2501665506	FEV350/TY2	FEV350 EV Charging Station Analyser Kit for Type 2 Connector
2501665507	FEV350/TY2 PRO	FEV350 EV Charging Station Analyser Kit for Type 2 Connector with TruTest Software License
2501665508	FEV350/TY2/ TY1	FEV350 EV Charging Station Analyser Kit for Type 1 and 2 Connectors
2501665509	FEV350/TY2/ TY1 PRO	FEV350 EV Charging Station Analyser Kit for Type 1 and 2 Connectors with TruTest Software License
2501665510	FLK-FEV350/ KIT UK	FEV350 EV Charging Station Analyser Kit for Type 1 and 2 Connectors with 1664 FC Multifunction Tester
2501665511	FLK-ZERO ADAPTER/TY2	FLK-ZERO ADAPTER/TY2 is a Type 2 Zero Adapter for FEV350 EV Charging Station
2501665512	FLK-ZERO ADAPTER/TY1	FLK-ZERO ADAPTER/TY1 is a Type 1 Zero Adapter for FEV350 EV Charging Station
2503006903	FLK-FEV300/ TY2	Fluke FEV300 EV Charging Station Test Adapter Kit With Type 2 Connector
2503006904	FLK-FEV300/ TY1 & TY2	Fluke FEV300 EV Charging Station Test Adapter Kit: Type 1 & 2 Connectors

DC Charging



UltraCharge 30

ROLEC





- Plug & go, app, RFID or contactless payment (optional extra)
- Offers 1 x DC charging output
- Up to 30kW charging speeds
- OCPP 1.6J Compliant (can integrate with any back-office)
- Supports static and dynamic load management
- 8" HD user interface touch screen
- Under/overvoltage, DC overcurrent, over-temp & surge protection
- 4G / Ethernet connectivity
- IP55, IK10 protection rating
- 5m charging cables (4.5m external), longer optional
- Conforms with the PAS 1899 accessible charging standard
- 2 year warranty (extended warranty available upon request)

Order No.	Model No.	Description
2503008875	EVDC7010	UltraCharge30 - 30kW Output 1 x 5m CCS Connector (Floor Stand Optional)
2503008878	EVAD7010	UltraCharge30 - Floor Stand
2503008895	EVAD7020	UltraCharge 30 Dual Mounting Pedestal
2503008879	GMUC0010	UltraCharge 30 Galvanised Steel Ground Mounting Base

Stock Availability

DC Charging products may require a longer lead time and require specialist handling - please contact your local branch for further details.





The ULTRACHARGE 30 is an ideal compact, minimal investment solution for businesses implementing rapid EV charging for customers, staff, and fleets. It can easily integrate into most commercial premises with a low-grid connection requirement of only 55A on a Three Phase supply.



Find out more!







Dynamic power management



Wall or pedestal mounted



Meets accessibility standards







Optional contactless payment terminal

UltraCharge 80, 160 & 240 Floor Units

ROLEC



- Plug & go, app, RFID or contactless payment controlled charging
- Offer up to 2x DC charging outputs
- Up to 240kW charging speeds
- Upgradeable power modules
- OCPP 1.6J Compliant 1.6 compliant (can integrate with any back-office)
- Intelligent dynamic power sharing
- 7" HD user interface touch screen
- Integrated RFID / NFC / contactless card payment terminal
- 4G / Ethernet connectivity
- IP55, IK10 protection rating
- 5m charging cables (4.5m external)
- 2 year warranty (extended warranty available upon request)

Order No.	Model No.	Description
2503008876	EVDC5020	UltraCharge 80 60kW DC EV Charger with 2 x CCS2
2503008877	EVDC5030	UltraCharge 80 80kW DC EV Charger with 2 x CCS2
2503008871	EVDC8010	UltraCharge 160 120kW DC EV Charger with 2x CCS2
2503008872	EVDC8020	UltraCharge 160 160kW DC EV Charger with 2x CCS2
2503008873	EVDC6020	UltraCharge 240 200kW DC EV Charger with 2x CCS2
2503008874	EVDC6030	UltraCharge 240 240kW DC EV Charger with 2x CCS2

Stock Availability

DC Charging products may require a longer lead time and require specialist handling - please contact your local branch for further details.

Rapid 120

- MID wattmeters
- Simultaneous charging
- Robust stainless steel enclosure
- CCS charging up to 120 kW
- Single or Dual CCS
- Chademo available on request
- Auto-retractable cable system
- RFID reader
- Multi-language 7"colour touchscreen

0 1 11		5
Order No.	Model No.	Description
2501677712	GRNM120-NNC1	Rapid 120 ONE - DC 120 kW CCS 300A
2501677713	GRNM120-C1C1	Rapid 120 DUO - DC 120 kW CCS 300A and CCS 300A
2501677714	GRMM120-C1C1	Rapid 120 TRIO - DC 120 kW CCS 300A and CCS 300A and AC 22 kW Socket Type 2

Rapid 180

- MID wattmeters
- Simultaneous charging
- Robust stainless steel enclosure
- CCS charging up to 180 kW
- Single or Dual CCS
- Chademo available on request
- Auto-retractable cable system
- RFID reader
- Multi-language 7"colour touchscreen





Order No.	Model No.	Description
2501677715	GRNM180-NNC1	Rapid 180 ONE - DC 180 kW CCS 300A
2501677716	GRNM180-C1C1	Rapid 180 DUO - DC 180 kW CCS 300A and CCS 300A
2501677717	GRMM180-C1C1	Rapid 180 TRIO - DC 180 kW CCS 300A and CCS 300A and AC 22 kW Socket Type 2


B800D EV Block for Rolec Ultra Charger





- Pre-Cast Concrete EV charger base with a universal adaptor plate
- Blocks can be fitted for future-proofing an installation
- Uniform finish every time
- 100% Recyclable
- Can be installed in any weather conditions
- Made with 35% reduced carbon concrete
- Weight: 658kg (Specialist handling required)







Order No.	Model No.	Description
2503009549	B800D	Universal DC EV Charging Foundation
2503009550	B800D-AD	Adaptor Plate - Stainless Steel
2503009551	B800D-ASSEM	Assembly kit for the B800D Foundation block

Stock Availability

DC Charging products may require a longer lead time and require specialist handling - please contact your local branch for further details.





- Compatible with any OCPP charger
- Freephone 24/7 driver support
- Contactless payment options
- Set multiple tariffs for different user groups
- Compliant with UK Government Public Charge Point Regulations

Earn extra income with recurring revenue from every successful transaction on all installations.



EV CHARGING MADE EASY



www.clenergy-ev.com/Rexel-Installers

Scan the QR to find your local branch



Our terms and conditions of sale apply to the sale of goods to the exclusion of all other terms. A copy of our terms is available at www.rexel.co.uk. The information in this document is for general information purposes only. Rexel UK Limited assumes no responsibility in so far as the law permits for errors or omissions in the contents of this document. No reliance shall be placed on the contents by readers.

